



The Complexity of Social Media Response: Statistical Evidence for One-dimensional Engagement Signal in Twitter

Damian Konrad Kowalczyk^{1,2} ^a and Lars Kai Hansen² ^b

¹Microsoft Development Center Copenhagen, Kanalvej 7, 2800 Kongens Lyngby, Denmark

²DTU Compute, Matematiktorvet 303B, 2800 Kongens Lyngby, Denmark

Keywords: Social, Influence, Engagement, Virality, Popularity, Twitter.

Abstract: Many years after online social networks exceeded our collective attention, social influence is still built on attention capital. Quality is not a prerequisite for viral spreading, yet large diffusion cascades remain the hallmark of a social influencer. Consequently, our exposure to low-quality content and questionable influence is expected to increase. Since the conception of influence maximization frameworks, multiple content performance metrics became available, albeit raising the complexity of influence analysis. In this paper, we examine and consolidate a diverse set of content engagement metrics. The correlations discovered lead us to propose a new, more holistic, one-dimensional engagement signal. We then show it is more predictable than any individual influence predictors previously investigated. Our proposed model achieves strong engagement ranking performance and is the first to explain half of the variance with features available early. We share the detailed numerical workflow to compute the new compound engagement signal. The model is immediately applicable to social media monitoring, influencer identification, campaign engagement forecasting, and curating user feeds.

1 SOCIAL MEDIA ENGAGEMENT

The unprecedented amount of attention aggregated by online social networks comes under intense criticism in the recent years (Bueno, 2016; Wu, 2017; Beyersdorf, 2019; Bybee and Jenkins, 2019), as billions are now exposed to low-quality content and questionable influence. Platforms like Facebook and Twitter, offer an unparalleled opportunity for influence analysis and maximization, impacting public opinion, culture, policy, and commerce (Davenport and Beck, 2001).


Extant work on influence analysis focuses on homogeneous information networks and attributes the greatest influence to authors triggering the largest diffusion cascades (Franck, 2019). When the author's influence is modeled as the ability to maximize the expected spread of information in the network (Pezoni et al., 2013; Eshgi et al., 2019), the most desirable user-generated content is the one propagated furthest, in Twitter measured by the number of retweets. Propagation metrics however (retweet count in partic-


ular), do not capture the average individual attention received. Retweet action does not inform, e.g., if the actor has actually read the content, let alone consider the source or whether that effort was left to the followers. Meanwhile, the abundance of information to which we are exposed through online social networks is exceeding our capacity to consume it (Weng et al., 2012), let alone in a critical way. Work presented in (Weng et al., 2012; Qiu et al., 2017) shows that content quality is not a prerequisite for viral spreading, and (Lorenz-Spreen et al., 2019) shows that the competition for our attention is growing, causing individual topics to receive even shorter intervals of collective attention. Accordingly, our exposure to low-quality information and, by extension low-quality influence is increasing (Table 1).

Today, the digital footprint of an audience goes

Table 1: Four popular tweets ranked by the most prevalent influence predictor: size of diffusion triggered in the network, in Twitter measured by the number of retweets.

Tweet (body)	Retweets	Replies	Favorites
"ZOZOTOWN新春セルが史上最速で取高100を先ほ(...)"	4.5M	357.4K	1.3M
"HELP ME PLEASE. A MAN NEEDS HIS NUGGS"	3.47M	37K	0.99M
"If only Bradley's arm was longer. Best photo ever. #oscars"	3.21M	215K	2.29M
"No one is born hating another person because of the color of his skin or his background or his religion..."	1.61M	69K	4.44M

^a  <https://orcid.org/0000-0002-5612-0859>

^b  <https://orcid.org/0000-0003-0442-5877>

far beyond the retweet action. Platforms like Facebook and Twitter record an increasingly diverse set of user behaviors, including number of clicks, replies or favorites (likes). Since the work of (Pezzoni et al., 2013), Twitter has made many of these metrics available to the public, inviting a more holistic approach to influence modeling, albeit rising the complexity of all dependent tasks. Consequently, few studies to date systematically investigate how to model the strength of influence in heterogeneous information networks, and the processes that drive popularity in our limited-attention world remain mostly unexplored (Franck, 2019; Weng et al., 2012).

The four Tweets in Table 1 illustrate that the mechanisms leading to high engagement are complex. In the following work, we investigate the multi-dimensional response of on-line audiences to understand this complexity. We examine and consolidate multiple discrete engagement metrics towards a new compound engagement signal. While the new signal is statistically motivated, we next show the relevance of the signal for understanding engagement in multiple datasets. In particular, we show that the new signal is more predictable than the individual metrics (e.g., diffusion size measured by retweet count) prevalent in literature. Our engagement model is the first to explain half of the variance with features available early, and to offer strong (Cohen, 1988) ranking performance simultaneously. We provide the workflow for calculating the new compound engagement signal from the raw count.

The contributions of this paper are summarized as follows:

1. Parallel analysis of three individual content performance signals, showing evidence of one-dimensional engagement signal on Twitter
2. new compound engagement formula, capturing over 75% of variance in available engagement signals
3. advancing feature representation of user generated content on Twitter, to consider increasingly popular 'quote tweets', validated on two real-world datasets
4. two new engagement models (response and popularity), delivering strong ranking performance
5. new state-of-the-art in virality prediction on Twitter
6. finally, a new more holistic, compound engagement model, first to explain half of the variance with content features available at the time of posting, and to offer strong ranking performance simultaneously

2 METHODOLOGY

In this section we describe the application of unsupervised learning towards contributions (1,2,6), data collection and feature extraction approach towards contribution (1,3), and the chosen supervised method towards contributions (4,5,6).

2.1 Principal Engagement Component

We acquire the multivariate set of responses forming the ground truth vector:

$$e_{gt} = [e_{retweets}, e_{replies}, e_{favorites}]^T. \quad (1)$$

Recent work on engagement modeling, e.g., (Lee et al., 2018) defines any response as a sign of engagement, effectively reducing the multivariate response to a one-dimensional signal. However, to our knowledge, the complexity of the engagement signal has not been explored more formally. While it appears credible that the population response signals, i.e., the dimensions of the of vector \mathbf{e} , are highly correlated, we can test the effective dimension of the space populated by the vectors using so-called Parallel Analysis (PA) (Horn, 1965; Jorgensen and Hansen, 2011). In PA principal component analysis of the measured signals is compared with the distribution of the principal components of null data obtained by permutation under a (null) hypothesis that there is no dependency between the individual response signals. Consistent with this hypothesis, we can permute the sequence of the signals for each observation separately. In particular, we compute the upper 95% quantile for the distribution of the eigenvalues in the permuted data. Eigenvalues of the original unpermuted data set that reject the null hypothesis are considered "signal".

Principal components are computed on the response signals subject to a variance stabilization transformation,

$$e = \ln(e_{gt} + 1), \quad (2)$$

see e.g., (Can et al., 2013; Kowalczyk and Larsen, 2019).

2.2 Projection on the Engagement Component

Hypothesizing a one-dimensional engagement signal, we compute the value as the projection on the first principal component of the transformed data of dimension $D = 3$,

$$E_1 = \sum_{i=1}^D w_i (\ln(e_i + 1) - \mu_i), \quad (3)$$

where $\mu_i = \frac{1}{N} \sum_{n=1}^N \hat{e}_{i,n}$ is the i 'th component of the D -dimensional mean vector for a sample of size N , while w_i is the i 'th component of the first principal component, computed on the same sample.

2.3 Gradient Boosted Regression Trees (GBRT)

We consider the problem of predicting audience engagement for a given tweet based on features available immediately after its delivery (Table 3). Features describing the author are used together with the content, language, and temporal descriptors to predict the size of retweet cascade, number of likes, number of replies, and the proposed compound engagement signal. GBRT is a tree ensemble algorithm that builds one regression tree at a time by fitting the residual of the trees that preceded it. The training process minimizing a chosen twice-differentiable loss function can be described as:

$$\theta^* = \arg \min_{\theta} \sum_{i=1}^N L_{SE}(\hat{e}_i, e_i), \quad (4)$$

where θ contains all parameters of the proposed model, N is the number of examples, and L_{SE} is the squared error of an individual prediction,

$$L_{SE}(e, \hat{e}) = (e - \hat{e})^2. \quad (5)$$

We follow (Can et al., 2013; Kowalczyk and Larsen, 2019) to stabilize variance of all individual engagement signals via log-transformation as in Equation 2.

2.3.1 Gradient Boosting Framework

We use Microsoft's implementation of Gradient Boosted Decision Trees (Ke et al., 2017) for model training and tuning. LightGBM offers accurate handling of categorical features by applying (Fisher, 1958), which limits the dimensionality of our tasks.

3 DATA COLLECTION

Recent work on social network analysis re-emphasizes the importance of dataset size, to make reliable predictions from representative samples. The larger the dataset, the better the accuracy and consistency of a predictive model because it minimizes the possibility of bias. However, as argued by (Agarwal et al., 2019), this intuition is incomplete. Relying solely on short timeframe samples or keyword-based crawling can produce a large dataset full of noise and irrelevant (Bhattacharya et al., 2017) data. Careful collection and filtering strategies, in

addition to large-scale sampling, are critical for building datasets representative of the population and engagement modeling at scale.

3.1 Unique Tweets

We use Twitter Historical PowerTrack APIs to collect training and validation datasets described in Table 2. Retroactive filtering of Twitter archives allows close reproduction of datasets used in prior work (where still public) e.g., (Wang et al., 2018; Kowalczyk and Larsen, 2019). Historical PowerTrack API also enables near-uniform sampling across long time-frames (Figure 1), to increase the proportion of the population in a sample, as motivated by (Kim et al., 2018). Collecting a dataset similar to T2017-ML by sampling Twitter Firehose prevalent in prior work, would have taken 14 months.




Figure 1: T2017-ML volume per month: Historical APIs allow near uniform sampling of large-scale data to ensure higher proportion of the population in a sample.

3.2 Engagement Totals

Three content engagement metrics are made publicly available by Twitter since 2015. We use Twitter's Engagement Totals API to retrieve the number of retweets, replies, and favorites ever registered for each tweet (even if removed later via unlike or account suspension). Use of the Engagement Totals API ensures 100% accuracy of our supervisory vector of response signals e .

3.3 Sentiment Prediction

(Hansen et al., 2011; Kowalczyk and Larsen, 2019) show the impact of sentiment on tweet's virality (retweetability). We reuse sentiment predictions from (Kowalczyk and Larsen, 2019) for all tweets in the validation datasets to explore correlation with other engagement metrics and ensure fair comparison with previous results. The analysis was performed for tweets in 18 languages, using Text Analytics APIs from Microsoft Cognitive Services (Microsoft, 2017).

Table 2: Datasets acquired.

Dataset	T2016-IMG	T2017-ML	T2018-ML
introduced	Wang (2018)	Kowalczyk (2018)	now
w/image only	True	False	False
languages	English	18	all
months total	3	14	12
month from	2016.10	2017.01	2018.01
unique tweets	2,848,892	9,719,264	29,883,324
quoting	421,175	583,514	2,647,072
retweets total	5,929,850	11,361,699	42,919,158
replies total	717,644	3,576,976	12,414,907
favorites total	12,665,657	29,138,707	134,523,998
no engagement	1,547,829	5,689,501	14,813,772

3.4 Datasets

Table 2 offers a summary of three datasets collected for this study.

1. **T2016-IMG** to evaluate our feature representation and training method in comparison with the work of (Mazloom et al., 2016; McParlane et al., 2014; Khosla et al., 2014; Cappallo et al., 2015; Wang et al., 2018; Kowalczyk and Larsen, 2019). The dataset matches the same filters, as applied before (timeframe, language code or the presence of an image attachment).
2. **T2017-ML** to evaluate the generalizability of our resulting models across seasons and languages (cultures) and comparison with the work of (Kowalczyk and Larsen, 2019). This dataset represents a near-uniform sample of Twitter 2017 volume in all 18 languages supported by the sentiment analysis service (Microsoft, 2017).
3. **T2018-ML** to evaluate the generalizability of our compound engagement signal across years. This dataset represents a near-uniform sample of entire Twitter 2018 volume in all known languages. In this study, T2018-ML dataset is used in supervised experiments only.

Datasets T2016-IMG and T2017-ML are split into 70% training, 20% test and 10% validation sets. To aid reproducibility, we share unique ID’s of acquired tweets along with sentiment predictions.

3.4.1 Privacy Respecting Storage

The data analyzed in this study is publicly available during collection. How much of it remains public, can change rapidly afterward. We follow the architecture proposed by (Kowalczyk and Larsen, 2019) to secure the data in a central highly scalable database, exposed to applicable privacy requests from Twitter’s Compliance Firehose API, and to feature extraction requests from our Spark cluster.

Table 3: Feature representation summary.

Feature	Representation	Skewness	Quoted [†]
followers count	ordinal	0.212	True
friends count	ordinal	-0.321	True
account age (days)	ordinal	0.203	True
statuses count	ordinal	-0.665	True
actor favorites count	ordinal	-1.023	True
actor listed count	ordinal	0.687	True
actor verified	categorical	-	True
body length	ordinal	-1.426	True
mention count	ordinal	3.820	True
hashtag count	ordinal	5.808	True
media count	ordinal	3.203	True
url count	ordinal	1.449	True
language code	categorical	-	True
sentiment value	continuous	-0.014	False
posted hour	ordinal	-0.058	False
posted day	ordinal	0.021	False
posted month	ordinal	0.210	False
retweet count	label	6.091	n/a
reply count	label	2.330	n/a
favorite count	label	3.122	True

[†] if True, additional feature is extracted from the quoted tweet.

3.4.2 Feature Extraction

Table 3 describes features extracted from each tweet. To ensure scalability in production, only the information available at the time of engagement is considered. In 2015 Twitter introduced ‘quote retweets’ (or ‘quote RTs’) impacting political discourse and its diffusion as shown by (Garimella et al., 2016). Over 3.5 million tweets collected for this study quote another (Table 2). We extend the feature representation by (Kowalczyk and Larsen, 2019) to represent them. Table 3 shows in bold, an additional 14 unique features computed for quoted RT’s. We log-transform highly skewed (count of followers, friends, statuses, and number of times the actor has been listed) to stabilize variance.

4 RESULTS

We begin with examining all available content performance signals (count of retweets, replies and favorites) in the extended time-frame datasets. We look for potential correlations that could enable reducing the dimension of engagement using Parallel Analysis. In the supervised experiments, first we evaluate our methodology and feature representation against previous state-of-the-art methods, by modelling the individual influence metrics (e.g. virality) and the compound engagement on the benchmark dataset T2016-IMG. Finally we evaluate the generalizability of our method across topics and cultures, modeling engagement on the multilingual extended-timeframe dataset T2017-ML.




Figure 2: Parallel Analyses of the response signals for the 2017 data set provide evidence for a one-dimensional engagement signal: Only the first component ('1'- red dotted line) exceeds the 95% quantile of the corresponding eigenvalue in the null hypothesis (blue dashed line).

4.1 Evidence for a One-dimensional Engagement Signal

We perform Parallel Analysis and compute the principal components and their associated projected variances for the log-transformed data as well as for $Q = 100$ permutations of the data assuming the no correlation null. The one-sided upper 95% quantile is computed from the permuted samples. Variances of the un-permuted signals and the 95% quantiles for the three eigenvalues of the permuted data are shown in figure 2. Very similar results are obtained for the 2018 data set (not shown).

4.2 The Engagement Signal

We perform principal component analysis of the two data sets keeping a single principal component. The mean vectors and projections are found in Table 4. The variance explained by the first components in the three analyses: 2016 : 83%, 2017 : 72%, 2018 : 77%.

Table 4: First principal components of the extended time-frame engagement signals, used to compute the one-dimensional compound engagement (see Equation 3).

	retweets		replies		favorites	
	w_1	μ_1	w_2	μ_2	w_3	μ_3
T2017-ML	0.451	0.049	0.145	0.082	0.880	0.148
T2018-ML	0.450	0.066	0.188	0.080	0.872	0.205

4.3 Predicting Engagement

Metrics. We compute the Spearman ρ ranking coefficients to measure each model's ability to rank the content depending on the definition of engagement. We compute the relative measure of fit R^2 to compare the variance explained in the compound engagement

and in the individual engagement signals. The absolute measure of fit (RMSE) is chosen as an objective of optimization, to penalize large errors and relative insensitivity to outliers. The p -value for all reported ρ results is $p < 0.001$. Each metric is an average from 3-fold cross-validation. SciPy version 1.3.1 is used to ensure ρ tie handling. Interpretation of R^2 and Spearman ρ is domain-specific, with guidelines for social and behavioral sciences proposed by (Cohen, 1988).

Representation. First round of our supervised experiments focus on evaluating our user-generated content feature representation and GBRT approach against previous state-of-the-art methods, in modeling established engagement signals, like the size of diffusion (e.g., retweet count), response (i.e., number of replies) and popularity (i.e., number of favorites/likes), before attempting to predict the compound engagement. Table 5 shows the performance of our GBRT with RMSE objective and new feature representation. Features extracted from the quoted content did not provide a significant boost over SOTA, likely due to visual modality dominating in the T2016-IMG dataset, as considered by (Wang et al., 2018). The approach did, however, match the performance of (Kowalczyk and Larsen, 2019) in virality ranking, and achieves strong (Cohen, 1988) performance without considering image modality. Applied to predict the new compound engagement, it sets a new benchmark for content engagement ranking $\rho = 0.680$.

Table 5: Method evaluation on the T2016-IMG dataset.

Method	R^2	ρ	RMSE
(McParlane et al., 2014) [†]	-	0.257	-
(Khosla et al., 2014) [†]	-	0.254	-
(Cappallo et al., 2015) [†]	-	0.258	-
(Mazloom et al., 2016) [†]	-	0.262	-
(Wang et al., 2018) [†]	-	0.350	-
(Kowalczyk and Larsen, 2019)	0.391	0.504	0.555
virality (retweets)	0.393	0.504	0.554
response (replies)	0.239	0.384	0.290
popularity (favorites)	0.500	0.656	0.665
engagement (compound)	0.501	0.680	0.341

[†] independent evaluation by (Wang et al., 2018)

Engagement The second round of supervised experiments focuses on the scalability and generalizability of our approach across topics and cultures (languages). Table 6 shows the performance of our engagement models on the multilingual extended time-frame dataset. Predicting the number of retweets with our new feature representation outperforms (Kowalczyk and Larsen, 2019), offering new state-of-the-art in virality ranking. Response and popularity models

Table 6: Engagement prediction performance on T2017-ML dataset. $SD < 0.001$ across 3-fold CV.

Method	R^2	ρ	RMSE
(Kowalczyk and Larsen, 2019)	0.402	0.369	0.336
virality (retweets)	0.425	0.371	0.329
response (replies)	0.302	0.512	0.292
popularity (favorites)	0.493	0.526	0.484
engagement (compound)	0.507	0.529	0.228

achieve strong (Cohen, 1988) ranking performance on T2017-ML. The compound engagement model again shows an increase in ranking performance over all individual engagement models, setting a new benchmark for engagement variance explained $R^2 = 0.507$. Table 7 offers a real-world illustration of the ranking performance, in comparison with diffusion-based ranking (Table 1).

Table 7: Four popular tweets, ranked by the new compound engagement metric.

Tweet (body)	Engagement
"No one is born hating another person because of the color of his skin or his background or his religion..."	9.283
"If only Bradley's arm was longer. Best photo ever. #oscars"	9.266
"ZOZOTOWN新春セルが史上最速で取高100を先ほ(...)"	9.158
"HELP ME PLEASE. A MAN NEEDS HIS NUGGS"	8.822

4.4 Feature Importance

Figure 3 offers a comparison of feature importance between all engagement models trained on the T2017-ML dataset. The importance equals total gains of splits which use the feature, averaged across 3-folds and rescaled to $[0, 1]$ for comparison across all engagement models. The uncertainty for virality features does not exceed 6%. When predicting response (i.e., number of replies), we find the number of users mentioned to have the highest predictive value, while the number of image attachments (i.e., media count) to have almost none. The number of followers, most popular in all prior work on virality prediction is fourth when predicting compound engagement. The average number of followers received with each status or number of times the author liked another tweet is far more predictive of compound engagement.

5 CONCLUSION

In this study, we have analyzed the complexity of the multivariate response of users engaging with social media. We have employed large-timeframe collection and filtering strategies to build datasets of unique tweets that could better represent Twitter's population. We have acquired, examined, and consolidated various response (engagement) metrics available for




Figure 3: Relative feature importance depending on the definition of engagement (top 23 out of 31 features).

each of the tweets. The significant correlation found between individual response signals leads us to propose a new one-dimensional compound engagement signal. We showed on multiple benchmark datasets, that compound engagement is more predictable than any individual engagement signal, most notably the number of retweets, measuring the size of diffusion cascade, predominant in influence maximization frameworks. (Franck, 2019; Eshgi et al., 2019).

Our compound engagement model is the first to explain half of the variance with features available at the time of posting, and to offer strong (Cohen, 1988)

ranking performance simultaneously. The model is ready for production with immediate application to social media monitoring, campaign engagement forecasting, influence prediction, and maximization. We propose the ability to engage the audience as a new, more holistic baseline for social influence analysis. We share the compound engagement workflow and parameters (Eq. (3) and Table (4)) to ensure reproducibility and inspire future work on engagement modeling. We hope the future work will balance any negative impact of diffusion-based influence maximization, on our collective attention and well-being.

ACKNOWLEDGEMENTS

This project is supported by Microsoft Development Center Copenhagen and the Danish Innovation Fund, Case No. 5189-00089B. We would like to acknowledge the invaluable support of Sandeep Aparajit, Jörg Derungs, Ralf Gautschi, Tomasz Janiczek, Charlotte Mark, Pushpraj Shukla and Walter Sun. Any opinions, findings, conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect those of the sponsors.

REFERENCES

- Agarwal, N., Dokoohaki, N., and Tokdemir, S., editors (2019). *Emerging Research Challenges and Opportunities in Computational Social Network Analysis and Mining*. Lecture Notes in Social Networks. Springer International Publishing, Cham.
- Beyersdorf, B. (2019). Regulating the Most Accessible Marketplace of Ideas in History: Disclosure Requirements in Online Political Advertisements after the 2016 Election. *California Law Review*, 107.
- Bhattacharya, N., Arpinar, I. B., and Kursuncu, U. (2017). Real Time Evaluation of Quality of Search Terms during Query Expansion for Streaming Text Data Using Velocity and Relevance. In *Proceedings - IEEE 11th International Conference on Semantic Computing, ICSC 2017*, pages 280–281. Institute of Electrical and Electronics Engineers Inc.
- Bueno, C. C. (2016). *The Attention Economy: Labour, Time and Power in Cognitive Capitalism*. Rowman & Littlefield International.
- Bybee, K. J. and Jenkins, L. (2019). Free Speech, Free Press, and Fake News: What If the Marketplace of Ideas Isn't About Identifying Truth? *SSRN Electronic Journal*.
- Can, E. F., Oktay, H., and Manmatha, R. (2013). Predicting retweet count using visual cues. In *Proceedings of the 22nd ACM international conference on Conference on information & knowledge management - CIKM '13*.
- Cappallo, S., Mensink, T., and Snoek, C. G. (2015). Latent Factors of Visual Popularity Prediction. In *Proceedings of the 5th ACM on International Conference on Multimedia Retrieval - ICMR '15*.
- Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences*. Lawrence Erlbaum Associates.
- Davenport, T. H. and Beck, J. C. (2001). *The attention economy: Understanding the new currency of business*. Harvard Business Press.
- Eshgi, S., Maghsudi, S., Restocchi, V., Stein, S., and Tassiulas, L. (2019). Efficient influence maximization under network uncertainty. In *INFOCOM 2019 Workshop proceedings*.
- Fisher, W. D. (1958). On Grouping For Maximum Homogeneity. *American Statistical Association Journal*.
- Franck, G. (2019). The economy of attention. *Journal of Sociology*, 55(1):8–19.
- Garimella, K., Weber, I., and De Choudhury, M. (2016). Quote rts on twitter: Usage of the new feature for political discourse. In *Proceedings of the 8th ACM Conference on Web Science, WebSci '16*, pages 200–204, New York, NY, USA. ACM.
- Hansen, L. K., Arvidsson, A., Nielsen, F. A., Colleoni, E., and Etter, M. (2011). Good friends, bad news - Affect and virality in twitter. In *Communications in Computer and Information Science*.
- Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis. *Psychometrika*, 30(2):179–185.
- Jorgensen, K. W. and Hansen, L. K. (2011). Model selection for gaussian kernel pca denoising. *IEEE transactions on neural networks and learning systems*, 23(1):163–168.
- Ke, G., Meng, Q., Wang, T., Chen, W., Ma, W., Liu, T.-Y., Finley, T., Wang, T., Chen, W., Ma, W., Ye, Q., and Liu, T.-Y. (2017). LightGBM: A highly efficient gradient boosting decision tree. *Advances in Neural Information Processing Systems*.
- Khosla, A., Das Sarma, A., and Hamid, R. (2014). What makes an image popular? In *Proceedings of the 23rd international conference on World wide web - WWW '14*.
- Kim, H., Jang, S. M., Kim, S.-H., and Wan, A. (2018). Evaluating Sampling Methods for Content Analysis of Twitter Data. *Social Media + Society*, 4(2):205630511877283.
- Kowalczyk, D. K. and Larsen, J. (2019). Scalable Privacy-Compliant Virality Prediction on Twitter. In *Proceedings of AffCon 2019 @ AAAI*, volume 2328, pages 12–27.
- Lee, D., Hosanagar, K., and Nair, H. S. (2018). Advertising content and consumer engagement on social media: evidence from facebook. *Management Science*, 64(11):5105–5131.
- Lorenz-Spreen, P., Mønsted, B. M., Hövel, P., and Lehmann, S. (2019). Accelerating dynamics of collective attention. *Nature Communications*, 10(1):1759.
- Mazloom, M., Rietveld, R., Rudinac, S., Worring, M., and van Dolen, W. (2016). Multimodal Popularity Prediction of Brand-related Social Media Posts. In *Pro-*

- ceedings of the 2016 ACM on Multimedia Conference - MM '16.*
- McParlane, P. J., Moshfeghi, Y., and Jose, J. M. (2014). "Nobody comes here anymore, it's too crowded"; Predicting Image Popularity on Flickr. *Proceedings of International Conference on Multimedia Retrieval - ICMR '14.*
- Microsoft (2017). Cognitive Services APIs reference. <https://westus.dev.cognitive.microsoft.com/docs/services/TextAnalytics.V2.0/>. Accessed: 2018-09-05.
- Pezzoni, F., An, J., Passarella, A., Crowcroft, J., and Conti, M. (2013). Why do I retweet it? An information propagation model for microblogs. In *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*.
- Qiu, X., F. M. Oliveira, D., Sahami Shirazi, A., Flammini, A., and Menczer, F. (2017). Limited individual attention and online virality of low-quality information. *Nature Human Behaviour*, 1(7):0132.
- Wang, K., Bansal, M., and Frahm, J. M. (2018). Retweet wars: Tweet popularity prediction via dynamic multimodal regression. In *Proceedings - 2018 IEEE Winter Conference on Applications of Computer Vision, WACV 2018.*
- Weng, L., Flammini, A., Vespignani, A., and Menczer, F. (2012). Competition among memes in a world with limited attention. *Scientific reports*, 2:335.
- Wu, T. (2017). *The attention merchants: The epic scramble to get inside our heads.* Vintage.

