

Detailed Classification of Meal-related Activities from Eating Sound Collected in Free Living Conditions

Archit Jain¹, Takumi Kondo², Haruka Kamachi², Anna Yokokubo² and Guillaume Lopez²

¹University Jean Monnet, Saint-Etienne, France

²Aoyama Gakuin University, Tokyo, Japan

Keywords: Eating Quantification, Chewing, Swallowing, Sound Analysis, Activity Recognition, Free-living Conditions.

Abstract: Increasing the number of chews of each bite episode of a meal can help reduce obesity. Nevertheless, it is difficult for a person to keep track of his mastication rate without the help of an automatic mastication counting device. Such devices do exist, but they are big and non-portable and are not suitable for daily use. In our previous work, we proposed an optimization model for the classification of three meal-related activities, chewing, swallowing, and speaking activities from sound signals collected in free-living conditions with a cheap bone conduction microphone. To extract the number of chews per bite, it is necessary to differentiate the swallowing of food from the swallowing of drink. In this paper, we propose a new model that can not only classify speaking, chewing, and swallowing, but also differentiate whether swallowing is for food or drink, with an average accuracy of 96%.

1 INTRODUCTION

Obesity may cause lifestyle diseases such as diabetes and heart disease. The Japanese Ministry of Health, Labor and Welfare has taken measures for this prevention, but the number of obese patients has not decreased compared to 10 years ago (MHLW, 2016). Improving one's meal content and exercises are conventional methods for fighting against obesity. However, many people overlook the impact of change in how and not only in what a person eats as an alternative method for fighting against obesity. For example, Kishida et al. have reported that making conversation during meals is related to good health (Kishida and Kamimura, 1993). Besides, an optimum mastication rate can significantly help in reducing obesity (Nicklas et al., 2001). Indeed, chewing repetition stimulates the satiety center and sympathetic nervous system, which can reduce obesity by secreting hormones that suppress appetite (Kao, 2007). Moreover, Denney et al. reported in 2008 that people with fast-eating have higher tendency to be obese, which is partly because lowering secretion of hormones by eating fast causes an increase in dietary amount (Denney-Wilson and Campbell, 2008).

Improvement in the mastication amount is also crucial since healthcare experts always check the number of chewing as well as meal duration and food

type as an indispensable factor in assessing dietary habits. As a concrete example, when attempting to improve mastication activity for young Chinese men with obesity, Li et al. showed it was possible to reduce the intake of energy in all the subjects consistently (Li et al., 2011). Though chewing and swallowing processes depend on many factors both human and food property dependants (Logemann, 2014), recent research suggests that self-quantification is strongly associated with the will to optimize or improve own's performance or behavior (Ruckenstein and Pantzar, 2017).

Our research aims at proposing a system that can support consciousness improvement of good eating practices by accurate quantification of meal-related activities for monitoring purpose and persuasive feedback in real-time. It is composed of a cheap and small bone conduction microphone to collect intra-body sounds signal, and a smartphone that can process on-board the acoustic signal. From the processed signal, the system enables whether to provide feedback in real-time for behavior consciousness improvement or to transfer data to some online computation and storage resource for detailed monitoring purpose (Lopez et al., 2019). In the realization of this system, it is necessary to provide an accurate and detailed classification method of meal-related activities from intra-body sound signal collected in free-living envi-

ronment conditions. In this paper, we propose and evaluate a classification model that can differentiate not only speaking, chewing, and swallowing activities, but also swallowing food or drink.

2 STATE-OF-THE-ART

More than a decade ago, studies have been focusing on chewing as an improvement of dietary habits, mainly evaluating various methods and devices to quantify mastication activity with little burden (Kohyama et al., 2003; Amft et al., 2005). They proposed to use mainly devices that measure myoelectric potential from the masseter muscle can count bites. However, wearing the apparatus in daily life is a significant burden for the user. Obata et al. proposed the use of an infrared sensor to detect small changes in temporal muscle tension, but still, sensing medium and apparatus appearance bother users during meals (Obata et al., 2002). The strategy consisting in measuring directly jaw movements has been extensively studied. Tanigawa et al. explored the use of the Doppler effect in their system to sense the Doppler signal of mastication produced from vertical jaw movements (Tanigawa et al., 2008). However, their solution required some individual calibration, which is not convenient for general use. A recent work proposed to combine accelerometer and range sensing, implemented into a lightweight instrumented necklace that captures head and jawbone movements without direct contact with the skin (Keum et al., 2018). However, they could only detect accurately eating episodes (start and end), and their performances dropped in free-living conditions. As a summary, in all these methods wearing the apparatus in daily life is a significant burden for the user.

On the other hand, analysis of internal body sounds spectra has attracted attention as a way to differentiate between chewing and speaking activities, and to classify several types of food with less burden (Amft et al., 2005; Mizuno et al., 2007; Shuzo et al., 2010; Zhang et al., 2011). Indeed, Fontana et al. have shown earlier that even a strain sensor to detect chewing events and a throat microphone to detect swallowing sounds present enough comfort levels, such the presence of the sensors does not affect the meal (Fontana and Sazonov, 2013). Nishimura et al. (Nishimura and Kuroda, 2008) and Faudot et al. (Faudot et al., 2010) proposed to measure the chewing frequency using a wireless and wearable in-ear microphone. However, to estimate the number of chewing operations, still, some parameters need to be adjusted by the user each time, which is a severe con-

straint in practical use. Similarly, using bone conduction microphones (Uno et al., 2010). Paying attention to the amplitude during chewing, it is a system that judges chewing when amplitude magnitude exceeds a certain level, and the judgment accuracy was about 89%. However, activity discrimination method is limited to specific ailments, and evaluation in laboratory environment. Recently, Bi et al. (Bi et al., 2018) and Zhang et al. (Zhang and Amft, 2018) developed a wearable device that can automatically recognize eating behavior in free-living conditions using an off-the-shelf contact microphone placed behind the ear. Though both achieved accuracy exceeding 90% for eating event detection, the accuracy of specific meal-related activities such as the number of chewing or swallowing is whether not assessed or decreasing consistently in free-living conditions.

As summed-up above, despite numerous efforts by researchers over the last decade, an objective and usable method for detailed tracking of dietary intake behavior in natural meal environment remains unrealized, and there is still room for improvement in judging detailed meal-related activities such as mastication amount per bite, utterance duration, and intake content. In our previous work, we proposed a classification model of chewing, swallowing, and speaking activities from bone conduction sound collected in natural meal environment (Kondo et al., 2019b). The three activities could be classified with high accuracy, since the precision, recall, and F1 value all exceeded 95%. However, the proposed model was still deficient since it did not take into account other noisy sounds. Hence, in this paper, we added noisy sounds collected in natural meal environment to our dataset and evaluated the performance of the proposed model for classifying chewing, swallowing, speaking, and other noisy sounds.

3 COLLECTION OF DAILY MEAL SOUND

3.1 Experimental Conditions

To discriminate mastication, swallowing, and utterance from sound collected in a natural eating environment, eating sound data collection was carried out in a free-living meal environment. For example, some data were collected in a dining room and a standard household table with other family members, or at the university cafeteria with friends, such we can assume that represents different noisy conditions. The meal content was also totally free, and participants ate

whatever they wanted as usual in daily life, such various food types were mixed unpredictably during the same meal.

To collect dietary sound data, we used a commercial bone conduction microphone (Motorola Finiti HZ800 Bluetooth Headset, Motorola co. Ltd.), attached to one ear of the subject, that can operate Bluetooth communication with a smartphone (Google Pixel 3, Google co. Ltd.) and collected dietary voice data using a dedicated Android OS application. The sound signal sampling from the microphone was 8KHz. After collection, data were transferred to a computer for labeling and analysis. Besides, since data were collected in a totally free environment, it was necessary to perform labelling afterwards. To label sound segments after collecting the data, a video was taken together with sound data to assist the labeling work. The video shooting was performed so that the mouth and throat of the subject were reflected. Figure 1 shows a picture of the data collection conditions (for privacy, it is a photograph that reproduces the actual environment).




Figure 1: Picture reproducing the data collection conditions.

3.2 Collected Data Labelling

From the collected data it was necessary to extract the activity values associated with each data set. For that purpose the collected sound data were labeled in sections corresponding to one of the targeted three activities. To obtain the best labeling accuracy as possible, recorded video were synchronized with audio data and both were used as references (see figure 3). Though audio and video could be recorded on a single smartphone, two smartphones were used to ensure data collection without recording troubles. Labeling of audio data was done using “Praat,” which is a soft-




Figure 2: Example of raw sound data during respectively, from the top to the bottom, a chew, a swallow, and an utterance.

were frequently used for speech analysis (Boersma, 2001). Labels were set to: “chewing (C),” “swallowing (S),” and “talking (T)” (see figure 4).

Data were collected from 6 Japanese men and women (three each) from 11 to 23 years old, for a total of 10 meals, five different meals for subject 1, and one meal for each of the other eight subjects. In our previous work, we labeled each sound data sequence corresponding to a single chew, swallow, or speaking event (Kondo et al., 2019b). In this work, we increased the number of data samples, and divided swallowing label into “food swallowing” and “drink swallowing”. Differentiation of food and drink is a key issue to separate different bites and enable further detailed eating habit quantification.

Following the above described procedures we could prepare a dataset that details are described in Table 1. Though the number of subjects looks too small, the dataset represents 79 minutes of eating sound segments from unconstrained meal of various types of food, resulting in 1706 chewing samples, 99 food swallowing samples, 29 drink swallowing samples, and 424 utterance samples. Such, we consider the dataset is sufficient for subject independent activities classification.



Figure 3: Example shot of the video data.




Figure 4: Screenshot of the labeling work screen using ‘Praat’ ((Boersma, 2001)).

Table 1: Detail of the amount of labels and data sections extracted for each meal related activity type.

Meal	Nb of chew	Nb of utterance	Nb of drink	Nb of food	Total meal time [min]
1	156	73	5	14	18:12
2	181	39	0	10	7:26
3	502	10	6	8	12:07
4	209	65	0	8	8:21
5	86	63	14	14	5:43
6	109	44	0	7	3:17
7	157	50	0	21	10:07
8	102	0	0	6	4:28
9	157	70	4	7	5:33
10	89	10	0	4	3:53
Total	1706	424	29	99	79:07

4 MEAL-TIME ACTIVITIES CLASSIFICATION

4.1 Features Extraction

Features extraction has been performed from the dataset labeled according to the previous section be-

fore operating machine learning models for meal-related activities classification. A total of 26 features as described in Table 2 were extracted.

Table 2: Outline description of extracted 26 features.

Description	Number of features
Mean of Chroma vector	1
Root mean square energy	1
Spectral centroid	1
Spectral bandwidth	1
Spectral roll off	1
Zero crossing rate	1
Mel-Frequency cepstral Coefficients (MFCCs)	20

4.1.1 Chroma Vector

A chroma vector is a typically a 12-element feature vector indicating how much energy of each pitch class C, C#, D, D#, E, F, F#, G, G#, A, A#, B is present in the signal. One main property of chroma features is that they capture harmonic and melodic characteristics of music, while being robust to changes in timbre and instrumentation. It is also used for audio-matching making it a useful feature.

4.1.2 Root Mean Square Energy (RMSE)

The energy of a signal corresponds to the total magnitude of the signal. For audio signals, that roughly corresponds to how loud the signal is. The root mean square energy (RMSE) of a signal segment s containing N samples is defined as the square root of the average of the sum of all samples n (see equation 1).

$$RMSE = \sqrt{\frac{1}{N} \sum |s(n)|^2} \quad (1)$$

4.1.3 Spectral Centroid

The spectral centroid indicates at which frequency the energy of a spectrum is centered upon, or in other terms it indicates where the centre of mass of the spectrum is located (see equation 2).

$$f_c = \frac{\sum_k S(k)f(k)}{\sum kS(k)} \quad (2)$$

This is like a weighted mean where $S(k)$ is the spectral magnitude at frequency bin k , $f(k)$ is the frequency at bin k .

4.1.4 Spectral Bandwidth

It computes the order- p spectral bandwidth as in equation 3

$$f_b = \left(\sum_k S(k)(f(k) - f_c)^p \right)^{1/p} \quad (3)$$




Figure 5: Comparison of sound signal zero crossing between speaking (top) and swallowing (bottom).

where $S(k)$ is the spectral magnitude at frequency bin k , $f(k)$ is the frequency at bin k , and μ is the spectral centroid. When $p = 2$, this is like a weighted standard deviation.

4.1.5 Spectral Roll-off

Spectral roll-off is the frequency below which a specified percentage of the total spectral energy, e.g. 85%, lies.

4.1.6 Zero Crossing Rate

Zero crossing rate (ZCR) indicates the number of times that a signal crosses the horizontal axis. This is a key feature for percussive sounds and hence used for distinguishing whether human voice is present in audio or not. 6.1 First of all lets import a sound file of talk. With 'time (sec)' on x axis and amplitude on y. 6.3 Now lets import some other file like swallow, time (sec) on x-axis and amplitude on y. So it can be concluded that ZCR is a strong feature in recognising human voice (or more percus-sion) in an audio, as its obvious from the plots the talk has more crossing rates

4.1.7 Mel Frequency Cepstral Coefficients (MFCCs)

The most famous and used features for speech recognition are MFCCs, they are even used in speech recognition, and also because of them being powerful they are even used in convolutional neural networks as pictures, for classifying further. Here, 20 orders of MFCC are used in for features (Figure 6).




Figure 6: Different results of MFCC coefficients extraction whether audio signal corresponds to swallowing drink (top), swallowing food (middle), or chewing (bottom). The vertical axis represents the MFCC coefficient order and the color represents the value of each coefficient (red: small to blue; big).

4.2 Balancing Unbalanced Datasets

As previously show in Table 1, the obtained dataset have a huge number of “chewing” labeled data, and an only minimal number of other labels data to compare. Therefore, to equilibrate this unbalanced dataset, we applied SMOTE (Synthetic Minority Oversampling Technique), a library often used in imbalanced-learning tasks [28]. Simple replication of less representative classes samples would result in over-training and so over-learning. SMOTE, by creating a new specimen using neighbourhood interpolated data, enables to avoid this bias. However, even after applying the conventional SMOTE, the results were still over-learning, because of interpolation technique used by traditional SMOTE. So, further ahead we tried different SMOTE technique, SVM-SMOTE, as it was using the SVM technique (maximizing the margins) for interpolating the data. The entire scenario can be depicted below.

We obtained a dataset with the different number of samples for each activity label as shown in Table 3 using SVM-SMOTE. The obtained balanced dataset was divided randomly for each label into training data (80%) and test data (20%).

Table 3: Number of data segments for each activity label after applying SVM-SMOTE and their distribution between train and test datasets.

Label name	Total	Train	Test
chew	1680	1344	336
swallow food	1705	1364	341
swallow drink	1090	872	218
talk	1675	1340	335

Table 4: Classification accuracies by different models (after tuning them).

Classification models	Accuracy (%)	
Decision tree	Fine tree	85.1
	Coarse tree	71.4
Support Vector Machine	Linear SVM	86
	Gaussian	96.7
Nearest neighbour	KNN	82.2

4.3 Classifier Selection

Finally, we performed classification of meal related activities using various supervised learning. Automatic machine learning and validation using a five-fold cross-validation method was performed to evaluate the average performance of the classifiers. A total of 5 classification models have been built based on the following four classifiers: Decision Tree (DT), Support Vector Machine (SVM), and Nearest Neighbours classifier (KNN). The average accuracy of each output model is shown in Table 4. Although Fine tree and linear SVM were able to achieve accuracy of 85.1% and 86.2%, the best result was obtained for the medium Gaussian SVM (rbf kernel) with 96.7% average accuracy.

5 OPTIMIZATION OF SELECTED MODEL AND VALIDATION WITH TEST DATA

The purpose of the evaluation is to propose a classification method of chewing, swallowing, drinking and utterance (talk) in natural meal environment, from sound data collected by a bone-conduction microphone, that is not only highly accurate but also lightweight enough to have the possibility to run real-time a smartphone. Such, we performed both features selection and optimization of SVM parameters.

Among the 26 features used, we assumed some features are highly related to the classification model performances. To reduce the number of features to an

easier to handle amount, we reduced the features to just 15, combining Zero crossing rate and a subset of MFCCs.

We used “grid search” method to optimize SVM parameters “C” and “Gamma”. Six different values were tested for each parameter using a five-folds cross-validation. The best model optimization was obtained with the parameters being 10 for “C” and 0.1 for “Gamma.” Finally, the optimized model was validated with the test dataset (20% of the whole dataset that were not used for training). A very high generalization accuracy of 96% was obtained (Table 5). This is almost identical as training accurate when using all 26 features (97.6%).

Table 5: Score from the rbf model.

Label	Precision	Recall	F1-score	Support
Chew	0.96	0.9	0.93	336
Swallow food	0.99	0.99	0.99	215
Swallow drink	0.93	0.98	0.95	346
Talk	0.98	0.98	0.98	333
Macro avg	0.96	0.96	0.96	0.96

6 CONCLUSIONS AND FUTURE WORKS

In this study, we proposed a classification method of chewing, swallowing food, swallowing drink, and speaking activities using bone conduction sound corresponding to natural diet environment. We classified chewing, swallowing, and speaking activities by SVM using Gaussian kernel. 26 features were extracted and reduced feature set after feature selection also investigated. Generalization performance of optimized model using only the top 15 features confirmed its high accuracy, since the precision, recall, and F1 value all exceeded 90% both at macro level and for each activity. These results outperform other works performances, whatever the sensing modality. Indeed, the recent study by Keum et al., based on a multimodal sensing strategy combining accelerometer and range sensing, could only detect eating episodes (start and end) with less than 80% accuracy in free-living conditions (Keum et al., 2018). Similarly, Uno et al., who analyzed sound collected from a bone-conduction microphone, could detect only chewing events with an accuracy of about 89% but in controlled conditions only (Uno et al., 2010). Zhang et al. (Zhang et al., 2011) can detect eating, drinking, and speaking with 96% accuracy, but still, their work is limited to controlled conditions. On the other hand, works with free-living conditions,

though being able to recognize eating behavior with accuracy exceeding 90% automatically, cannot assess specific meal-related activities such as the number of chewing, drinking, or swallowing as our method does (Bi et al., 2018; Zhang and Amft, 2018).

Further validation of the proposed classification method may be validated further by comparing with more types of classifier such as neural networks, Bayesian models, and random forest. Indeed, SVM requires normalization to deal correctly with individual differences, which may be an issue to guarantee reliability to new users. Moreover, real-time performances when running the model on a smartphone, for example, should be verified. Finally, the robustness of the model generalization to other types of eating sounds should be verified. For example, the level of environmental noise from the smartphone recording may affect classification capability, though in our former study we shown that noise (tongue mixing the food, etc.) could be accurately classified (Kondo et al., 2019a).

As a prospect, we plan to use the proposed classification model to classify mastication, swallowing food, swallowing drink, and utterance in real time using bone conduction microphone and smartphone. In realizing this, it is necessary to design a system that automatically extracts sound data segments that can be considered to be whether chewing, swallowing, drinking or utterance in real-time. Besides, it is also necessary to add the other sounds such as noises in the model so that it is more robust to natural meal environment.

ACKNOWLEDGEMENTS

This research was supported by Lotte Research Promotion Grant. Entire experimental protocols were approved by the ethics committee of Aoyama Gakuin University.

REFERENCES

- Amft, O., Stäger, M., Lukowicz, P., and Tröster, G. (2005). Analysis of chewing sounds for dietary monitoring. In *UbiComp 2005, 7th Int. Conf. on Ubiquitous Computing*, pages 52–72.
- Bi, S., Wang, T., Tobias, N., Nordrum, J., Wang, S., Halvorsen, G., Sen, S., Peterson, R., Odame, K., Caine, K., et al. (2018). Auracle: Detecting eating episodes with an ear-mounted sensor. *Proceedings of the ACM on Interact., Mob., Wearable and Ubiquitous Technol.*, 2(3):1–27.
- Boersma, P. (2001). Praat, a system for doing phonetics by computer. *Glott International*, 5(9/10):341–345.
- Denney-Wilson, E. and Campbell, K. J. (2008). Eating behaviour and obesity. *BMJ*, 337:73–75.
- Faudot, T., Lopez, G., and Yamada, I. (2010). Information system for mapping wearable sensors into healthcare services: Application to dietary habits monitoring. In *WIVE 2010, 2nd International Workshop on Web Intelligence and Virtual Enterprises*, pages 1–9.
- Fontana, J. and Sazonov, E. (2013). Evaluation of chewing and swallowing sensors for monitoring ingestive behavior. *Sensor letters*, 11(3):560–565.
- Kao (2007). The effect of chewing well, tasting and eating - preventive measures against metabolic syndrome and obesity. In *Kao Health Care Report*, number 19, pages 4–5. (in Japanese).
- Keum, S. C., Sarnab, B., and Edison, T. (2018). Detecting eating episodes by tracking jawbone movements with a non-contact wearable sensor. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.*, 2(1):1–21.
- Kishida, N. and Kamimura, Y. (1993). Relationship of conversation during meal and health and dietary life of school children. *The Japanese Journal of Nutrition and Dietetics*, 51(1):23–30.
- Kohyama, K., Mioche, L., and Bourdio, P. (2003). Influence of age and dental status on chewing behavior studied by emg recordings during consumption of various food samples. *Gerontology*, 20(1):15–23.
- Kondo, T., Haruka, K., Shun, I., Yokokubo, A., and Lopez, G. (2019a). Robust classification of eating sound collected in natural meal environment. In *UbiComp/ISWC '19*, pages 105–108.
- Kondo, T., Shiro, H., Yokokubo, A., and Lopez, G. (2019b). Optimized classification model for efficient recognition of meal-related activities in daily life meal environment. In *3rd IVPR*, pages 146–151.
- Li, J., Zhang, N., Hu, L., Ki, Z., Li, R., Li, C., and Wang, S. (2011). Improvement in chewing activity reduces energy intake in one meal and modulates plasma gut hormone concentrations in obese and lean young chinese men. *American Journal of Clinical Nutrition*, 94(3):709–716.
- Logemann, J. (2014). Critical factors in the oral control needed for chewing and swallowing. *Journal of texture studies*, 45(3):173–179.
- Lopez, G., Mitsui, H., Ohara, J., and Yokokubo, A. (2019). Effect of feedback medium for real-time awareness increase using wearable sensors. In *HEALTHINF 2019*.
- MHLW (2016). The national health and nutrition survey in japan, 2014. Japan Ministry of Health Labor and Welfare. (in Japanese).
- Mizuno, H., Nagai, H., Sasaki, K., Hosaka, H., Sugimoto, C., and Tatsuta, S. (2007). Wearable sensor system for human behavior recognition -first report: Basic architecture and behavior prediction method. In *Transducers 2007, The 14th International Conference on Solid-State Sensors, Actuators and Microsystems*, pages 435–438.
- Nicklas, T., Baranowski, T., Cullen, K., and Berenson, G. (2001). Eating patterns, dietary quality and obe-

- sity. *Journal of the American College of Nutrition*, 20(6):599–608.
- Nishimura, J. and Kuroda, T. (2008). Eating habits monitoring using wireless wearable in-ear microphone. In *3rd International Symposium on Wireless Pervasive Computing*, pages 376–381.
- Obata, K., Saeki, T., and Tadokoro, Y. (2002). No contact-type chewing number counting equipment using infrared sensor. *Transactions of the Society of Instrument and Control Engineers*, 38(9):747–752.
- Ruckenstein, M. and Pantzar, M. (2017). Beyond the quantified self: Thematic exploration of a dataistic paradigm. *New Media & Society*, 19(3):401–418.
- Shuzo, M., Komori, S., Takashima, T., Lopez, G., Tatsuta, S., Yanagimoto, S., Warisawa, S., Delaunay, J.-J., and Yamada, I. (2010). Wearable eating habit sensing system using internal body sound. *Journal of Advanced Mechanical Design Systems and Manufacturing*, 4(1):158–166.
- Tanigawa, S., Nishihara, H., Kaneda, S., and Haga, H. (2008). Detecting mastication by using microwave doppler sensor. In *PETRA 2008, 1st international conference on Pervasive Technologies Related to Assistive Environments*, article 88, 7 pages.
- Uno, S., Ariizumi, R., and Kaneda, S. (2010). Advising the number of mastication by using bone-conduction microphone. In *The 24th Annual Conference of the Japanese Society for Artificial Intelligence*, pages 1–4. Japanese Society for Artificial Intelligence. (in Japanese).
- Zhang, H., Lopez, G., Shuzo, M., and Yamada, I. (2011). Analysis of eating habits using sound information from a bone-conduction sensor. In *e-Health 2011, Int. Conf. on e-Health*, pages 18–27.
- Zhang, R. and Amft, O. (2018). Monitoring chewing and eating in free-living using smart eyeglasses. *IEEE JBHI*, 22(1):23–32.