

The Dance of Logic and Unpredictability: Examining the Predictability of User Behavior on Visual Analytics Tasks

Alvitta Ottley^a

Washington University in St. Louis, U.S.A.

Keywords: Intelligent Visual Analytics, Artificial Intelligence, Human-Machine Collaboration, Individual Difference, User Modeling.

Abstract: The quest to develop intelligent visual analytics (VA) systems capable of collaborating and naturally interacting with humans presents a multifaceted and intriguing challenge. VA systems designed for collaboration must adeptly navigate a complex landscape filled with the subtleties and unpredictabilities that characterize human behavior. However, it is noteworthy that scenarios exist where human behavior manifests predictably. These scenarios typically involve routine actions or present a limited range of choices. This paper delves into the predictability of user behavior in the context of visual analytics tasks. It offers an evidence-based discussion on the circumstances under which predicting user behavior is feasible and those where it proves challenging. We conclude with a forward-looking discussion of the future work necessary to cultivate more synergistic and efficient partnerships between humans and the VA system. This exploration is not just about understanding our current capabilities and limitations in mirroring human behavior but also about envisioning and paving the way for a future where human-machine interaction is more intuitive and productive.

1 INTRODUCTION


Building intelligent visual analytics systems that can assist and interact with humans during data analysis is akin to teaching a robot to dance. We aspire to achieve a dance of data with a fluid exchange of ideas, a graceful understanding of needs, and a seamless partnership in pursuing hypotheses, insights, and decisions. However, the human element in this equation is far from a predictable automaton – humans are complex, driven by emotions, experiences, and social contexts that often elude the straightforward logic of machines. This complexity presents the visual analytics community with a formidable challenge: *How do we design systems that intelligently collaborate with their human counterparts?*

A common misconception frames humans as purely logical entities whose decisions and actions are easily predictable by well-defined rules. This assumption is evident in technologies like basic customer service chatbots, which are programmed for simple inquiries (Sheehan et al., 2020) but falter with complex or emotionally charged interactions (Prentice and Nguyen, 2020), resulting in unhelpful customer ex-


periences (Chong et al., 2021; Cronic et al., 2022; Huang and Dootson, 2022). Similarly, advertising algorithms that target based on demographics and past behaviors often fall short (White and Samuel, 2019). They assume that human preferences are static, overlooking the subtleties of an individual's goals and ever-evolving needs (Lambrecht and Tucker, 2013). Consequently, these approaches can lead to irrelevant, intrusive, or untrustworthy advertising (Bleier and Eisenbeiss, 2015). Moreover, the frequent shortcomings of these systems can largely be attributed to their inability to cope with the broad spectrum of unpredictable factors inherent in the given case scenarios. Adopting a one-size-fits-all strategy fails to consider the unique variances among individuals and the significant role that emotional factors play in shaping human decisions and preferences under those circumstances (Bleier and Eisenbeiss, 2015).

Yet, in certain situations, human behavior tends to be predictable (Heiner, 1983; Flanagan and Johansson, 2003). These situations usually involve routines, repetitive actions, or limited choices. For example, many people have regular commuting patterns. Most people's daily routines have only slight variations (Krumme et al., 2013), making this predictability useful for traffic forecasting and scheduling public

^a  <https://orcid.org/0000-0002-9485-276X>



(a) The interface used to solve a task related to a kidnapping crime. Users can (a) view details, (b) filter, (c) list matching results, and (d) sketch an entity/connection network.



(b) The analysis revealed correlations between the number of interactions and participants' locus of control across the three primary action types.

Figure 1: The interface and analysis result from Crouser et al. They analyze the analysis behaviors from a series of exercises with 22 trained intelligence analysts (Crouser et al., 2020). Their preliminary analysis suggests that individual differences in locus of control can modulate expert behavior in complex analysis tasks.

transportation (Song et al., 2010). People's interaction with basic technology, like ATMs or elevators, tends to follow a formulaic script due to the limited actions available. Further, purchasing patterns for essential goods often show consistency (Kim and Park, 1997; Krumme et al., 2013).

This paper argues that visual analytics systems can capitalize on the predictable aspects of human behavior. This could mean creating interfaces and functionalities that cater to routine tasks while providing the flexibility and depth required for more complex, less foreseeable analytical endeavors. For instance, if a system recognizes that users frequently perform a specific sequence of actions, it can automate or simplify these steps. This approach could enhance efficiency and minimize the user's cognitive load, allowing them to focus on more complex data analysis aspects requiring deeper thought and creativity.

However, the challenge lies in discerning when human actions are routine and predictable and when they are not. This balance is key to developing visual analytics systems that are truly collaborative partners in the dance of data exploration and analysis. This paper discusses some necessary steps for creating intelligent visual analytics tools:

- A deeper collaboration between humans and AI requires embracing the complexity of human behavior. We discuss the role of individual differences in visual analysis in Section 2.
- Section 3 explains how the system's design can affect action predictability.
- Two case studies in Section 4 demonstrate action prediction based on user interactions.

- In Section 5 advocates for broadening the conceptual models of human-machine collaboration in visual analytics. We suggest a framework that integrates AI capabilities with human expertise.
- Finally, we discuss, among other things, the ethical considerations for human-AI interactions that must be rigorously addressed.

2 THE INTERPLAY OF PREDICTABILITY AND INDIVIDUALITY IN DATA ANALYSIS

While it is true that certain scenarios can lead to predictable behavior patterns, this does not negate the rich tapestry of individual differences that manifest in various ways during visual analysis tasks. These differences are influenced by many factors, including personality traits, cognitive abilities, and situational conditions, each playing a significant role in how individuals interact with and interpret data (Ottley, 2022; Liu et al., 2020).

Studies show several individual differences have consistently impacted performance, as evidenced by multiple independent researchers' replication in various experimental settings (Ottley, 2022; Liu et al., 2020). Personality traits, for example, can greatly influence how a user approaches a visual analytics task. A notable instance is the influence of locus of control, which reflects an individual's perception of control over external events and often affects the speed and accuracy of visualization tasks (Ottley et al.,

2015a; Ziemkiewicz et al., 2012). This impact has been consistently observed across studies using diverse datasets and methodologies, with findings corroborating in both traditional laboratory experiments and crowdsourcing research platforms (Crouser et al., 2020; Ottley et al., 2015b).

One particular study, described in Figure 1, examining the behavior of 22 Navy Reservists during complex analytical tasks revealed a correlation between locus of control and expert behavior (Crouser et al., 2020). It found that participants with a more internal locus of control engaged in more actions and covered more data in the same timeframe. Additionally, other studies underscore the importance of visualization design in this dynamic, showing that an individual's locus of control can significantly influence their search strategy in hierarchical systems.

Similarly, cognitive abilities like spatial reasoning, perceptual speed, and working memory capacity can impact the speed and accuracy with which different users understand and analyze complex visual data (Liu et al., 2020). Situational factors, including time constraints, task complexity, and the user's emotional state during analysis, further affect this process (Bancilhon et al., 2023). Under time pressure, users may adopt heuristic analysis methods, whereas more relaxed conditions might encourage deeper exploration (Bobadilla-Suarez and Love, 2018; Del Campo et al., 2016). Moreover, a task's inherent complexity can elicit varying responses, depending on the user's preference for challenge or simplicity (Ziemkiewicz et al., 2012).

After reviewing the research, several key themes emerged regarding the impact of individual differences on visual analytics tasks:

1. Individual differences are particularly significant in complex tasks, with greater freedom for exploration (Ziemkiewicz et al., 2012; Brown et al., 2014; Ottley et al., 2015b).
2. Simpler tasks tend to show less variation in user behavior. Studies involving both easy and challenging tasks often report no substantial effect of individual differences on simpler tasks (Ziemkiewicz et al., 2012).
3. Even with observable differences between individuals, there are common behavioral patterns across groups, indicating that certain analysis paths are more frequently traversed, even in scenarios with the potential for wide exploration diversity (Brown et al., 2014; Ottley et al., 2015b).

Understanding individual differences can provide insight into inconsistent and consistent behavior patterns. This knowledge can help create visual analytic

tools that intelligently collaborate and respond based on these differences and the situations in which they occur. It respects both the complex nature of human behavior and can improve the functionality of visual analytics systems.

3 HOW THE DESIGN OF VISUAL ANALYTICS INTERFACE IMPACTS PREDICTABILITY

In addition to the analyst's characteristics, the interface design, the nature of the data, and the task at hand can all greatly influence the predictability of user behavior in these VA scenarios. Well-designed interfaces typically guide user behavior into predictable patterns by offering clear options and intuitive paths for data exploration, whether intentionally or not. In contrast, a disorganized layout may result in erratic and unpredictable exploration paths, potentially leading users to overlook essential insights and complicating user behavior prediction.

Consider the dashboard in Figure 2, which features a simple exploratory interface for analyzing a geospatial dataset. The most dominant feature is a map, occupying roughly seventy percent of the screen. This design choice naturally focuses the user's attention primarily on the map's data points. Additionally, given that users typically read from left to right, the filtering options on the right side will likely be the next focus point, followed by the bar chart at the bottom. Thus, predicting attention and high-level areas of interest is feasible.

Interaction affordances, which suggest possible actions through design, also play a crucial role. For example, the persistent visibility of filtering options in Figure 2, instead of their placement in hidden menus, increases the likelihood of their usage. Users will likely engage with the most accessible actions, such as hover effects, more frequently. Other interactions, like panning and zooming on the map, brushing on the timeline, or clicking on data points, are less obvious due to the absence of explicit visual cues and might be underutilized, especially by new users. The space of possible actions for this interface is small. One might consider using a probabilistic approach to predict action for this interface, encoding the assumed likelihood of observing a specific action as priors and calculating the posterior probability of observing an action given a set of observations.

Additionally, how data is represented dictates the questions an analyst can ask and what they will likely notice and consider. In Figure 2, the interface's fo-




Figure 2: The Tableau interface with a prototype dashboard with an epidemic data set in the fictitious city of Vastopolis, used as the running example in section 3. The text displays a map of social media posts with geolocation, a search and filter sidebar, and a bar chart indicating post frequency over three weeks.

cus on geographical data through maps encourages the exploration of spatial patterns and regional clusters and differences. Similarly, the prominently displayed timeline and area chart at the bottom of the interface are likely to prompt questions about temporal changes. The available filtering options and zooming capabilities influence the depth and specificity of the questions an analyst can pose. An interface that supports intricate data manipulation enables analysts to formulate and test detailed hypotheses, while a more static interface or those without interaction cues might confine them to basic, surface-level observations. Predicting objectives and tasks will require a mapping between them and the observable actions and their association with the current area of interest (Gathani et al., 2022).

Now, suppose instead, we consider the interactions more broadly in the Tableau interface or with other advanced statistical analysis tools. This would offer more opportunities to delve into complex questions about correlations or predictions. Moreover, the ability to customize the interface or create custom visualizations significantly broadens the range of potential questions. Analysts are not confined to predefined views and can adapt their analysis to meet specific and unique investigative needs. Furthermore, the amount of data the interface can handle also influences the questions that can be pursued. Some interfaces, optimized for large datasets or real-time data, facilitate queries about broad trends or immediate insights, while others are more suitable for detailed analysis

of smaller datasets. Although a more complex system offers greater flexibility, increased degrees of freedom will decrease the predictability of user behavior.

Overall, the interface design implicitly provides guidance or scaffolding to shape the queries, analysis pathways, and questions an analyst considers. This is especially significant for novice users still learning which questions can be asked about data or how to use the system. Understanding these design elements is crucial for developers of visual analytics systems to create interfaces that facilitate data comprehension and guide users by observing predictable and insightful data interactions.

4 CASE STUDIES FROM VISUALIZATION RESEARCH

Prior work in visual analytics has demonstrated actions and scenarios where behavior prediction was largely successful and the machine learning techniques used to make these inferences (Xu et al., 2020). This section highlights two such papers.

4.1 Predicting Navigation Paths for PreFetching

Battle et al. explored the feasibility of predicting user navigation behavior to enhance database caching, a valuable feature for managing large datasets with po-




Figure 3: The ForeCache project interface, which visualizes snow levels from NASA MODIS data (Battle et al., 2016). The authors used observed navigation patterns to predict future interactions and pre-fetch data.

tential latency issues during database queries (Battle et al., 2016). The project was inspired by previous research highlighted that latency can negatively affect user experience and impede data exploration (Liu and Heer, 2014). To mitigate this, they introduced *dynamic prefetching*, which predicts necessary data to fetch in advance by analyzing users' recent navigation patterns.

Interface. The research team developed a map-based visualization tool for NASA's MODIS snowfall data across America. Given the high-resolution nature of the complete dataset, the system aggregated data into lower-resolution tiles for an overview and increased granularity during user zoom-ins. With its straightforward design, this map interface was conducive to making accurate predictions. It allowed only six observable actions: pan up, down, left, right, and zoom in and out.

Task. The tasks assigned to the study participants were simple yet effective. Participants were required to explore the data to identify areas with significant snowfall, navigating and searching the interface for regions of interest.

Participants. The study involved domain scientists, suggesting a uniform background and likely shared expertise. This homogeneity in the participants' backgrounds helped minimize individual differences in skills and knowledge, creating an optimal environment for limiting variability in user interactions.

Predictions. The researchers used a Markov chain model that predicted users' actions. This model was

not pre-programmed but evolved by observing user interactions, enabling the system to learn and update its predictions based on the user's current state. The evaluation of this dynamic prefetching strategy showed substantial improvements in reducing latency compared to non-prefetching systems (430% improvement) and significant enhancements in both prediction accuracy (25% improvement) and latency reduction (88% improvement) compared to existing prefetching methods.

While the simplicity of this scenario might seem unrepresentative at first glance, it mirrors common situations in data foraging tasks, which are crucial for the sensemaking process (Pirolli and Card, 2005). Even when multitasking, external actions manifest as sequential rather than concurrent (McFarlane, 1998; McFarlane, 2002; McFarlane and Latorella, 2002). Moreover, divided attention is limited by working memory capacity. Thus, the scope of actions and inquiries at any given time window within a visualization is usually confined. This indicates that the potential for predictive scenarios, like the one in Battle et al.'s study, might be more widespread than initially assumed. Their research provides a solid example of the types of predictions that are feasible – specifically navigation and data foraging – within an accommodating situational environment.

4.2 Predicting Data Interest for Content Recommendation

Similarly, Monadjemi et al. aimed to assist data exploration and information foraging. Their approach involved analyzing users' exploration patterns, deducing the characteristics of data points likely to interest the user, and recommending similar points for further exploration. Their primary objective was to expedite data discovery, thereby boosting the efficiency of analytics and enhancing the quality of decision-making.



Figure 4: The interface used by Monadjemi et al. in evaluating their algorithm that observes data exploration, infers the relevance of the other points in the dataset and recommends content to the user (Monadjemi et al., 2022).

Interface. For their evaluation, they adopted a scenario from the VAST 2011 challenge, an annual competition in the visual analytics community focused on addressing real-world challenges. This scenario revolves around a fictional city, Vastopolis, which is grappling with a bio-chemical attack. The authors developed a visualization interface showcasing a city map embedded with geo-tagged social media posts from the past three weeks, providing a comprehensive view of the unfolding situation. Like the Fore-Cache interface used by Battle et al., the interface was straightforward for limited available actions. The user can pan, zoom the map, and save or unsave relevant social media posts.

Task. The task assigned to participants was one of reconnaissance and information foraging. Participants were required to explore the data to gauge the range of symptoms being reported on social media. The goal was for them to gather data that downstream analysts could use to understand the extent of the epidemic, assess containment, and hypothesize potential causes. Given the vastness of the dataset, each participant had a ten-minute time limit to identify potentially sick individuals, acknowledging that completing the entire task was beyond expectation.

Participants. The study involved 130 participants recruited through Amazon’s Mechanical Turk platform. These individuals ranged from 18 to 65 years old, were based in the United States, and were proficient in English. While they were not trained analysts, exploring a dataset of social media posts to identify mentions of illness was deemed manageable without specialized training.

Predictions. The team employed an active search methodology, translating social media posts into numerical values using a standard *word2vec* model and constructing a *k*-NN binary classifier using cosine similarity. As users engaged with the map and bookmarked pertinent posts, the algorithm tagged these data points as relevant. The model continuously updated its understanding of the data after each interaction, reassessing the relevance of unlabeled points in light of recent user actions. It then offered suggestions for additional points the user might explore.

The analysis of the user study results revealed that the algorithm generated useful recommendations 79% of the time, on average. Moreover, the data revealed that participants who utilized the algorithm in their search were significantly more efficient than those who did not. The assisted participants discovered a statistically significant greater number of indi-

viduals potentially affected by the illness. They also were more adept at distinguishing relevant information from irrelevant data in the dataset.

In summary, Monadjemi et al.’s approach demonstrated the predictability of data interesting in visual analytics, specifically in data foraging tasks (Monadjemi et al., 2022). By leveraging machine learning techniques to interpret user interaction and guide further exploration, their system accelerated the data discovery process and enhanced the effectiveness and accuracy of the users’ information foraging activities. This study is a testament to the potential of integrating intelligent predictive algorithms into visual analytics systems, paving the way for more intuitive and productive data analysis experiences.

5 A CONCEPTUAL FRAMEWORK FOR HUMAN AND AI COLLABORATION

The previous section showed successful algorithms that observed human behavior in real-time, predicted actions, and used these inferences to assist the user by recommending exploration or pre-fetching data. However, to effectively develop collaborative systems, it is crucial to establish a comprehensive framework that recognizes the shared responsibilities and synergistic partnership between human and AI entities (Crouser et al., 2013). Traditional conceptual models in visual analytics have often been limited in scope (Monadjemi et al., 2023), focusing predominantly on human cognitive processes (Pirulli and Card, 2005), treating the visual analytic interface as a mere tool without autonomy (Van Wijk, 2005; Van Wijk, 2006), or maintaining an imbalanced perspective of the intelligent system, where AI is viewed as having limited capabilities compared to the human’s ultimate authority (Sperrle et al., 2022; Ceneda et al., 2017).

However, looking forward to a future where responsibilities are more evenly distributed between humans and AI, broadening these frameworks is imperative. Such an expansion should accommodate the potential for each entity to act as a check and balance against biases that might arise from either side, as proposed by (Wall et al., 2021) and (Ha et al., 2022). Additionally, it’s important to consider scenarios involving multiple human and AI agents collaborating on a single task, employing a ‘divide and conquer’ approach. This revised framework must account for the dynamic interactions between humans and AI, recognizing the unique strengths and limitations of each. In doing so, we can foster systems where collaboration is




Figure 5: The agent-based framework for visual analytics proposed by (Monadjemi et al., 2023). It adopts terminologies from AI and conceptualizes visual analytics scenarios as interactions (observations and actions) between agents and their environment.

about task division and mutual learning and support, leading to more robust and effective problem-solving strategies.

5.1 An Agent-Based Framework

One possible collaborative model is the agent-based framework originally introduced in (Monadjemi et al., 2023) and summarized in Figure 5. It draws parallels between human cognitive processes and AI modeling and advocates for a unified language for the visual analytics and AI communities. This approach, rooted in the well-established AI literature, simplifies complex problems by conceptualizing them as interactions between agents and their environments. Developers and researchers can tailor the specification of this model to their specific contexts and applications.

Applying the agent-based model to visual analytics presents an opportunity to enrich our comprehension and improve the dynamics of human-AI interactions within this domain. In this context, visual analytic agents can be either *human* or *artificial* entities. The model envisions that all agents are capable of both observation and action, contributing toward a collective analytical goal.

Human agents here are broadly defined and are data scientists, decision-makers, domain experts, or novice users. The prior research on understanding the diverse needs of these groups (e.g., (Wong et al., 2018)) or those that explore how individual differences might influence analytical workflows (Liu et al., 2020; Ottley, 2022) can inform the model’s specifications and considerations. Additionally, developers can consider studies on how humans perceive data

(e.g., (Xiong et al., 2022; Bancelhon et al., 2020)) and the nature of actions undertaken during analytical sessions (e.g., (Gotz and Zhou, 2009; Brehmer and Munzner, 2013; Gathani et al., 2022)).

Artificial agents can consist of modeling algorithms, guidance systems, and automated processes interacting within the environment to assist in collaborative analytical tasks. Prior research in this area has focused on designing artificial agents capable of identifying patterns in data (e.g. (Kim et al., 2019; Ha et al., 2022)), learning from user interactions (e.g., (Brown et al., 2012; Ottley et al., 2019)), and assisting users throughout their analytical sessions (e.g., (Dabek and Caban, 2016; Monadjemi et al., 2022)). This body of work also highlights the evolving capabilities and contributions of both human and artificial agents in visual analytics, underscoring the potential for synergistic collaboration between these entities in achieving analytical objectives.

This agent-based approach provides a framework for analyzing complex interactions in visual analytics. It also creates opportunities for innovative solutions and advancements in the field. By considering humans and AI systems as agents within a visual analytics environment, we can analyze and improve their interactions, decision-making processes, and information processing in a more effective way.

6 DISCUSSION AND FUTURE WORK

The purpose of this paper is to establish the groundwork for the creation of intelligent visual analytics

systems that can seamlessly interact with humans. However, given the intricate nature of human behavior and their interaction with AI, there are both obstacles and prospects that need to be addressed to progress in this field. This section will outline the primary challenges that must be overcome to advance this promising area.

6.1 Understanding Predictable and Unpredictable Human Behaviors

The advancement of intelligent visual analytic interfaces hinges on their capability to fluidly navigate between handling routine, predictable tasks and engaging with tasks that demand a more intricate and nuanced comprehension of human behavior. The existing body of work, as delineated in section 4, presents initial examples of predicted actions and tasks. However, this area is still in its early stages of development. These examples suggest we can use techniques such as Markov models and active learning algorithms to learn from interactions during data foraging and simple search tasks (Battle et al., 2016; Monadjemi et al., 2022). Still, examples of predictive algorithms validated with real user data are few and limited (Ha et al., 2022). There is still much to do.

Unpredictable behaviors can result from complex cognitive processes and emotional states, requiring more sophisticated methods of analysis and interpretation. Additionally, the community needs to establish protocols for handling situations where the AI's confidence in its predictions is low, as well as expanding the bandwidth of communications between agents. Future research is essential for understanding individual variances, how to offer personalized experiences, and how to adjust to users' evolving needs and behaviors. Moving forward in this field requires not just technological advancements, but also a multidisciplinary approach involving psychology, cognitive science, and behavioral studies.

6.2 Integrating Multi-Agent System

Explorations into multi-agent systems in visual analytics also hold significant promise. These systems would feature multiple human and artificial agents, each with specialized skills, working in concert with each other. This collaborative approach could lead to more thorough and diverse analytics as various agents contribute their unique expertise to the task. However, this introduces complexities in effectively managing the task allocation and coordination and ensuring that each agent's strengths are utilized effectively.

Research in this area must also focus on developing methods for seamless interaction between diverse agents, addressing challenges such as communication protocols, conflict resolution, and decision hierarchy.

6.3 Addressing Ethical Concerns

It is crucial for users to trust AI algorithms, and transparency in how they function is a key factor in building that trust. This means that algorithms should be designed in a way that is open and clear about how they make decisions and that they can be audited for any biases. One way to make AI decision-making more understandable to humans is through the use of Explainable AI (XAI) techniques.

It is important to make sure that the results produced by AI systems are fair and unbiased. This is especially crucial when decisions based on these results can have significant consequences. To achieve fairness, it is necessary to continuously monitor and evaluate the AI systems, and identify and address any biases that may arise. Collaborating with experts in ethics, sociology, and relevant fields can provide valuable insights into the societal implications of AI decisions, and help create more equitable algorithms.

7 CONCLUSIONS

This paper discusses the necessary advancements required to improve intelligent visual analytics systems. We highlight the importance of recognizing the full spectrum of human behavior and examine existing user models that can learn and predict from interaction data. We also suggest expanding the human-machine teaming model and adopting an agent-based model framework that recognizes the potential for collaboration between humans and AI. In addition, we emphasize the need to consider ethical and contextual dimensions while designing such systems, and we discuss other potential future directions. By focusing on these areas, we can create systems that assist and enhance human capabilities in data analysis, embodying a true partnership in the dance of discovery and decision-making.

ACKNOWLEDGEMENTS

I thank Stefan Jänicke and Helen C. Purchase for inviting me to deliver the keynote speech at IVAPP 2024, which is the basis of this manuscript. I also would like to express my gratitude to Sunwoo Ha for

her valuable feedback and to Leilani Battle for allowing the use of her system’s imagery. This material is based upon work supported by the U.S. National Science Foundation under grant numbers IIS-2142977 and OAC-2118201.

REFERENCES

- Bancilhon, M., Liu, Z., and Ottley, A. (2020). Let’s Gamble: How a Poor Visualization Can Elicit Risky Behavior. In *2020 IEEE Visualization Conference (VIS)*, pages 196–200. IEEE.
- Bancilhon, M., Wright, A., Ha, S., Crouser, R. J., and Ottley, A. (2023). Why Combining Text and Visualization Could Improve Bayesian Reasoning: A Cognitive Load Perspective. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*, pages 1–15.
- Battle, L., Chang, R., and Stonebraker, M. (2016). Dynamic Prefetching of Data Tiles for Interactive Visualization. In *Proceedings of the 2016 International Conference on Management of Data*, pages 1363–1375.
- Bleier, A. and Eisenbeiss, M. (2015). The Importance of Trust for Personalized Online Advertising. *Journal of Retailing*, 91(3):390–409.
- Bobadilla-Suarez, S. and Love, B. C. (2018). Fast or Frugal, but not both: Decision Heuristics Under Time Pressure. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 44(1):24.
- Brehmer, M. and Munzner, T. (2013). A Multi-Level Typology of Abstract Visualization Tasks. *IEEE transactions on visualization and computer graphics*, 19(12):2376–2385.
- Brown, E. T., Liu, J., Brodley, C. E., and Chang, R. (2012). Dis-Function: Learning Distance Functions Interactively. In *2012 IEEE conference on visual analytics science and technology (VAST)*, pages 83–92. IEEE.
- Brown, E. T., Ottley, A., Zhao, H., Lin, Q., Souvenir, R., Endert, A., and Chang, R. (2014). Finding Waldo: Learning about Users from their Interactions. *IEEE Transactions on visualization and computer graphics*, 20(12):1663–1672.
- Ceneda, D., Gschwandtner, T., May, T., Miksch, S., Schulz, H.-J., Streit, M., and Tominski, C. (2017). Characterizing Guidance in Visual Analytics. *IEEE Transactions on Visualization and Computer Graphics*, 23(1):111–120.
- Chong, T., Yu, T., Keeling, D. I., and de Ruyter, K. (2021). AI-chatbots on the services frontline addressing the challenges and opportunities of agency. *Journal of Retailing and Consumer Services*, 63:102735.
- Crolic, C., Thomaz, F., Hadi, R., and Stephen, A. T. (2022). Blame the bot: Anthropomorphism and anger in customer–chatbot interactions. *Journal of Marketing*, 86(1):132–148.
- Crouser, R. J., Ottley, A., and Chang, R. (2013). Balancing human and machine contributions in human computation systems. In *Handbook of Human Computation*, pages 615–623. Springer.
- Crouser, R. J., Ottley, A., Swanson, K., and Montoly, A. (2020). Investigating the Role of Locus of Control in Moderating Complex Analytic Workflows. *EuroVis 2020-Short Papers*.
- Dabek, F. and Caban, J. J. (2016). A Grammar-Based Approach for Modeling User Interactions and Generating Suggestions During the Data Exploration Process. *IEEE Transactions on Visualization and Computer Graphics*, 23(1):41–50.
- Del Campo, C., Pauser, S., Steiner, E., and Vetschera, R. (2016). Decision making styles and the use of heuristics in decision making. *Journal of Business Economics*, 86:389–412.
- Flanagan, J. R. and Johansson, R. S. (2003). Action plans used in action observation. *Nature*, 424(6950):769–771.
- Gathani, S., Monadjemi, S., Ottley, A., and Battle, L. (2022). A Grammar-Based Approach for Applying Visualization Taxonomies to Interaction Logs. *Computer Graphics Forum*, 41(3):489–500.
- Gotz, D. and Zhou, M. X. (2009). Characterizing Users’ Visual Analytic Activity for Insight Provenance. *Information Visualization*, 8(1):42–55.
- Ha, S., Monadjemi, S., Garnett, R., and Ottley, A. (2022). A Unified Comparison of User Modeling Techniques for Predicting Data Interaction and Detecting Exploration Bias. *IEEE Transactions on Visualization and Computer Graphics*, 29(1):483–492.
- Heiner, R. A. (1983). The origin of predictable behavior. *The American economic review*, 73(4):560–595.
- Huang, Y.-S. S. and Dootson, P. (2022). Chatbots and service failure: When does it lead to customer aggression. *Journal of Retailing and Consumer Services*, 68:103044.
- Kim, B.-D. and Park, K. (1997). Studying patterns of consumer’s grocery shopping trip. *Journal of retailing*, 73(4):501–517.
- Kim, H., Choi, D., Drake, B., Endert, A., and Park, H. (2019). TopicSifter: Interactive Search Space Reduction through Targeted Topic Modeling. In *2019 IEEE Conference on Visual Analytics Science and Technology (VAST)*, pages 35–45. IEEE.
- Krumme, C., Llorente, A., Cebrian, M., Pentland, A., and Moro, E. (2013). The predictability of consumer visitation patterns. *Scientific reports*, 3(1):1645.
- Lambrecht, A. and Tucker, C. (2013). When does retargeting work? information specificity in online advertising. *Journal of Marketing research*, 50(5):561–576.
- Liu, Z., Crouser, R. J., and Ottley, A. (2020). Survey on Individual Differences in Visualization. *Computer Graphics Forum*, 39(3):693–712.
- Liu, Z. and Heer, J. (2014). The Effects of Interactive Latency on Exploratory Visual Analysis. *IEEE Transactions on Visualization and Computer Graphics*, 20(12):2122–2131.
- McFarlane, D. C. (1998). *Interruption of people in human-computer interaction*. The George Washington University.

- McFarlane, D. C. (2002). Comparison of four primary methods for coordinating the interruption of people in human-computer interaction. *Human-computer interaction*, 17(1):63–139.
- McFarlane, D. C. and Latorella, K. A. (2002). The scope and importance of human interruption in human-computer interaction design. *Human-Computer Interaction*, 17(1):1–61.
- Monadjemi, S., Guo, M., Gotz, D., Garnett, R., and Ottley, A. (2023). Human-computer collaboration for visual analytics: an agent-based framework. *COMPUTER GRAPHICS forum*, 42(3).
- Monadjemi, S., Ha, S., Nguyen, Q., Chai, H., Garnett, R., and Ottley, A. (2022). Guided Data Discovery in Interactive Visualizations via Active Search. *IEEE Transactions on Visualization and Computer Graphics*.
- Ottley, A. (2022). *Adaptive and Personalized Visualization*. Springer Nature.
- Ottley, A., Crouser, R. J., Ziemkiewicz, C., and Chang, R. (2015a). Manipulating and controlling for personality effects on visualization tasks. *Information Visualization*, 14(3):223–233.
- Ottley, A., Garnett, R., and Wan, R. (2019). Follow the Clicks: Learning and Anticipating Mouse Interactions During Exploratory Data Analysis. In *Computer Graphics Forum*, volume 38, pages 41–52. Wiley Online Library.
- Ottley, A., Yang, H., and Chang, R. (2015b). Personality as a Predictor of User Strategy: How Locus of Control Affects Search Strategies on Tree Visualizations. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI 2015)*, pages 3251–3254.
- Pirulli, P. and Card, S. (2005). The Sensemaking Process and Leverage Points for Analyst Technology as Identified Through Cognitive Task Analysis. In *Proceedings of international conference on intelligence analysis*, volume 5, pages 2–4. McLean, VA, USA.
- Prentice, C. and Nguyen, M. (2020). Engaging and retaining customers with ai and employee service. *Journal of Retailing and Consumer Services*, 56:102186.
- Sheehan, B., Jin, H. S., and Gottlieb, U. (2020). Customer service chatbots: Anthropomorphism and adoption. *Journal of Business Research*, 115:14–24.
- Song, C., Qu, Z., Blumm, N., and Barabási, A.-L. (2010). Limits of predictability in human mobility. *Science*, 327(5968):1018–1021.
- Sperrle, F., Ceneda, D., and El-Assady, M. (2022). Lotse: A Practical Framework for Guidance in Visual Analytics. *IEEE Transactions on Visualization and Computer Graphics*.
- Van Wijk, J. J. (2005). The Value of Visualization. In *VIS 05. IEEE Visualization, 2005.*, pages 79–86. IEEE.
- Van Wijk, J. J. (2006). Views on Visualization. *IEEE Transactions on Visualization and Computer Graphics*, 12(4):421–432.
- Wall, E., Narechania, A., Coscia, A., Paden, J., and Ender, A. (2021). Left, right, and gender: Exploring Interaction Traces to Mitigate Human Biases. *IEEE transactions on visualization and computer graphics*, 28(1):966–975.
- White, G. R. and Samuel, A. (2019). Programmatic advertising: Forewarning and avoiding hype-cycle failure. *Technological Forecasting and Social Change*, 144:157–168.
- Wong, Y. L., Madhavan, K., and Elmqvist, N. (2018). Towards Characterizing Domain Experts as a User Group. In *2018 IEEE Evaluation and Beyond-Methodological Approaches for Visualization (BE-LIV)*, pages 1–10. IEEE.
- Xiong, C., Stokes, C., Kim, Y.-S., and Franconeri, S. (2022). Seeing What You Believe or Believing What You See? Belief Biases Correlation Estimation. *IEEE Transactions on Visualization and Computer Graphics*.
- Xu, K., Ottley, A., Walchshofer, C., Streit, M., Chang, R., and Wenskovich, J. (2020). Survey on the Analysis of User Interactions and Visualization Provenance. In *Computer Graphics Forum*, volume 39, pages 757–783. Wiley Online Library.
- Ziemkiewicz, C., Ottley, A., Crouser, R. J., Yauilla, A. R., Su, S. L., Ribarsky, W., and Chang, R. (2012). How Visualization Layout Relates to Locus of Control and Other Personality Factors. *IEEE Transactions on Visualization and Computer Graphics*, 19(7):1109–1121.