

CriX: Intersection of Crime, Demographics and Explainable AI

Muhammad Ashar Reza^a, Aaditya Bisaria^b, Advaita S.^c,
Alekhya Ponnekanti^d and Arti Arya^e
Department of Computer Science Engineering, PES University, Bengaluru, India

Keywords: Crime, Demographic Factors, Large Language Model, RAG, Zero-Shot Learning, Explainable AI.

Abstract: Crime prediction and analysis often rely on crime statistics but neglect the potential influences of demographic factors. Each locality possesses unique characteristics indicating that a 'one-size-fits-all' methodology is inadequate. This research presents a framework CriX that incorporates demographic factors to help understand and address localised crime. At the root level, identifying and predicting crime hotspots is essential for providing context in training the language model; therefore, ST-DBSCAN and LSTM models are respectively used on a custom-made dataset. InLegalBERT (Paul et al., 2023), which is pre-trained on Indian legal data, helps generate embeddings for the large corpus of crime hotspot, demographic and legal data. These embeddings are stored in a FAISS vector store, allowing for dynamic retrieval using RAG techniques. The generated embeddings are then fed into MistralAI offering a textual solution. These outputs are further refined using zero shot learning increasing model performance. The proposed framework achieved a validation accuracy of over 82% for crime hotspot predictions. The LLM also showcased substantial scores for Compactness, Fidelity and Completeness, giving an average score of 4.18 out of 5, outperforming baseline models. This approach enhances the interpretability of legal models by incorporating the concepts of Explainable AI (XAI).

1 INTRODUCTION

Crime analysis and prediction have become pivotal in improving public safety and law enforcement strategies, particularly in regions with complex demographic dynamics like Karnataka, India. Traditional crime prediction models often focus on spatial and temporal crime patterns but tend to overlook the underlying factors that influence criminal behaviour. Demographic factors such as GDDP¹, NDDP², PCI³ and HDI⁴ provide essential insights into the societal conditions that might trigger a surge in criminal activity.

This research aims to develop a framework for

identifying and predicting crime hotspots in Karnataka by integrating crime data with demographic factors. The study utilises two primary datasets: First, the FIR data from 2020 to 2022, covering the 31 districts of Karnataka and 1060 police stations, was scraped from the official Karnataka Police website (Karnataka_State_Police,). In addition, various demographic indicators (Government_of_Karnataka,) for these districts were collected, providing a comprehensive profile of the region. The various districts of Karnataka can be seen in Figure 1.

To identify current crime hotspots, the research employs the ST-DBSCAN clustering algorithm, which allows for clustering crimes based on both spatial and temporal features. These clusters are passed to a Long Short-Term Memory (LSTM) to predict future hotspots where criminal activity is likely to intensify within a specified time frame. The LSTM model is particularly well suited for this task, as it captures temporal dependencies and can predict sequences of data over time.

Therefore, a cascaded forecasting approach was adopted by integrating the output of the ST-DBSCAN clustering algorithm with the LSTM model. Using the

^a <https://orcid.org/0009-0005-9458-2754>

^b <https://orcid.org/0009-0002-3692-3037>

^c <https://orcid.org/0009-0008-4074-4692>

^d <https://orcid.org/0009-0009-7616-7986>

^e <https://orcid.org/0000-0002-4470-0311>

¹GDDP: Gross District Domestic Product

²NDDP: Net District Domestic Product

³PCI: Per Capita Income

⁴HDI: Human Development Index

strengths of spatial-temporal clustering and sequence prediction, this approach enables a seamless transition from identifying current crime hotspots to forecast future ones with improved accuracy.




Figure 1: The 31 Districts of Karnataka, India.

lection process, including FIR scraping, and details the application of ST-DBSCAN and LSTM models for identifying and predicting crime hotspots. It also delves into the role of InLegalBERT and the FAISS vector store in embedding generation and storage.

2 RELATED WORK

Understanding criminal patterns over different areas is extremely important for crime prediction. (Wheeler and Steenbeek, 2021) used Random Forests to predict long term crime patterns in Dallas, Texas. Random Forest was chosen as the model for its power in selecting feature variables and non-linear correlations of the crime occurrences. The performance of the model was better than previous methods, including Risk Terrain Modelling and Kernel Density Estimation. They

also established the fact that impacts of predictors on the crime rates were in fact non linear and spatial.

(Mandalapu et al., 2023) conducted an extensive review of various papers and found that traditional clustering algorithms, such as K-Means, often fell short in addressing the dynamic and noisy nature of real-world crime data, particularly when temporal dimensions were involved. The maximum accuracy these models could achieve was about 80%. Crime incidents are influenced by both spatial proximity and time intervals and thus deep learning models like CNN or LSTM that simultaneously handle these dimensions performed significantly better. They found the accuracy of such models reaching almost 95% depending on the quality of the datasets.

(Marchant et al., 2018) noted that the Bayesian framework improved criminal data analysis by using a probabilistic model for capturing the dependencies between crime rates and socio-environmental factors. It also helped in incorporating the uncertainty associated with predictions. It covered parametric and non-parametric approaches, resulting in the capability to model spatial dependencies adequately to forecast crime rates. The authors considered investigation of property crimes including theft, assault and drug related offences and established that crime rates are critically dependent on other demographic traits and environmental features such as population density. In conclusion, the Bayesian application was beneficial for comprehensive and diverse crime analysis.

(Birant and Kut, 2007) proposed the ST-DBSCAN algorithm which had the ability of discovering clusters according to non-spatial, spatial and temporal values of the objects and was particularly effective for processing very large datasets. They introduced the novel concept of density factor which enabled the algorithm to handle noisy data even when clusters of different densities were present. It had a much faster runtime (factor between 1.5 and 3 times) than other clustering algorithms such as CLARANS (Ng and Han, 1994) and DBCLASD (Xu et al., 1998) and the factor only increased with the size of the datasets used. Thus ST-DBSCAN became a strong candidate for clustering using spatial-temporal data.

(Ramirez-Alcocer et al., 2019) demonstrated that the use of Long Short-Term Memory (LSTM) networks delivered strong results for predicting future crime hotspots as it was adept at handling sequential data. The study showed the feasibility of employing LSTM models trained on extensive datasets of historical crime records. Their deep learning approach achieved a high performance in the final model with a validation accuracy of 87.84% and an average loss function of 0.0376.

(Rai et al., 2022) demonstrated an effective approach by utilising LSTM in tandem with BERT, a language model, to extract deeper contextual and linguistic insights. The authors developed a model that automatically classified news articles as either fake or real based on their titles. This combination not only enhanced the predictive accuracy to 88.75%, but also enabled a more nuanced understanding of the textual elements in the datasets.

Crime prediction involving the incorporation of legal language models has become more popular recently with different studies having researched on it. (Paul et al., 2023) proposed InLegalBERT, inspired by the work of (Beltagy et al., 2019) called SciBERT that was pre-trained on scientific publications. InLegalBERT is a legal aligned BERT model pre-trained on Indian legal documents. This study showed that the proposed model could understand legal terms and its context for the tasks relevant to the Indian legal system such as of categorisation of crimes as per the Indian Penal Code (IPC). The authors also noted that warming on domain-specific texts improved the fine-tuning results in legal NLP tasks substantially.

(Bogomolov et al., 2014) examined the correlation between crime and demographic characteristics using aggregated human behavioural data captured from the mobile network infrastructure in combination with basic demographic information. They achieved an accuracy of almost 70% when predicting hotspots for real crime data in London. This proved that using demographic factors have the potential to help predict urban crime issues effectively.

(Fan et al., 2024) highlights the significance of RAG in enhancing the capabilities of generative AI by supplying reliable and up-to-date external knowledge, which is particularly beneficial in the context of AI-Generated Content (AIGC). The paper emphasises the potential of raLLMs to mitigate common issues faced by traditional LLMs, such as hallucinations and outdated internal knowledge, by leveraging retrieval mechanisms.

(VM et al., 2024) divides the process of fine tuning into several stages. First training data in the target domain was gathered and the text was then broken into chunks and tokens with a suitable tokenizer to convert the text into embeddings. The training covered the next token prediction strategy and optimised the weights derived from the accumulated responses given a trained-task oriented set of data set. The authors highlighted that although the fine-tuning process helped to improve the model, it raised a number of issues including the availability and quality of the data, costs and ethical issues, which are all critical and should be discussed in detail.




Figure 2: Proposed Architecture Diagram for CriX (Crime Explainer).

2.2 Research Gaps

Together, these works offer a snapshot of what is emerging as the state of the art in the field of crime prediction that joins methods formalised in legal language models with other data. However, there remain important gaps in the evidence, as stated below:

- Absence of readily available data for the India state of Karnataka, led us to develop our own dataset.
- Most approaches focused on identifying crime patterns and hotspots without addressing the root causes of criminal behaviour, often treating the symptoms rather than the underlying factors.
- Each district possesses unique characteristics indicating that a one-size-fits-all methodology is inadequate. Therefore, a tailored approach is essential for effective crime prevention and intervention.

3 METHODOLOGY

This work leverages InLegalBERT (Paul et al., 2023), a BERT-based model trained on Indian legal texts for its generative embeddings and is used by Mistral model with district-level demographic data from Karnataka. The primary aim is to predict why specific

crimes occur in different districts by integrating legal and demographic factors. This section explains the architecture of the model, the data collection and preprocessing steps, the features used, and the fine-tuning process with demographic data. The proposed architecture is visualised in Figure 2.

3.1 Data Collection and Preprocessing

The study utilizes two key datasets in the form of JSON files: one capturing crime data over the years 2020-2022 for all 31 districts of Karnataka and another that includes various demographic indicators across these years. The scraping of the crime dataset, detailing incidents across 1,060 police stations, from the Karnataka Police website was automated using Selenium, facilitating large-scale data collection. The extracted data is formatted as JSON files, capturing essential attributes such as crime location, IPC sections, police station proximity, and time details. Meanwhile, the demographic dataset encompasses yearly indicators such as GDDP, NDDP, per capita income, literacy rate, health index, and HDI, providing a comprehensive profile for each district. Together, these datasets enable an integrated analysis of how demographic factors correlate with crime across Karnataka.

The transliteration process utilises the ‘Translator’ class from the Gemini library, configured to trans-

late from Kannada('kn') script to English('en'). The system initialises the converter with source and target scripts. FIR content recorded in Kannada is then passed to the converter, which outputs the English translation, preserving the original meaning. This method facilitates consistent and interpretable crime description data for further analysis, aligning local linguistic data with broader law enforcement frameworks. The success of crime prediction models depends heavily on the quality of both legal and demographic data. The economic and development data was sourced from data.opencity.in to reflect district-specific characteristics that might influence crime.

3.1.1 Feature Engineering

To effectively incorporate the demographic data into the model, we transformed these demographic indicators into numeric features. Some key steps in feature engineering included:

3.1.2 Normalization

All continuous variables, such as GDDP, NDDP, and Per Capita Income, were normalized to ensure they were on the same scale, preventing one feature from dominating others during model training.

3.1.3 Encoding Categorical Features

IPC sections were encoded as categorical variables to make them interpretable by the model. Each IPC section corresponds to a unique integer representation, enabling the model to differentiate between types of crimes.

3.1.4 Handling Missing Data

For districts where some demographic data was missing or unavailable, we used interpolation techniques and, in some cases, district averages to fill in the gaps. This pre-processing allowed us to create a rich feature set that paired each crime type (based on its IPC section) with the district's demographic profile.

3.2 Spatio-Temporal Density-Based Spatial Clustering of Applications with Noise

3.2.1 Structure

- **Parameter Setting:**

- **best_spatial_threshold:** Determines the spatial distance for clustering,

- **best_temporal_threshold:** Specifies the temporal distance,
- **best_min_samples:** Sets the minimum number of samples required to form a cluster.

Let $\text{density_distance_max}$ of a point p denote the maximum distance between the point and its neighbour objects within the neighbourhood radius centred around a point. Similarly, let $\text{density_distance_min}$ of point p denote the minimum distance between the point and its neighbour objects within the radius.

The density factor of a cluster C captures the degree of the density of the cluster. If C is a “loose” cluster, $\text{density_distance_min}$ would increase and so the density distance would be quite small, thus forcing the density factor of C to be quite close to 1. Otherwise, if C is a “tight” cluster, $\text{density_distance_min}$ would decrease and so the density distance would be quite big, thus forcing the density factor of C to be quite close to 0.

$$\text{density_factor}(C) = \frac{1}{\frac{\sum_{p \in C} \text{density_distance}(p)}{|C|}} \quad (1)$$

$$\text{density_distance_min}(p) = \min\{\text{dist}(p, q) \mid q \in D \wedge \text{dist}(p, q) \leq Eps\} \quad (2)$$

$$\text{density_distance_max}(p) = \max\{\text{dist}(p, q) \mid q \in D \wedge \text{dist}(p, q) \leq Eps\} \quad (3)$$

- **Model Initialisation and Fitting:** An instance of ST_DBSCAN is created with the best parameters. The model is then fitted to the scaled features extracted from the crime data, including latitude, longitude, crime occurrence time, and various demographic factors.
- **Label Extraction and Data Preparation:** The clustering labels generated by the model are retrieved and added to the original DataFrame, allowing for identification of clusters within the data.
- **Data Visualisation:** A 3D scatter plot is created to visualize the clustered crime data over time, with latitude on the x-axis, longitude on the y-axis, and the normalized time on the z-axis as can be seen in Figure 3. The points are coloured based on their cluster membership, and a colour bar is included for reference.

Table 1: Features Key Utilised in Table 2 for ST-DBSCAN Clustering.

Key	Feature
A	Crime Latitude
B	Crime Longitude
C	Crime Time Number
D	Encoded Crime Count
E	NDDP Current
F	GDDP Current
G	Per Capita Current
H	Average Crime Time

Table 2: ST-DBSCAN Clustering Results for Mysuru District, Karnataka.

Features Set Key	Number of Features	Number of Clusters	Number of Outliers	Cluster IDs	Points in Each Cluster
A, B, C, D	4	1	1	0	3127
A, B, C, D, E	5	2	4	0, 1	2501, 623
A, B, C, D, F	5	2	3	0, 1	2067, 1058
A, B, C, D, G	5	2	3	0, 1	2663, 462
A, B, C, D, H	5	2	17	0, 1	3108, 3
A, B, C, D, E, F	6	3	5	0, 1, 2	2067, 433, 623
A, B, C, D, E, G	6	4	5	0, 1, 2, 3	1605, 433, 623, 462
A, B, C, D, F, G	6	3	3	0, 1, 2	1605, 1058, 462
A, B, C, D, E, F, G, H	8	8	35	0, 1, 2, 3, 4, 5, 6, 7	1756, 710, 417, 166, 28, 6, 4, 3

The density factor of a cluster C captures the degree of the density of the cluster. The density_distance of an object p is defined as

$$\text{density_distance}(p) = \frac{\text{density_distance_max}(p)}{\text{density_distance_min}(p)}. \quad (4)$$

- **Cluster and Outlier Reporting:** Finally, the code calculates and prints the number of clusters and outliers (noise points) detected by the algorithm.

3.2.2 Input and Output

- **Input:** The model takes as input a DataFrame containing scaled features related to crime occurrences, including geographical coordinates, temporal data, and demographic factors as specified in Table 1.
- **Output:** The output consists of clustered labels assigned to each data point and a 3D visualisation of the crime hotspots over time. The reduction in noise as hotspots are identified more clearly, rather than being diffused by the inclusion of additional factors, which is illustrated in Table 2.




Figure 3: 3D Visualisation of Crime Hotspots.

3.2.3 Model Architecture

The clustering performed by ST-DBSCAN acts as a foundational analysis tool that segments the data into meaningful clusters based on the provided parameters. The fine-tuning parameters for the ST-DBSCAN model include the spatial threshold (eps1), temporal threshold (eps2) and minimum samples required (min_samples) for forming clusters. These parameters can be adjusted based on previous grid search results to optimise clustering performance. Thus, it ef-

fectively identifies and visualises crime hotspots and helps facilitate a deeper understanding of crime patterns in Karnataka.

3.3 Long Short Term Memory

3.3.1 Structure

The LSTM layer is initialised with parameters and processes sequential data. It also considers a dropout parameter which is used to prevent overfitting. A fully connected layer follows the LSTM layer, which maps the LSTM's output to the desired number of output classes, being the hotspot clusters in the research.

3.3.2 Input and Output

- **Input:** The model expects input in the shape of (batch_size, sequence_length, input_dim), where sequence_length is the number of time steps in each input sequence, and input_dim is the number of features (demographic factors and other relevant indicators).
- **Output:** The output of the model is a tensor representing the predicted class probabilities for each cluster, with the shape (batch_size, output_dim). The model uses softmax activation implicitly in the loss function during training to interpret these outputs as probabilities for multi-class classification. The predicted hotspots for the state of Karnataka and the district of Mysuru is plotted in Figure 4 and Figure 5 respectively.




Figure 4: Predicted Crime Hotspots in the State of Karnataka.




Figure 5: Predicted Crime Hotspots in the District of Mysuru, Karnataka.

3.3.3 Model Architecture

- **LSTM Layer:** This core layer is responsible for learning sequential patterns, configured with the specified number of input features, hidden units, and layers.
- **Fully Connected Layer:** A linear transformation that reduces the hidden state output from the LSTM to the desired number of clusters.

3.3.4 Parameter Optimisation

The model includes several fine-tuning parameters:

- **input_dim:** Number of features in the input data, which is dynamically determined based on the shape of the training dataset X_train.
- **hidden_dim:** Set to 128, which specifies the size of the hidden state in the LSTM, allowing the model to capture complex patterns in the data.
- **output_dim:** Determined by the number of unique clusters in the dataset, ensuring the model outputs a prediction for each cluster.
- **num_layers:** Defaulted to 2, which indicates the model will stack two LSTM layers for deeper learning.
- **dropout:** Set to 0.3, providing regularization to mitigate overfitting during training.
- **Optimizer and Loss Function:** The Adam optimizer is utilised with a learning rate of 0.001, and the loss function is defined as CrossEntropy-Loss, which is suitable for multi-class classification tasks, ignoring any specified index (-1) for outlier points.

Once the legal and demographic data was pre-processed, we fine-tuned InLegalBERT (Paul et al., 2023) using district-level demographic data. The goal of fine-tuning was to enable the model to associate certain IPC sections with specific demographic conditions in different districts.

3.4 CriX - raLLM Enhanced InLegalBERT with MistralAI

3.4.1 Structure

CriX (Crime Explainer) is a framework modelled to provide an easily comprehensible text-based analysis for crime occurrence based on demographic parameters of the location. For example, the crime tendencies in a specific area may be correlated with income difference or low literacy levels, thus providing practical insight for policymakers to implement potential socio-economic interventions.

In the proposed framework, embeddings are generated using InLegalBERT (Paul et al., 2023), a model fine-tuned on Indian legal texts, to create context-aware representations of the input data. These embeddings are stored and indexed in a FAISS vector store, enabling efficient retrieval using cosine similarity. A retrieval augmentation framework processes queries and gets the required set of embeddings, which are then passed to the Mixtral-8x22B-Instruct-v0.1 generative model. This model, with its zero-shot learning capabilities, converts embeddings into coherent and contextually accurate natural language output.

3.4.2 Input and Output

- **Input:** The input consists of:
 - *Predicted crime hotspots:* Output clusters from the LSTM model representing high-risk areas of crime based on spatial-temporal and demographic factors.
 - *Demographic data:* Socio-economic indicators such as Gross District Domestic Product (GDDP), Net District Domestic Product (NDDP), per capita income, literacy rate, health index, etc., specific to each region within Karnataka.
- **Output:** For every predicted location of crime activity, the model provides an easily understandable text-based analysis. For instance, it might suggest that crime tendencies in a specific area may be correlated with income difference or low literacy levels. In addition, the human understandable output offers practical insight regarding

the potential linking of crime occurrence to demographic parameters which could help policy-makers to selecting potential socio-economic interventions.

3.4.3 Model Architecture

InLegalBERT is a BERT based transformer model pre-trained on Indian legal texts, making it particularly suited for generating embeddings related to crime data within the context of Indian law. Crime and demographic information is then embedded and stored in a FAISS vector store, which is populated with embeddings generated by InLegalBERT. This knowledge base stores grouped crime and demographic embeddings for contextual relevance. These embeddings are then used to get the top three most relevant chunks from this store using a cosine similarity mechanism.

The Mixtral-8x22B-Instruct-v0.1 LLM model is used to perform the text generation and comprehension tasks. The retriever augmentation framework searches the FAISS vector store and identifies the top three relevant chunks of embeddings. These obtained embeddings are used by Mixtral as knowledge sources to perform zero-shot learning. The Mistral LLM maps these embeddings to natural language sentences that are coherent and grounded without utilising any labelled examples.

The retrieval augmentation framework ensures that the data unseen by the LLM are dynamically fed into the model, allowing the responses to be accurate and context-bound thus minimising hallucinations that are typical in the LLMs. The LLM cache stores recent responses that can be readily accessed for similar queries thus improving efficiency and reducing redundant computations.

4 RESULTS AND DISCUSSION

4.1 Hotspot Cluster Identification

The ST-DBSCAN algorithm clusters crime hotspots in Karnataka where areas of denser crime are depicted. This clustering also takes into account the various demographic factors for these districts. Multiple clusters are identified in this process. Each cluster type provides insights about spatial and temporal patterns of crime, assisting in identifying areas that may benefit from increased surveillance or targeted interventions. The distribution of crimes across the clusters identified is plotted in Figure 6.

Some regions exhibit unique crime patterns due to

factors such as fluctuations in crime unrelated to the general state trends, or specific socio-economic conditions like high population densities and varying income levels. Moderate to large hotspots tend to have significant socio-economic differences, where crime is more prevalent due to economic activities, population standards and social status. Districts undergoing urbanisation or experiencing changes in economic conditions or migration rates may see an increase in crime as well. Smaller, localised hotspots may emerge in areas with unique demographic profiles, such as high-income but low-population-density areas, where the crime dynamics differ from those of more densely populated, lower-income regions.

Training of the LSTM model showed significant improvement in valuation metrics during the 50 epochs. The training loss was reduced steadily down to 0.3475 on the last epoch, while the change in the validation loss was characterised by a gentle decline with the minimum loss of 0.4928 achieved on epoch 33. The validation accuracy attained its highest of 0.8211 at epoch 35, as illustrated in Figure 7, which demonstrated the model’s progressive ability at using demographic factors to forecast crime intensity. For training control, early stopping was applied when validation performance was stagnant, leading to the stopping of training at epoch 42 to guard against overfitting.

The effectiveness of this approach was evaluated by comparing the results with existing models implemented in the study by (Zhuang et al., 2017) which included STNN-LSTM (81%), multilayer perceptron (76. 75%), random forest (76. 25%) and decision tree (76%). The proposed cascaded-forecasting model consisting of STDBSCAN and LSTM achieved a higher accuracy than all the models used in this study. These results suggest that our model is well-suited for accurately capturing spatial and temporal dependencies in crime hotspot prediction.




Figure 6: Identified hotspot cluster IDs visualised in increasing order of density of crimes.




Figure 7: Results of Cascaded Forecasting Model: ST-DBSCAN Infused LSTM.

4.2 Large Language Model Performance Comparison

CriX’s performance is compared to various other models of BERT in combination with the Mixtral LLM. It yielded much more reliable results when comprehending complex legal language and context when trained on demographic and hotspot data, as they account for the underlying demographic factors influencing crime rates. The models implemented are, BERT-based LLM (achieving an average score of 2.27), InLegalBERT (achieving an average score of 2.67), and CriX (achieving the highest average score of 4.18). These scores highlight the distinctions in model performance based on Compactness, Fidelity, and Completeness. Each metric explained is scored out of 5.

- **Compactness:** CriX demonstrates a superior compactness, with a value of 4.03, surpassing BERT based LLM (which achieved a score of 3.73) and InLegalBERT (which achieved a score of 2.55), by producing concise and targeted explanations that highlight only the most relevant demographic and crime-specific factors. This is particularly advantageous over baseline models, which tend to generate less focused outputs. The usage of Zero Shot Learning enables it to avoid redundant or overly general information, resulting in outputs that are easier for stakeholders to interpret and apply effectively.
- **Fidelity:** The model also performs well in terms of accuracy offering explanation that resembles the original data’s structure. CriX produces a score of 3.51, whereas BERT based LLM has a fidelity score of 2.45 and InLegalBERT, with a score of 2.47. As a result, demographic features of the crime are preserved with minimal distortions while the outcomes maximally correspond to real factors of crime. It also performs better than other descriptively general models which may offer wider but less specific picture, thus giving credence to the importance of CriX for policy

Table 3: Performance Metrics of Few Language Models.

Large Language Model	Compactness	Fidelity	Completeness	Average Score
BERT + MistralAI	3.73	2.45	0.62	2.27
InLegalBERT + MistralAI	2.55	2.47	5	2.67
CriX (with zero shot learning)	4.03	3.51	5	4.18

and intervention.

- **Completeness:** CriX provides a more extensive list of inputs, taking into account the socio-economic and educational background which may lead to crime. CriX outlines a completeness score of 5, where as BERT based LLM only produces a score 0.62, while InLegalBERT gives a score of 5. In contrast, general LLMs fail to capture such larger demographic characteristics.

Each model provided textual explanations in response to the prompt: “Give details how crime committed with IPC section IPC 1860 Section 378 happened in Mysuru on 02-02-2020.” The metrics calculated on the explanation given by each model are summarized in Table 3 for comparison. More specifically, it indicates that with respect to the three criteria of Compactness, Completeness and Fidelity, CriX is able to provide what the users may require with the greatest precision and depth. This makes it most suitable for the task of crime pattern analysis as it shows how the model utilises the demographic factors.

4.3 Explainable AI

Through the Explainable AI approach, the model produces easily comprehensible summaries. The most critical demographic factors that impact the model are identified to help attain a better understanding of the areas with high crime rates. This interpretative approach would enable the law enforcement agencies to grasp why some regions may be most vulnerable to crimes in regard to conditions of demography. In the current paper, Explainable AI (XAI) is integrated using four fundamental concepts of justification, control, discovery and improvement to improve the predictive models for crime prediction.

- **Justify:** XAI is employed to ensure that crime hotspot predictions are transparent and understandable. By using demographic factors such as literacy rates, GDDP, and per capita income, the model provides valid justification for its outputs. This helps stakeholders, such as law enforcement and policymakers, make data driven decision backed by clear insights into influential factors.
- **Control:** CriX ensures a high level of control over the predictive process by enabling authorities to

manage and influence model interpretability and decision-making. It allows parameters to be updated dynamically, reflecting new policy initiatives or demographic shifts. This ensures that the model’s explanations and predictive capabilities remain relevant and adaptable to real-world changes, empowering authorities to proactively respond to emerging crime patterns.

- **Discover:** The discovery aspect of XAI uncovers hidden correlations between demographic indicators and crime occurrences. For example, the analysis might reveal an unexpected link between declining HDI and increased crime rates in specific districts. This insight-driven approach helps expand the understanding of the multifaceted causes of crime and enables authorities to design targeted social programs that address these underlying issues, thus contributing to holistic crime prevention.
- **Improve:** The iterative nature of XAI supports continuous improvement in the model’s predictive capabilities. By regularly reviewing which demographic features most influence outcomes and assessing the model’s interpretability, researchers can refine the model’s training and enhance its feature set. The iterative zero-shot learning feedback loop not only improves prediction accuracy but also helps guide future data collection to strengthen the model’s overall effectiveness and maintain its robustness over time.

5 CONCLUSIONS

This research successfully integrates spatial, temporal, and demographic factors to model and predict crime hotspots in Karnataka, India, offering a novel approach to crime analysis and prevention. By employing ST-DBSCAN for clustering and LSTM for prediction, CriX demonstrates promising accuracy in identifying crime-prone areas and time periods, achieving a validation accuracy of over 82%. These findings emphasise the impact of demographic factors on criminal patterns, underscoring the potential for targeted interventions. Furthermore, our LLM based approach provides interpretability, explaining key demographic influences on crime, and offering valu-

able information for developing mitigation strategies. By incorporating Explainable AI (XAI), CriX sets a foundation for future advancements in predictive policing and social policy, promoting data-driven solutions to improve community safety. It enhances the practical utility of the model by clarifying the influence of key demographic factors on crime. This transparency empowers stakeholders to adopt evidence-based policies and adapt crime prevention strategies based on clearly interpretable results, making the model's findings actionable and trustworthy. Through this multifaceted approach, the research aims to enhance crime prevention by identifying hotspots with both spatial-temporal and demographic dimensions. The proposed framework informs law enforcement and policymakers about the conditions under which crime is likely to occur, thus contributing to a more holistic and effective approach to public safety in Karnataka.

6 LIMITATIONS AND FUTURE DIRECTIONS

6.1 Limitations

- **Data Availability and Quality:** The model's accuracy relies on the availability and quality of demographic, spatial, and crime data. Incomplete or biased data can limit its predictive capabilities.
- **Generalisability:** While the model is optimized for Karnataka, applying it to other regions may require extensive recalibration due to unique demographic and spatial characteristics.
- **Integration of Additional Socioeconomic Indicators:** Future models can incorporate more socioeconomic variables to deepen insights into the relationship between demographic factors and crime.
- **Real-Time Crime Prediction:** Extend the model to handle real-time data streams, enabling live monitoring and dynamic hotspot predictions for proactive policing.
- **Community-Centric Crime Prevention Strategies:** Develop actionable recommendations based on model findings to inform community-level interventions and policy decisions aimed at reducing crime rates, which helps in real estate and residential purchases.

6.2 Future Directions

In future research, the LLM could be fine-tuned with more comprehensive data from other states or even at the national level to create a broader crime prediction model applicable across India. This could facilitate comparative studies across different regions and offer valuable insights into the varying factors that contribute to crime in different cultural and demographic contexts. The inferences made highlight the potential of LLMs to serve as valuable tools in crime prevention, legal analysis, and policymaking. As we continue to refine and expand such models, their role in advancing evidence-based solutions to societal challenges will become increasingly important.

Incorporating Graph RAG might improve retrieval by structuring crime and demographic data as a graph, capturing relationships between crime hotspots, demographic factors and temporal data. This approach improves context relevance by leveraging graph based embeddings, enabling retrieval of interconnected insights that traditional vector based methods might miss.

REFERENCES

- Beltagy, I., Lo, K., and Cohan, A. (2019). Scibert: A pretrained language model for scientific text. *arXiv preprint arXiv:1903.10676*.
- Birant, D. and Kut, A. (2007). St-dbscan: An algorithm for clustering spatial-temporal data. *Data & knowledge engineering*, 60(1):208–221.
- Bogomolov, A., Lepri, B., Staiano, J., Oliver, N., Pianesi, F., and Pentland, A. (2014). Once upon a crime: towards crime prediction from demographics and mobile data. In *Proceedings of the 16th international conference on multimodal interaction*, pages 427–434.
- Fan, W., Ding, Y., Ning, L., Wang, S., Li, H., Yin, D., Chua, T.-S., and Li, Q. (2024). A survey on rag meeting llms: Towards retrieval-augmented large language models. In *Proceedings of the 30th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, pages 6491–6501.
- Government_of_Karnataka. <https://data.opencity.in/organization/government-of-karnataka>.
- Karnataka.State.Police. <https://ksp.karnataka.gov.in/firsearch/en>.
- Mandalapu, V., Elluri, L., Vyas, P., and Roy, N. (2023). Crime prediction using machine learning and deep learning: A systematic review and future directions. *IEEE Access*, 11:60153–60170.
- Marchant, R., Haan, S., Clancey, G., and Cripps, S. (2018). Applying machine learning to criminology: semi-parametric spatial-demographic bayesian regression. *Security Informatics*, 7:1–19.

- Ng, R. T. and Han, J. (1994). Efficient and effective clustering methods for spatial data mining. In *Proceedings of VLDB*, pages 144–155. Citeseer.
- Paul, S., Mandal, A., Goyal, P., and Ghosh, S. (2023). Pre-trained language models for the legal domain: a case study on indian law. In *Proceedings of the Nineteenth International Conference on Artificial Intelligence and Law*, pages 187–196.
- Rai, N., Kumar, D., Kaushik, N., Raj, C., and Ali, A. (2022). Fake news classification using transformer based enhanced lstm and bert. *International Journal of Cognitive Computing in Engineering*, 3:98–105.
- Ramirez-Alcocer, U. M., Tello-Leal, E., and Mata-Torres, J. A. (2019). Predicting incidents of crime through lstm neural networks in smart city domain. In *The Eighth International Conference on Smart Cities, Systems, Devices and Technologies*, pages 32–37.
- VM, K., Warriar, H., Gupta, Y., et al. (2024). Fine tuning llm for enterprise: Practical guidelines and recommendations. *arXiv preprint arXiv:2404.10779*.
- Wheeler, A. P. and Steenbeek, W. (2021). Mapping the risk terrain for crime using machine learning. *Journal of Quantitative Criminology*, 37:445–480.
- Xu, X., Ester, M., Kriegel, H.-P., and Sander, J. (1998). A distribution-based clustering algorithm for mining in large spatial databases. In *Proceedings 14th International Conference on Data Engineering*, pages 324–331. IEEE.
- Zhuang, Y., Almeida, M., Morabito, M., and Ding, W. (2017). Crime hot spot forecasting: A recurrent model with spatial and temporal information. In *2017 IEEE International Conference on Big Knowledge (ICBK)*, pages 143–150. IEEE.