Relationship Between Eye-Tracking Metrics and Cognitive Load in Mixed Reality

Daniel Stuhlmacher¹, René Kockord² and Oliver Bodensiek^{1,3}

¹Physikalisch-Technische Bundesanstalt, Germany ²Technische Universität Braunschweig, Germany 3

daniel.stuhlmacher@ptb.de

Keywords: Mixed Reality, Eye-Tracking, Head-Mounted Display, Cognitive Load, Intrinsic Cognitive Load, Germane Cognitive Load, Extraneous Cognitive Load, HMD-MR, Python, Evaluation Software, Adaptive Applications.

Abstract: The rapid development of mixed reality is also affecting the educational sector, offering innovative learning environments but also creating new challenges. For adaptive learning environments in mixed reality the cognitive load of the users plays an important role since it can reflect, amongst others, how to adjust level of difficulty to best support the learner. Modern mixed reality head-mounted devices often come along with integrated eye-trackers, simplifying the investigation of cognitive load by means of eye-tracking. This paper investigates the relationship between certain eye-tracking metrics and cognitive load in a mixed reality learning environment to provide a basis for more adaptive learning systems. The results show that selected eye-tracking parameters correlate significantly with different subtypes of cognitive load, the most promising of which are the fixation rate and the relative percentage of fixations. The analysis is based on data from a study that investigated the first time contact with a mixed reality head-mounted device while performing simple tasks with virtual dice. Cognitive load and its subtypes were assessed after each task using self-rating scales.

1 INTRODUCTION

To begin with, it is important to emphasize that there is still no consistent definition for the term mixed reality (MR) at all. According to (Speicher et al., 2019) there are various competing definitions of MR and further examples which can be integrated into the different definitions. In this paper, MR, following one of the various definitions from (Speicher et al., 2019), is treated as a "stronger" variant of Augmented Reality (AR), which involves advanced interactions with the virtual objects by the user as well as advanced interactions of the virtual objects with the physical environment. The development of MR is progressing rapidly. This development opens up new possibilities to provide educational content. This is particularly promising when using MR with head-mounted displays (HMD).

According to (Leppink et al., 2013), the Cognitive Load (CL) by means of self-assessment rating scales is often used to examine learning environments and – if necessary – to optimize them. However, a

^a https://orcid.org/0000-0002-0778-5862

self-assessment scale is always subjective and separated in time from the processing of the task when used in retrospective. In this case, the HMD-MR offers the possibility of simultaneously providing the learning environment, collecting the eye-tracking data and objectively determining the CL with just one device. According to (Ayres et al., 2021), eye-tracking has proven to be a particularly sensitive measurement method for CL. By recording CL and correlating it with eye-tracking parameters like in (Borys et al., 2017), (Zu et al., 2017) and (Zagermann et al., 2018), it is possible to determine CL in the long term by means of eye-tracking.

This paper examines whether there is a correlative relationship between CL and specific eye-tracking parameters. The data were gathered as part of a study using an MR learning environment for novice MR users.

Relationship Between Eye-Tracking Metrics and Cognitive Load in Mixed Reality. DOI: 10.5220/0013501400003932 Paper published under CC license (CC BY-NC-ND 4.0) In *Proceedings of the 17th International Conference on Computer Supported Education (CSEDU 2025) - Volume 1*, pages 899-906 ISBN: 978-987-587-746-7; ISSN: 2184-5026 Proceedings Copyright © 2025 by SCITEPRESS – Science and Technology Publications, Lda.

2 RELATED WORK

Garzón and Acevedo showed in a meta-analysis of 64 quantitative research papers published between 2010 and 2018 that MR has a moderate effect on students' learning gains (Garzón, 2021). *Garzón* also points out that one of the pedagogical goals for the usability of MR applications is to have a low CL (Garzón, 2021). In general, CL is a crucial parameter in the study of learning outcomes. In this way, CL can provide an overview of how complex both the design and the content of a task in MR are perceived by users.

CL arises from the limited capacity of working memory and is increased by the cognitive demands of a task. According to (Sweller et al., 2011) CL can be understood as the sum of three subcategories of CL: The subcategories are intrinsic cognitive load (ICL), germane cognitive load (GCL) and extraneous cognitive Load (ECL). The different levels of cognitive load are usually determined by self-report rating scales (Leppink et al., 2013). The nine-item scale for the assessment of CL according to Paas (Paas et al., 1994) proved to be a very reliable and valid scientific means of such an assessment. This scale is a measurement tool to query CL in general. One advantage of the Paas scale is that it has been extensively validated. Furthermore, this scale was also used for the data collected in the study by (Kockord and Bodensiek, 2021). Seven point scales according to (Klepsch et al., 2017) are also frequently used. The query according to Klepsch et al. can be performed taskindependently, but it has not been validated as frequently as the query according to Paas. The query based on Klepsch et al. collects the individual forms of CL. A disadvantage of the query of CL via subjective self-assessment is that it can only provide an overview of CL after the task has been completed, and that it cannot be continously evaluated during task procession. Therefore, it is useful to consider physiological parameters in order to allow a continuous realtime assessment of the CL.

While Joseph and Murugesh points out that eyetracking is an important tool for investigating cognitive load in human computer interaction in general (Joseph and Murugesh, 2020), Ayres et al. investigated different physiological parameters for their sensitivity (Ayres et al., 2021). Parameters based on eyetracking turned out to be the physiological parameters most sensitive to changes in CL. They are also the easiest to collect without distracting the user – in contrast to the recording of brain activity by means of electroencephalography and magnetoencephalography, for example. In addition, the cognitive load was measured in (Thees et al., 2022) when working on a physical experiment using HMD-MR in comparison to a separate screen. Although no advantage could be observed for using HMD-MR, there were indications that further investigation of eye-tracking was necessary.

The results in (López et al., 2024) suggest that saccade duration is the most important eye-tracking variable in mixed reality experiments and is influenced by the experience of the participants. Longer, slower saccades, which are associated with lower cognitive load, occur more frequently in the experienced group. In (Vulpe-Grigorasi, 2023) the use of eye-tracking to measure cognitive load is discussed, with parameters such as pupil size, gaze direction, fixations and saccades serving as indicators. However, it is also pointed out that eye-tracking technologies can be influenced by environmental factors. The author suggests that combining eye-tracking data with biosignals can improve the accuracy of measuring cognitive load. The work of (Szczepaniak et al., 2024) validates the automatic detection of cognitive workload in a virtual reality environment using eye-tracking and physiological data. The results show that saccadic activity and fixation durations are important factors in predicting both objective and subjective difficulty, while pupil dilation plays a key role in predicting objective difficulty.

3 METHODS

This paper is an empirical secondary analysis. As data basis, eye-tracking and the corresponding cognitive load data from the work (Kockord and Bodensiek, 2021) were used, which have not been evaluated with respect to correlations yet. (Kockord and Bodensiek, 2021) investigated the first contact of test persons with an HMD-MR. In this context, they first performed three simple tasks with analog dice made of plastic foam and then the same three tasks with virtual dice in MR, see Figure 1. In the first task, two dice were to be positioned in certain places in order to investigate difficulties in positioning. In the second task, the subjects were asked to turn two dice so that the face with six points was facing upwards in order to observe the difficulties in handling virtual objects during rotation. In the third task, three dice were to be placed on top of each other in a certain orientation to investigate the stacking of virtual objects. After each task, the CL was queried using Paas' nine-point rating scale, and the ICL, ECL, and GCL were queried using the three-item seven-point rating scale by Leppink et al. (Leppink et al., 2013) within the MR environment, see Figure 2.



Figure 1: Experimental setup of the user study. *Left*: Test person performing the first task with physical dice (analog condition). *Middle*: Third task with virtual dice (far-field interaction), user view through the HMD. *Right*: Test person interacting with virtual dice seen from the outside (MR condition).



Figure 2: User interface of the application (German language). There is a menu item for exiting and repeating the specific task (upper left corner), an item for selecting the task (middle left) and after each task rating scales as shown on the bottom are displayed to let the user rate the cognitive effort for the task. Near-field interaction with the virtual dice is indicated on the top left.

The study and task design aims to minimize cognitive overload by utilizing tasks with low element interactivity, thereby ensuring a low ICL, cf. (Kockord and Bodensiek, 2021). Especially since an initial exposure to HMD-MR without any prior MR experience may lead to increased cognitive load, simple tasks were chosen. To establish homogeneous baseline conditions, familiar everyday objects - standard dice following Unicode representation - were selected as task objects. In order to facilitate an easy interaction within the MR environment, the dice were scaled to 30 cm edge length, allowing for more intuitive manipulation. The experimental setup includes a 1.60 m \times 2.40 m work surface at a height of 0.75 m, accessible from three sides. Here, only the MRcondition is investigated, in which the test persons already knew the very same tasks from the analog condition. The primary differences between the two conditions involve (1) the nature of the dice, i.e., foam in the analog condition and virtual in the MR condition, (2) the interaction methods required - physical manipulation versus MR-based interaction - (3) the familiarity with the task instructions, which are initially unknown in the reference measurement but familiar in the treatment phase, and (4) the overall experience with the experiment protocol, which is novel in the reference measurement but previously encountered in the treatment phase. While the first two differences are intentional study variables, the latter two are unavoidable design constraints. By structuring the experiment in this way, the study aims to isolate the effects of HMD-MR interaction on task performance and cognitive processing.

In (Zagermann et al., 2016) four different sources for the measurement of eye-tracking parameters are considered. These are fixations, saccades, pupil dilatation, and blink rates. This work focuses on eye-tracking parameters that can be determined by means of fixation detection. Parameters based on blink rates and pupil dilation are already too strongly influenced by changes in brightness caused by the measuring device (Microsoft Hololens2). In addition, the Microsoft Hololens2 was not yet able to record blink rates and pupil dilation at the time of data collection. In order to compare the CL with the eye-tracking parameters based on fixations, five parameters were determined. Of these determined parameters, three that can be read directly from the fixation detection. These three parameters are mean fixation duration, percentage of fixations and fixation rate. In addition, two parameters are determined, which are calculated from the change between the locations of the fixations. These parameters are general transition speed and transition ratio. Each of these parameters was evaluated with an evaluation program that has been programmed for this study with Python, based on the velocity-based algorithm for the detection of fixations according to (Salvucci and Goldberg, 2000).

Mean Fixation Duration (MFD)

The mean fixation duration is the mean value of the

duration of all detected fixations. For this purpose, the evaluation software saved the duration of fixation for each fixation detected and totaled it to an overall fixation duration. The total duration was then divided by the number of all fixations.

$$MFD = \frac{overall fixation duration}{number of fixations}$$

Percentage of Fixations (PF)

For every task, one can define:

$$PF = \frac{overall \text{ fixation duration}}{task \text{ duration}}$$

Fixation Rate (FR)

The fixation rate indicates the number of fixations per second. To calculate this, the number of detected fixations was divided by the processing time of the task. It is therefore plausible that the fixation rate correlates negatively with the mean fixation duration.

$$FR = \frac{number of fixations}{task duration}$$

General Transition Velocity (GTV)

The general transition velocity is a measure for the speed with which the subjects changed between fixations. For this purpose, the evaluation software calculates the distance traveled by the eye-hit-position (the place where the focus of the eyes is located) between two fixations. These distances are added up and considered as a total transition distance.

$$GTV = \frac{\text{overall transition distance}}{\text{overall transition duration}}$$

Transition Relationship (TR)

In addition to the transition distance, the theoretical transition distances are recorded by the evaluation software. The theoretical transition distances are the distances between the eye-hit-position at which fixation stopped and the position at which fixation was detected.

$$TR = \frac{\text{overall theoretical transition distance}}{\text{overall transition distance}}$$

In principle, further insights could be gained by analysing eye-tracking data based on predefined Areas of Interest (AOIs). In the specific setup of our experiment, however, AOIs are mobile and moving withing virtual and physical objects, the current analysis software (cf. section 5) does not support.

The data obtained from the eye-tracking analysis with the use of the evaluation software was then examined for normal distributions using the Shapiro-Wilk test. Only the general transition velocity proved to be normally distributed (p = 0.522). Therefore, a Pearson correlation analysis was not possible, and the obtained data were examined by means of a Spearman correlation analysis. Spearman analysis is used to determine both positive and negative correlations between the data to be analyzed, but these do not have to be linear, nor is a normal distribution of the data sets required for the calculation of significance. In order to be able to examine a larger source of data, the correlations between cognitive load and eye-tracking data were primarily determined for the aggregated data set for all tasks. A tasked-based analysis is carried out subsequently.

4 EVALUATION PROGRAM DESIGN

The eye-tracking raw data is available as a CSV file. A new line is created in this file for each measurement recorded by the HMD's. The line contains the measurement time in ms as well as the x-, y- and zcoordinates of the gaze origin, the gaze direction and the eye-hit-position, as well as further data about the position of the oversized dice which was used in the experiment, the type of interaction and others. In order to be able to record the shortest possible fixations, a minimum fixation duration of 100 ms was chosen, following (Korbach et al., 2018). It should also be possible to jump from one area of a die eye to another area of the same die eye during a fixation without recognizing a new fixation. When using MR, head movements can lead to angular changes in the direction of gaze without the gaze leaving the place of fixation. Therefore, the speed of the eve hit position was used for fixation detection instead of the angular change in gaze direction, following the speed-based algorithms for fixation and saccade detection in (Salvucci and Goldberg, 2000). The maximum speed for the eyehit-position was chosen as the quotient of the diameter of a die eye (4.9 cm) divided by the minimum fixation duration of 100 ms (Kockord and Bodensiek, 2021). The velocity of the eye-hit-position was determined by the evaluation software. In each line, the distance of the current eye-hit-position to the last measured eye-hit-position was determined and divided by the time difference of these two measurements to each other . If the obtained velocity was greater than the maximum velocity of the eye-hit-position, this represented the termination of a potential fixation. In addition, for a fixation to be aborted, the determined distance between two eye-hit-positions had to be greater than the error interval caused by the measurement inaccuracy of the HMD. If enough measurements over a period of at least 100 ms show a velocity lower than the specified maximum velocity, this was recognized by the evaluation program as a fixation. During this process, all fixation durations as well as the number of fixations were saved. In addition, the eye-hit positions at the beginning and end of a fixation were determined and the theoretical transition distances calculated.

5 RESULTS

The sample consists of N' = 121 test subjects, all of whom are students for a Bachelor's (89.8%) or Master's degree (10.2%) in a variety of subjects, most of which (86.4%) related to teaching studies. 49.2% mentioned at least one of their usually two subjects being in the STEM realm. About 56% are female and 44% male with a mean age of 22.6 (SD = 2.9). The sample has low prior knowledge about MR, which was rated at a mean of 1.60 (SD = 0.98) on a fivepoint Likert-scale (1 = very low to 5 = very high). However, a slightly increased interest in MR with a mean of 3.64 (SD = 1.07) and increased affinity to digital technologies with a mean of 3.85 (SD = 1.04), on the same scale as above, is reported by the test subjects.

Each of the test persons completed three tasks, both with analog and with virtual dice. Thus, a total of N = 363 data sets could be examined. In Table 1, the results of a Spearman correlation analysis between eye-tracking parameters and self-rated cognitive load types are shown for the aggregated data (N = 363). The table contains the correlation coefficient *r* and the *p*-value for significance (2-sided) for each of the eye-tracking parameters examined and columnwise listed for total cognitive load (CL) and its three subcategories (GCL, ICL, ECL).

It is noted that the fixation rate (FR) is the only eye-tracking measure investigated, which correlates with both the total CL and all three subcategories. The correlation is low-ranked ($0.1 \le r < 0.3$) positive, highly significant (p < 0.001, denoted by ***) in all four cases. The other two measures showing highly significant correlations with CL, GCL and ICL are percentage of fixations (PF) and general transition velocity (GTV), where PF ranks in the moderate correlation range $(0.3 \le r < 0.5)$ for GCL and ICL and the correlation with CL is relatively close (r = 0.292). Besides FR, ECL only correlates highly significant with MFD, negatively and low-ranked $(0.1 \le r \le 0.3)$. Another very significant (p < 0.01, denoted by ^{**}) correlation of ECL is found for GTV, however, positive and low-ranked. In addition, MFD correlates low negative, significant (p < 0.05, denoted by *) with CL, very significant with ICL and highly significant with ECL. Finally, TR correlates negatively with GCL and ICL but in the low range.

Since data is aggregated for three taks with different level of difficulty here, a task-wise analysis of correlations is also conducted. Significant correlations are found much less frequent as for the aggregated data set, as shown in Table 2. Only PF shows highly significant correlations with CL, GCL and ICL, which are in the moderate range, but only for task 1. The other correlations for task 1 and 2 are merely significant with a low-range correlation coefficient including MFD-ECL, PF-GCL, PF-ICL, FR-ECL, GTV-CL, GTV-GCL and GTV-ICL. The isolated data of task 3 does, however, not show any correlation with CL or its subtypes.

6 **DISCUSSION**

The hypothesis that the specific eye-tracking parameters chosen for this work correlate with cognitive load is supported by the results. The fixation rate (FR) seems to be particularly promising in terms of significance, while percentage of fixations (PF) shows high correlation coefficients. However, to distinguish between different subcategories of cognitive load (CL), additional parameters such as mean fixation duration (MFD) or transition ratio (TR) might be needed.

It is important to note that the identified correlations for extraneous cognitive load (ECL) should be taken with caution, as the data are heavily concentrated at levels 1 to 3 in the underlying data. As this scale does not even cover half of the possible sevenlevel rating scale (see Figure 3), the correlations determined for ECL only apply to low to medium ECL. Similarly, it should be noted that little data is available for the high range of CL (levels 8 and 9) and the high range of germane cognitive load (GCL) and intrinsic cognitive load (ICL) (level 7), see Figure 3.

In general, the data are not sufficiently distributed across the entire spectrum of the respective cognitive load. This could be explained by the fact that except for the virtual dice and the menu interface, there are no other virtual objects that would add ECL. Also, the physical test setup is kept simple and clear (see Figure 1). It follows that the obtained correlations are not generally applicable without further ado, and further research is needed to verify generalizability. Furthermore, analysis of the eye-tracking data showed large variations in the respective parameters between individuals, resulting in large standard deviations with respect to the respective CL. Nevertheless, the analysis software was able to extract eye-tracking parameters ERSeGEL 2025 - Workshop on Extended Reality and Serious Games for Education and Learning

Table 1: Result of Spearman correlation analysis for the studied eye-tracking characteristics as a function of the CL, GCL, ICL, and ECL.

		CL	GCL	ICL	ECL
MFD	r	-0.124^{*}	0.102	-0.168^{**}	-0.178^{***}
	p	0.018	0.052	0.001	< 0.001
PF	r	0.292***	0.344***	0.312***	0.051
	p	< 0.001	< 0.001	< 0.001	0.335
FR	r	0.200***	0.185***	0.249***	0.205***
	p	< 0.001	< 0.001	< 0.001	< 0.001
TR	r	-0.101	-0.113^{*}	-0.138^{**}	0.013
	p	0.054	0.032	0.008	0.806
GTV	r	0.245***	0.260***	0.242***	0.145**
	p	< 0.001	< 0.001	< 0.001	0.008

Table 2: Summary of significant correlation of eye-tracking measures with cognitive load and its subcategories in the taskwise analysis. Significance levels are denoted as above, the three tasks are indicated by $T\alpha$ ($\alpha = 1,2,3$). An entry T1^{***}, e.g., means that task 1 correlates highly significant with the cognitive load type in the corresponding column.

	CL	GCL	ICL	ECL
MFD	-	-	-	T2*
PF	T1***	T1***,T2*	T1***,T2*	-
FR	-	-	-	T2*
TR	-	-		-
GTV	$T1^*, T2^*$	T1*	T1*	-

from the raw data that correlate highly significant with cognitive load.

Measuring cognitive load in mixed reality, eyetracking in general is confirmed as important method, see e.g. (Vulpe-Grigorasi, 2023), (Szczepaniak et al., 2024) and (Chiossi et al., 2024), which is consistent with our approach. (Szczepaniak et al., 2024) agree with our finding that measures related to fixation duration (here MFD and PF) are a promising measure. (López et al., 2024), however, emphasize that saccade duration as the most important variable, while in our study it was not possible to examine saccaderealted measures. (Chiossi et al., 2024) agrees with (Szczepaniak et al., 2024) that fixation duration is an important factor in predicting difficulty and thus also argues for fixation-related measures as a suitable predictor of cognitive load. The results of this study are hence consistent with previous research. In contrast to recording brain activity through electroencephalography and magnetoencephalography, eye-tracking data can be easily collected without distracting the user.

Future work could aim to find a more general measurement for fixations in order to extract taskindependent eye-tracking features from the raw eye movement data and test these for correlations with CL. This would allow tasks to be more individually tailored to the learner's workload. However, it should be noted that the cognitive load cannot be recorded continuously, but only in small intervals (e.g. in 10second increments). This semi-continuous assessment provides a time-dependent view of CL and facilitates the assessment of CL by moving from subjective questionnaires to objective ones using an HMD. It is hypothesized that the results of this study can also be applied to CL when performing tasks with mobile devices. Future research should examine whether the correlations found are maintained for larger samples and other task types. In particular, PF with a moderate correlation to GCL and ICL could be informative.

7 CONCLUSION

This paper investigated the relationship between eyetracking metrics and cognitive load in a mixed reality learning environment with a head-mounted display. The results show that eye-tracking can be a valid method for measuring cognitive load, but the data must be interpreted with caution. The main findings are as follows.

- The eye tracking parameters are significantly correlated with different subtypes of CL. The most promising measures are the fixation rate (FR) in terms of significance and the percentage of fixations (PF) in terms of high correlation coefficients.
- It should be noted that the identified correlations for Extraneous Cognitive Load (ECL) only apply



Figure 3: Data frequency of the aggregated data set for the self-rated items in CL, GCL, ICL and ECL queries: The number of indications by users is shown on the *y*-axis and the respective rating for CL and its subtypes is shown on the *x*-axis. Note the only CL is rated on a nine-point scale while GCL, ICL and ECL are rated on a seven-point scale.

to low to medium ECL values due to the data distribution.

• The study contributes to the growing body of research on eye-tracking and cognitive load in MR environments. This is particularly important because MR systems can increase visual complexity and affect the cognitive load of users.

The results of the study provide a basis for the development of adaptive learning systems that can assess the cognitive load of the users in real time and adapt learning content accordingly. This can lead to more effective and enjoyable learning experiences in MR environments. Future research should focus on validating these findings in larger and more diverse samples, as well as investigating the influence of different types of tasks and manifestations of MR on eye tracking metrics and cognitive load. It should also be investigated whether the fixation rate (FR) and percentage of fixations (PF) are correlated with other cognitive and physiological factors.

REFERENCES

- Ayres, P., Lee, J. Y., Paas, F., and van Merriënboer, J. J. G. (2021). The Validity of Physiological Measures to Identify Differences in Intrinsic Cognitive Load. *Frontiers in Psychology*, 12.
- Borys, M., Tokovarov, M., Wawrzyk, M., Wesołowska,

K., Plechawska-Wójcik, M., Dmytruk, R., and Kaczorowska, M. (2017). An analysis of eye-tracking and electroencephalography data for cognitive load measurement during arithmetic tasks. In 2017 10th International Symposium on Advanced Topics in Electrical Engineering (ATEE), pages 287–292.

- Chiossi, F., Gruenefeld, U., Hou, B. J., Newn, J., Ou, C., Liao, R., Welsch, R., and Mayer, S. (2024). Understanding the impact of the reality-virtuality continuum on visual search using fixation-related potentials and eye tracking features. *Proc. ACM Hum.-Comput. Interact.*, 8(MHCI).
- Garzón, J. (2021). An Overview of Twenty-Five Years of Augmented Reality in Education. *Multimodal Tech*nologies and Interaction, 5(7):37.
- Joseph, A. W. and Murugesh, R. (2020). Potential Eye Tracking Metrics and Indicators to Measure Cognitive Load in Human-Computer Interaction Research. *Journal of scientific research*, 64(01):168–175.
- Klepsch, M., Schmitz, F., and Seufert, T. (2017). Development and Validation of Two Instruments Measuring Intrinsic, Extraneous, and Germane Cognitive Load. *Frontiers in Psychology*, 8.
- Kockord, R. and Bodensiek, O. (2021). Cognitive Load During First Contact With Mixed Reality Learning Environments. pages 260–264.
- Korbach, A., Brünken, R., and Park, B. (2018). Differentiating Different Types of Cognitive Load: a Comparison of Different Measures. *Educational Psychology Review*, 30(2):503–529.
- Leppink, J., F., P., Van der Vleuten, C. P. M., Van Gog, T., and Van Merriënboer, J. J. G. (2013). Development

of an instrument for measuring different types of cognitive load. *Behavior Research Methods*, 45:1058 – 1072.

- López, P., Bernardos, A. M., and Casar, J. R. (2024). Eye-tracking analysis for cognitive load estimation in wearable mixed reality. In *Proceedings of the 2024 ACM Symposium on Spatial User Interaction*, SUI '24, New York, NY, USA. Association for Computing Machinery.
- Paas, F. G. W. C., van Merriënboer, J. J. G., and Adam, J. J. (1994). Measurement of cognitive load in instructional research. *Perceptual and Motor Skills*, 79(1):419–430.
- Salvucci, D. D. and Goldberg, J. H. (2000). Identifying fixations and saccades in eye-tracking protocols. In Proceedings of the 2000 symposium on Eye tracking research & applications, ETRA '00, pages 71–78, New York, NY, USA. Association for Computing Machinery.
- Speicher, M., Hall, B. D., and Nebeling, M. (2019). What is mixed reality? Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems, pages 1—15.
- Sweller, J., Ayres, P., and Kalyuga, S. (2011). Cognitive load theory. Explorations in the learning sciences, instructional systems and performance technologies. 1. Springer, New York.
- Szczepaniak, D., Harvey, M., and Deligianni, F. (2024). Predictive modelling of cognitive workload in vr: An eye-tracking approach. In *Proceedings of the 2024* Symposium on Eye Tracking Research and Applications, ETRA '24, New York, NY, USA. Association for Computing Machinery.
- Thees, M., Altmeyer, K., Kapp, S., Rexigel, E., Beil, F., Klein, P., Malone, S., Brünken, R., and Kuhn, J. (2022). Augmented Reality for Presenting Real-Time Data During Students' Laboratory Work: Comparing a Head-Mounted Display With a Separate Display. *Frontiers in Psychology*, 13.
- Vulpe-Grigorasi, A. (2023). Multimodal machine learning for cognitive load based on eye tracking and biosensors. In *Proceedings of the 2023 Symposium on Eye Tracking Research and Applications*, ETRA '23, New York, NY, USA. Association for Computing Machinery.
- Zagermann, J., Pfeil, U., and Reiterer, H. (2016). Measuring Cognitive Load using Eye Tracking Technology in Visual Computing. In Proceedings of the Sixth Workshop on Beyond Time and Errors on Novel Evaluation Methods for Visualization, BELIV '16, pages 78–85, New York, NY, USA. Association for Computing Machinery.
- Zagermann, J., Pfeil, U., and Reiterer, H. (2018). Studying Eye Movements as a Basis for Measuring Cognitive Load. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems*, CHI EA '18, pages 1–6, New York, NY, USA. Association for Computing Machinery.
- Zu, T., Hutson, J., Loschky, L., and Rebello, N. S. (2017). Use of eye-tracking technology to investigate cognitive load theory. In *Physics Education Research*

Conference 2017, PER Conference, pages 472–475, Cincinnati, OH.