

# Detecting Dutch Political Tweets: A Classifier based on Voting System using Supervised Learning

Eric Fernandes de Mello Araújo and Dave Ebbelaar

*Behavioural Informatics Research Group, VU Amsterdam  
De Boelelaan 1081, 1081HV Amsterdam, The Netherlands*

**Keywords:** Text Mining, Twitter, Politics, Dutch politics, Machine Learning, Natural Language Processing.

**Abstract:** The task of classifying political tweets has been shown to be very difficult, with controversial results in many works and with non-replicable methods. Most of the works with this goal use rule-based methods to identify political tweets. We propose here two methods, being one rule-based approach, which has an accuracy of 62%, and a supervised learning approach, which went up to 97% of accuracy in the task of distinguishing political and non-political tweets in a corpus of 2.881 Dutch tweets. Here we show that for a data base of Dutch tweets, we can outperform the rule-based method by combining many different supervised learning methods.

## 1 INTRODUCTION

Social media platforms became an excellent source of information for researchers due to its richness in data. Social scientists can derive many studies from behavior in social media, from preferences regarding brands, political orientation of mass media to voting behavior (Golbeck and Hansen, 2014; Sylwester and Purver, 2015; Asur and Huberman, 2010). Most of these works rely in text mining techniques to interpret the big amount of data which would mostly not be processed manually in a feasible time.

One of the most used social media platforms for text mining is Twitter, a microblogging service where users post and interact with messages called “tweets”, restricted to 140 characters. As of June 2017, about 500 million tweets are posted to Twitter every day<sup>1</sup>. Twitter presents an API for collecting data, and many works have been using it including for political analysis (Golbeck and Hansen, 2014; Rajadesingan and Liu, 2014; Mohammad et al., 2015).

Natural language processing (NLP) is a computer science method for processing and understanding natural language, mostly vocal or textual. Despite the fact that NLP has been used for decades, processing tweets has brought new challenges to this field. The limited amount of information (limited number of characters in each message) induces the users of the Twitter platform to ignore punctuation, shorten

longer words and creates abbreviations for common used expressions, as FYI (for your information). Most recently the increasing use of emojis (ideograms and smileys used in the message) also raised new features that NLP algorithms have to deal with.

Much works are currently combining NLP techniques for twitter messages in order to assess information about public political opinions, aiming mostly to predict the results of elections or referendums. One of the steps to develop a NLP system to classify tweets is the filtering of tweets that concern politics from other topics of discussion. Rule-based techniques like the use of keywords to identify political tweets resulted in 38% of the tweets being falsely classified in our collected Dutch corpus. This is far from ideal and therefore other classification methods should be evaluated.

We have used in this work a supervised learning approach for classification of the tweets in political or non-political, a machine learning technique where a function is generated from labeled training data. An algorithm analyzes a dataset and generates an inferred function, which can be used to classify unseen instances. We aim to examine whether classifying political content from Twitter using a supervised learning approach outperforms a rule-based method, leading to more accurate analyses of political content. To construct the classifier, a corpus of 2.881 Dutch tweets was first collected over a time period of two months. The corpus was manually tagged using a web application built for this project. Tweets were

<sup>1</sup><https://www.omnicoreagency.com/twitter-statistics/>

then pre-processed and extra features were extracted from metadata to optimize for classification. Various machine learning algorithms were trained using the tagged dataset and accuracies were compared to find the right models. Eventually, the five best performing models were combined to make a classifier that uses a voting system.

The structure of this paper is as follows. Section 2 discusses related work. In Section 3 the method for collecting, tagging and pre-processing data is explained, followed by the process of building the classifier and an explanation of the models in Section 4. The results are shown in Section 5 followed by future research and discussion in Section 6.

## 2 RELATED WORK

One of the earliest studies to use Twitter for political analysis aims to predict the German federal elections using data from Twitter, concluding that the number of messages mentioning a party reflects the election result (Tumasjan et al., 2010). They collected all tweets that contained the names of the six parties represented in the German parliament or selected prominent politicians related to these parties. With a rule-based method to identify tweets as being politically relevant, they stated that the number of messages mentioning a party reflects the election result.

A similar method of counting Twitter messages mentioning political party names was applied to predict the 2011 Dutch Senate election (Sang and Bos, 2012). The results were contradictory with (Tumasjan et al., 2010), concluding that counting the tweets that mention political parties is not sufficient to obtain good election predictions.

(He et al., 2012) analyzed tweet messages leading to the UK General Election 2010 to see whether they reflect the actual political scenario. They have used a rule-based method. A model was proposed incorporating side information from tweets, i.e. emoticons and hashtags, that can indicate polarities. Their search criteria included the mention of political parties, candidates, use of hashtags and certain words. Tweets were then categorized as in relevance to different parties if they contain keywords or hashtags. Their results show that activities on Twitter cannot be used to predict the popularity of election parties.

A study from (Conover et al., 2011a) investigated how social media shapes the networked public sphere and facilitates communication between communities with different political orientations. Two networks of political communication on Twitter were examined leading up to the 2010 U.S. congressional midterm

elections. A political communication was identified as any tweet containing at least one politically relevant hashtag. To identify an appropriate set of political hashtags, a tag co-occurrence discovery procedure was performed. They began by seeding the sample with the two most popular political hashtags. For each seed, they identified the set of hashtags with which it co-occurred in at least one tweet and ranked the results. They stated that when the tweets in which both seed and hashtag occur make up a large portion of the tweets in which either occurs, the two are deemed to be related. Using a similarity threshold they identified a set of unique hashtags. This method is more advanced than the previously discussed methods but lacks recall of political content. (Hong et al., 2011) showed that only 11% of all tweets contain one or more hashtags. While this study was conducted on Twitter data in general and not just political content, one can still assume that far from all political relevant tweets contain a hashtag.

Several studies have also used Twitter data to predict the political orientation of users. Some with great success where accuracies are reported over 90% (Conover et al., 2011b; Liu and Ruths, 2013). However, (Cohen and Ruths, 2013) discovered that reported accuracies have been systemically overoptimistic due to the way in which validation datasets have been collected, reporting accuracy levels nearly 30% higher than can be expected in populations of general Twitter users meaning that tweet classifiers cannot be used to classify users outside the narrow range of political orientation on which they were trained.

(Maynard and Funk, 2011) used NLP advanced techniques to classify tweets and their political orientation without much success. They conclude that machine learning systems in annotated corpus of tweets could improve their method.

As showed, most of the works aim to categorize tweets regarding their political positioning without removing those which follow their rule-based method but do not have political content. We consider that filtering the tweets with a very good accuracy tool is a way of improving the results presented by previous works. If tweets can be classified as political or not political before they pass through other processes, better results can be obtained.

## 3 COLLECTING AND PROCESSING THE TWEETS

This project consists of data collection, data cleaning, tagging of the messages and finally the processing and

Table 1: Keywords used to filter the tweets collected.

Party	Leader
VVD	Mark, Rutte
PVV	Geert, Wilders
CDA	Sybrand, Haersma, Buma
D66	Alexander, Pechtold
GL	Jesse, Klaver
PvdA	Lodewijk, Asscher
SP	Emile, Roemer
CU	Gert-Jan, Segers
PvdD	Marianne, Thieme
50plus	Henk, Krol
SGP	Kees, Staaij
DENK	Tunahan, Kuzu
FvD	Thierry, Baudet

analysis of the results.

### 3.1 Collecting Data

To collect the tweets we have used the Twitter Streaming API<sup>2</sup>. The API pushes data in real-time, and provides a search mechanism that can be based on keywords, usernames, language or locations. The tweets that match the criteria are pushed directly to the destination defined in your code. The public stream can push approximately 1% of all the Twitter data<sup>3</sup>. The full stream of data can be accessed using the Twitter Firehose but is fairly costly. For this work, a sample of the data was sufficient enough to train a classifier and therefore the Streaming API was used.

For the collection of the corpus, the abbreviations of the Dutch political parties and the names of their leaders were used as the set of keywords shown in Table 1. Hashtags are not included because a hashtag will only match the given hashtag and not the keyword without the hashtag. For example ‘#Twitter’ will only match tweets containing ‘#Twitter’ whereas using just ‘Twitter’ will match ‘Twitter’ and ‘#Twitter’. Therefore adding hashtags for parties or names would be redundant. The first and last names of the politicians were searched separately because it was noticed that people rarely address Dutch politicians by their full name in tweets. Besides the keywords, a language filter was used to only push Dutch tweets. Data was streamed in intervals over a time period of two months to make sure the results were not influenced by major events. After removing duplicates, this resulted in a total of 2.881 tweets.

<sup>2</sup><https://dev.twitter.com/streaming/overview>

<sup>3</sup><https://brightplanet.com/2013/06/twitter-firehose-vs-twitter-api-whats-the-difference-and-why-should-you-care/>

### 3.2 Cleaning the Data

The Twitter Streaming API returns the collected data in a JSON format. We cleaned up the data by extracting the relevant features as username, text, expanded\_url, extended\_text, retweeted\_status and reply\_status. The utility of each feature will be explained in this section.

The collected corpus contained duplicate tweets. In order to automatically remove duplicates from the dataset, URLs had to be temporarily removed because Twitter creates unique URLs for every tweet using their t.co service which shortens URLs. After the removal of duplicates, the URLs were placed back.

Because Twitter shortens the URLs, potential information gets lost, so the shortened URL was replaced by features extracted from the expanded\_url feature which contains the original URL. This was done by splitting up the URL using the Python *url-pase* package. Special characters and Dutch stop words were removed using the NLTK stop word corpus<sup>4</sup>. An additional set of frequent URL words was also removed containing words such as ‘www’, ‘html’ and ‘com’. This way only relevant words would remain. An example of the feature extraction from an URL is shown in Table 2.

Table 2: Feature extraction example.

<b>URL</b>	<a href="https://t.co/C7fwW3eE5p">https://t.co/C7fwW3eE5p</a>
<b>Features extracted</b>	fd, economie, politiek, asscher, sluit, deal, soepeler, ontslagrecht

To further extract as much information as possible, retweets (tweets that are shared by another user) had to be replaced with the original text because sometimes the text of a retweet is truncated. Tweets can also contain an extended\_text feature. When this was the case, the text was replaced with the extended\_text feature. This method ensures that the full text is displayed. Replies lack context and therefore make accurate tagging hard or impossible. In order to include replies, additional steps should be taken to link replies to tweets. However, for this project, replies were removed from the dataset. Finally, the clean dataset was exported to a CSV file and passed on to the tagging system.

### 3.3 Tagging the Tweets

In order to use supervised learning, the tweets had to be manually tagged first. This was done using a web application that was built for this project. The goal

<sup>4</sup><http://www.nltk.org/book/ch02.html>

was to create a tagging system that can also be used for future projects. Another option would be using the Amazon Mechanical Turk website for tagging, but since the dataset is relatively small and domain specific (Dutch politics) the self-built application was a better option. The interface can be seen in Figure 1. The app shows one tweet at a time and a tweet could be tagged as either political or non-political by clicking the green or the red button. Tags were saved in a database which could be downloaded as a CSV file to transfer back to the program. A distribution of the tagged tweets is shown in Table 3.

Table 3: Collected tweets.

Total	2.881
Political	1.823 (62,0%)
Non-political	1.058 (38,0%)

While the set of keywords only contained politically relevant words, 38% of the tweets are tagged as non-political. Most of this noise comes from tweets where people mention the first name of a political leader but refer to someone else. There are also cases where political leaders are mentioned, but not in a political way. For example, the Dutch prime minister went skydiving during the collection of data. Therefore it contains some tweets commenting on the jump, mentioning the Prime Minister, but has nothing to do with politics.



Figure 1: Tagging application.

### 3.4 Rule-based Method

To extract political tweets using a rule-based method, tweets were classified as politically relevant if they contained at least one of the keywords from Table 1. Most of the works shown in Section 2 use the same approach.



Figure 2: Bag-of-words feature representation.

In this case, the Twitter Streaming API basically acts as the classifier by only pushing tweets that contain at least one of the keywords provided in the search. To calculate the accuracy we only have to verify which tweets contain the keywords but are not related to political topics of discussion.

## 4 STRUCTURE OF THE CLASSIFIER

In order to build a classifier, the tweets first had to be converted to a mathematical feature representation. This was done using the bag-of-words model (Liu, 2012; Joachims, 1998). In this model, the text is represented as the bag (multiset) of its words. The bag-of-words model is often used in methods of text classification where the frequency of occurrence of each word is used as a feature for training a classifier. An example of such a feature representation is shown in Figure 2. To achieve this, the *Countvectorizer* module was used (Pedregosa et al., 2011).

Before the bag-of-words could be created, Dutch stop words and special characters were removed and text was converted to lowercase. This was done to ensure that only relevant words would remain and names would have the same form, independent of uppercase use. With the removal of special characters, emoticons were also removed. While emoticons can contain sentimental information, they were never a deciding factor to classify a tweet in this dataset. The characters # and @ (frequently used Twitter characters) were also removed in this process but the words following the characters remained. This way mentions, replies and hashtags referring to parties and leaders have the same form.

While analyzing the word frequencies of the total corpus, it was noticed that some specific politically irrelevant words occurred frequently. These were mostly words related to events. Since the data was collected in intervals over a relatively short time period, these words were removed to ensure the classifier would not overfit on these irrelevant words. Stemming (Manning et al., 2008) and the use of tf-idf (Croft et al., 2009) did not improve results. The 1.000 most frequent words were used for the bag of words.

To run the machine learning process, each tweet was converted using the Countvectorizer. The information used is username, text and the features extracted from the URL when present in the tweets JSON output. The set of feature representation of the tweets was then split up into a training (80%) and testing (20%) set. This way an estimation of the classifiers performance can be made. The training data was finally passed on to a series of eight machine learning models from the Scikit-learn Python module:

- Logistic regression
- Linear discriminant analysis
- K-nearest neighbors
- Classification and regression trees
- Random forest
- Gaussian naive bayes
- Support vector machines
- Neural network

The **Logistic Regression (LR)** is a linear machine algorithm based on the statistical logistic function, also known as the sigmoid function, as shown in figure 1.

$$1/(1 + e^{-value}) \quad (1)$$

The function takes on an S-shaped curve and can take any real-valued number and map it between 0 and 1. LR is used for two-class (binary) classification problems. The algorithm makes predictions by linearly combining input values using weights or coefficient values. LR performs well on numerical data with lots of features and is often used for a first look at the dataset because it is computationally fast. Besides that, the model is not so prone to overfitting.

Overfitting can occur when a model is very complex, such as having too many parameters relative to the amount of data. A model that has been overfit will overreact to minor fluctuations in the training data and therefore will have a poor predictive performance (Babyak, 2004).

**Linear Discriminant Analysis (LDA)** is another linear machine learning algorithm used for multi-class classification problems that can also be used for binary classification. LDA uses the statistical properties of each class calculated from the data. It takes the mean and the variance of a single input variable for each class and uses the LDA equation to make predictions.

While training the LDA model on this dataset a warning occurred stating that the variables are collinear. This means that the predictors are correlated. This is not optimal for LDA because it involves

computing a matrix inversion, which is not accurate if the determinant is close to zero. Therefore we expect this model to not perform well on our dataset.

**K-Nearest Neighbors (KNN)** is a non-linear algorithm that uses the entire dataset for representation, with no learning required. Predictions are made using the K most similar instances (neighbors) in the training set. To calculate which instances are most similar (closest), the Euclidean distance measure is often used, which takes the square root of the sum of the squared differences between a new point and an existing point across all input attributes. KNN can be used for both regression and classification problems but can perform poorly on high dimensional datasets.

**Classification and Regression Trees (CART)** is a non-linear decision tree algorithm. As the name indicates, the CART variant can be used for classification and regression problems. The CART model is represented as a binary tree. Each root node represents a single input variable and a split point on that variable. The last nodes of the tree, called the leaf nodes, contain an output variable which is used to make predictions. CART is computationally fast and robust to noise and missing values. The model is also easy to interpret visually when the trees only contain several levels.

The **Random Forest (RF)** algorithm is another form of a decision tree that constructs multiple decision trees during training. To classify a new input, each of the trees in the forest makes a classification. The algorithm then chooses the classification that occurs the most. Regular decision trees are prone to overfitting to their training set, RF corrects for this. However, the RF is harder to visually interpret than a regular decision tree.

The **Gaussian Naive Bayes (NB)** is also a non-linear algorithm used for binary and multi-class classification. The probability of a hypothesis is calculated using Bayes Theorem given prior knowledge of the dataset. It makes predictions based on the probabilities of each class in the training dataset and the conditional probabilities of each input value given each class value. NB is computationally fast and simple to implement but relies on independence assumption and will not perform well if this assumption is not met.

**Support Vector Machines (SVM)** split up data in a two-dimensional space using a hyperplane. A hyperplane is chosen to best separate the data by their classes. The hyperplane is established by learning from the training data. Predictions are made using this line by feeding a new value to the line equation. The algorithm then calculates whether the value is above or below the line to classify the input. SVM can

model complex, nonlinear relationships, are robust to noise and good at text classification (Tong and Koller, 2001). This model is therefore expected to perform well on this dataset.

**Neural Network (NN)** algorithms are inspired by the structure and functionality of the brain. Calculations are made using an interconnected group of neurons, that pass on information once a certain threshold is met. NNs are used to model relationships between data, to find patterns in data and can also be used for classification. NNs are extremely powerful and can model very complex relationships without the need to understand the underlying data. NNs are good at classifying images, video and even human-intelligence type tasks like driving.

To get a baseline performance estimation, the models were trained using the default settings. The algorithms were evaluated using cross-validation. Cross-validation is a method where the training set is split up into K-folds. The algorithm is then trained on K-1 folds and tests its accuracy on the remaining fold that was not used for training. This process is repeated K times where every time another fold is used for testing. After training and testing on all the possible folds, the mean accuracy is calculated. So cross-validation combines the average prediction error to derive a more accurate estimate of the performance of the model. For this project, 10-folds were used and the random seed was reset before each test to make sure that the evaluation of each algorithm was done using exactly the same data splits to ensure that the results are directly comparable.

## 5 RESULTS

This section presents the results for the two methods used to classify the tweets: a rule-based and a supervised learning methods.

### 5.1 Rule-based Method

As explained in the Section 3, the accuracy of the rule-based method is measured by comparing the tweet corpus collected by the API to the results obtained by manually tagging the tweets. From the total 2.881 tweets, only 1.823 tweets were actually politically relevant, resulting in an accuracy of 62%.

### 5.2 Supervised Learning

As explained in the previous section, we have run eight cross-validation models to find a good fit for our data set. The mean accuracy from the cross-validation

Table 4: Cross validation results.

Model	Accuracy
LR	0.96
LDA	0.83
KNN	0.73
CART	0.96
NB	0.86
SVM	0.96
RF	0.96
NN	0.95

Table 5: Test set results.

Model	Accuracy
LR	0.96
CART	0.95
SVM	0.96
RF	0.96
NN	0.95

per model was calculated and resulted in the scores shown in Figure 3 and Table 4




Figure 3: Training set accuracies.

As can be observed in table 4, LDA, KNN and NB are outperformed by the other models by more than 10%. Therefore these models were excluded from the final classifier. The five remaining models were then trained on the whole training set and used to make predictions on the test set. This process was repeated 10 times with different training/test splits resulting in the average accuracies shown in Table 5.

The accuracies are very similar, therefore the models were combined to check whether it would improve performance. This was done by using a voting system. Since there are five models, a vote will always have a majority. If three models classify a tweet




Figure 4: Classification report for political (Y) and non-political (N) tweets.

as ‘political’ and two as ‘non-political’, the final prediction will be ‘political’ and vice versa. With the combination of models, the accuracy on the test set went up by roughly 1% depending on the training/test split, resulting in an average accuracy of 97%.

Accuracy can be misleading though. A model with a lower accuracy can sometimes have a greater predictive power. This can occur when there is a class imbalance which is the case for this dataset. The classification report in Figure 4 provides a breakdown of the classes by precision, recall and f1-score where ‘N’ and ‘Y’ correspond to non-political and political tweets respectively. The classification report shows that the classifier slightly underperforms (93%) in classifying non-political tweets as non-political but overall performs well and therefore the accuracy measure is not misleading.

## 6 DISCUSSION

The classification of tweets for the prediction of political elections and people’s opinions in social media became very controversial, leading to completely different results when using rule-based methods for this purpose. We trust that there is a potential improvement in those results by separating tweets that are related to political topics before classifying them as supportive to certain parties of political positions.

This work presents a method based on more than one machine learning algorithm to define the content of messages shared in Twitter concerning the topic of discussion as political or non-political. In our method, the five best performing machine learning models were combined to create a voting system that

can distinguish never before seen political from non-political Dutch tweets with an accuracy of 97%. The usage of this method can be extended to studies related to spread of political opinion on social media, political interpretation of social media content, and can also be applied to other problems related to classification of text content.

The results show that using a supervised learning approach to identify political tweets instead of a rule-based method could result in more representative datasets which could then lead to more accurate analyses of political content from Twitter. The method described in this paper could help to solve the contradictory results from previous studies discussed in here.

While the results of this study are sound, further research should be done to investigate how the classifier transfers to other, but similar corpora. (Cohen and Ruths, 2013) showed that tweet classifiers cannot be used to classify users outside the narrow range of political orientation on which they were trained. However, their study was done on the classification of the political orientation of users and not political tweets in general.

Our classifier was trained and tested on a small dataset collected over a short period of time (2.881 tweets in a two months time span). The political agenda changes over time and thus also the political subjects which people tweet about. A classifier should be held up to date by adding new training data and increasing the sample size.

The set of keywords used for the collection of political tweets is also limited. The set included the abbreviations of the Dutch political parties and their leaders but there are others ways to address politics.

For example by using the words ‘Senate’ or ‘Prime Minister’. Thus the set of keywords could be extended according to the desired application.

The method used in this research also lacks a technique to process replies. A solution to this could be to link the reply to the original tweet, and separate both texts. This can be very useful when studying the effect of the spread of messages in social networks.

Finally, the machine learning models could be tweaked further to optimize the results. In this process, called hyperparameter optimization, the model settings are adjusted accordingly to the dataset. Future work is going to be carried in improving the parameters of the models. We also aim to use the classifier in other works related to social network analysis of political positions and social contagion of political opinions in networks.

## ACKNOWLEDGEMENTS

E.F.M. Araújo’s stay at the VU University Amsterdam is funded by the Brazilian Science without Borders Program, through a fellowship given by the Coordination for the Improvement of Higher Education Personnel CAPES (reference 13538-13-6).

## REFERENCES

- Asur, S. and Huberman, B. A. (2010). Predicting the future with social media. In *Web Intelligence and Intelligent Agent Technology (WI-IAT), 2010 IEEE/WIC/ACM International Conference on*, volume 1, pages 492–499. IEEE.
- Babiyak, M. A. (2004). What you see may not be what you get: a brief, nontechnical introduction to overfitting in regression-type models. *Psychosomatic medicine*, 66(3):411–421.
- Cohen, R. and Ruths, D. (2013). Classifying political orientation on twitter: It’s not easy! In *ICWSM*.
- Conover, M., Ratkiewicz, J., Francisco, M. R., Gonçalves, B., Menczer, F., and Flammini, A. (2011a). Political polarization on twitter. *ICWSM*, 133:89–96.
- Conover, M. D., Gonçalves, B., Ratkiewicz, J., Flammini, A., and Menczer, F. (2011b). Predicting the political alignment of twitter users. In *Privacy, Security, Risk and Trust (PASSAT) and 2011 IEEE Third International Conference on Social Computing (Social-Com), 2011 IEEE Third International Conference on*, pages 192–199. IEEE.
- Croft, B., Metzler, D., and Strohman, T. (2009). *Search Engines: Information Retrieval in Practice*. Addison-Wesley Publishing Company, USA, 1st edition.
- Golbeck, J. and Hansen, D. (2014). A method for computing political preference among twitter followers. *Social Networks*, 36:177–184.
- He, Y., Saif, H., Wei, Z., and Wong, K.-F. (2012). Quantising opinions for political tweets analysis. In *LREC 2012, Eighth International Conference on Language Resources and Evaluation*.
- Hong, L., Convertino, G., and Chi, E. H. (2011). Language matters in twitter: A large scale study. In *ICWSM*.
- Joachims, T. (1998). Text categorization with support vector machines: Learning with many relevant features. *Machine learning: ECML-98*, pages 137–142.
- Liu, B. (2012). Sentiment analysis and opinion mining. *Synthesis lectures on human language technologies*, 5(1):1–167.
- Liu, W. and Ruths, D. (2013). What’s in a name? using first names as features for gender inference in twitter. In *AAAI spring symposium: Analyzing microtext*, volume 13, page 01.
- Manning, C. D., Raghavan, P., and Schütze, H. (2008). *Introduction to Information Retrieval*. Cambridge University Press, New York, NY, USA.
- Maynard, D. and Funk, A. (2011). Automatic detection of political opinions in tweets. In *Extended Semantic Web Conference*, pages 88–99. Springer.
- Mohammad, S. M., Zhu, X., Kiritchenko, S., and Martin, J. (2015). Sentiment, emotion, purpose, and style in electoral tweets. *Information Processing and Management*, 51(4).
- Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M., Prettenhofer, P., Weiss, R., Dubourg, V., Vanderplas, J., Passos, A., Cournapeau, D., Brucher, M., Perrot, M., and Duchesnay, E. (2011). Scikit-learn: Machine learning in Python. *Journal of Machine Learning Research*, 12:2825–2830.
- Rajadesingan, A. and Liu, H. (2014). Identifying users with opposing opinions in Twitter debates. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 8393 LNCS:153–160.
- Sang, E. T. K. and Bos, J. (2012). Predicting the 2011 dutch senate election results with twitter. In *Proceedings of the workshop on semantic analysis in social media*, pages 53–60. Association for Computational Linguistics.
- Sylwester, K. and Purver, M. (2015). Twitter language use reflects psychological differences between democrats and republicans. *PloS one*, 10(9):e0137422.
- Tong, S. and Koller, D. (2001). Support vector machine active learning with applications to text classification. *Journal of machine learning research*, 2(Nov):45–66.
- Tumasjan, A., Sprenger, T. O., Sandner, P. G., and Welpe, I. M. (2010). Predicting elections with twitter: What 140 characters reveal about political sentiment. *ICWSM*, 10(1):178–185.