DOMAIN MODELING WITH OBJECT-PROCESS METHODOLOGY

Arnon Sturm

Department of Information Systems Engineering, Ben Gurion University of the Negev, Beer Sheva, 84105, Israel

Dov Dori

Faculty of Industrial Engineering and Management, Technion – Israel Institute of Technology, Haifa, 32000, Israel

Onn Shehory

IBM Haifa Research Lab, Haifa University Campus, Haifa, 31905, Israel

Keywords: Domain Engineering, Modeling, Methodology.

Abstract: Domain engineering can simplify the development of software systems in specific domains. During domain analysis, the first step of domain engineering, the domain is modeled at an abstract level providing guidelines for application modeling within that domain. Most domain analysis approaches suffer from low accessibility and limited expressiveness. In this paper we utilize the application-based domain modelling (ADOM) approach and apply it to the Object-Process Methodology (OPM) modelling language. We do that by extending Object-Process Methodology (OPM) to support domain analysis. We also performed an experiment to verify that the proposed extension improves the model quality compared to quality arrived at without the extension. Our experimental results show that, when presented with a set of requirements, subjects that used OPM with the domain analysis extension arrived at a system model which is ten percents better than the system model arrived at by subjects that used OPM alone in terms of model correctness.

1 INTRODUCTION

Domain engineering is concerned with building reusable software core assets and components in a specific domain of human interest (Carnegie Mellon, 2002 and Cleaveland, 2002). Software reuse is viewed as a way of reducing product cycle time, thereby allowing industry to quickly deliver new products to the market. Software reuse, of which domain engineering is an important means, has therefore become a major goal for many organizations who seek to shorten time-to-market.

Domain engineering activities include domain analysis, domain design, and domain implementation. Domain analysis can be defined as a process by which information used in developing software systems in a specific domain is identified, captured, and organized with the purpose of making it reusable when creating new systems in that domain. Domain analysis concerns the identification

of a domain (or a set of related domains) and capturing the domain ontology and its variations within the domain. Subsequent stages of domain engineering, namely domain design and domain implementation are concerned with mechanisms for translating the requirements into systems that are made up of components with the intent of reusing these components to the highest extent possible. In a more refined formulation, domain analysis is the activity of identifying objects and operations of a class of similar systems in a particular domain (Valerio et al., 1997). Domain analysis should "carefully bound the domain being considered. consider commonalities and differences of the systems in the domain, organize an understanding of the relationships between the various elements in the domain, and represent this understanding in a useful way" (Carnegie Mellon, 2002). Domain analysis may be followed by the construction of a generic,

144 Sturm A., Dori D. and Shehory O. (2006). DOMAIN MODELING WITH OBJECT-PROCESS METHODOLOGY. In Proceedings of the Eighth International Conference on Enterprise Information Systems - ISAS, pages 144-151 DOI: 10.5220/0002494601440151 Copyright © SciTePress reusable code and even a domain code generator (de Champeaux,, 1993).

Several methods have been developed to support domain analysis as reviewed by Czarnecki and Eisenecker (2000) and by Sturm and Reinhartz-Berger (2004), but these methods suffer from the following weaknesses. (1) They lack formality, rendering validation of a domain-specific application against its domain model difficult to perform. (2) They require the use of several views for both domain specification and application specification, resulting in limited accessibility. (3) They use different notions and notations for the domain models and for the application models, reducing the collaboration between the various stakeholders engaged in the development process. (4) They address primarily the static characteristics and constraints of the domain, but their treatment of the domain's dynamic aspect is limited.

The Application-based Domain Modeling (ADOM) approach (Sturm and Reinhartz-Berger, 2004 and Reinhartz-Berger and Sturm, 2004) addresses the above mentioned problems. This approach treats a domain as a reference application that needs to be modeled before systems in that domain are specified and designed. It also advocates handling the domain as a regular application. That is, it encourages the use of the same means for specifying domains and applications. The domain structure and behavior modeled serve to define and enforce static and dynamic constraints on models of application in that domain. The ADOM approach consists of three-layers: (1) the language layer, which handles modeling language ontologies and their constraints, (2) the domain layer, which holds the building elements of domains and the relations among them, and (3) the application layer, which consists of domain-specific system models. The ADOM approach further defines dependency and enforcement relations between these layers. While ADOM builds on UML as the modeling language, its developers note that it can be applied using other modeling language as well.

In this paper, we validate the suitability of the ADOM approach to Object-Process Methodology (OPM) (Dori, 2002), which is an integrated approach to the study and development of systems. As a general-purpose system modeling method, OPM has been used to model systems in various domains, including pattern recognition in mechanical engineering drawings (Dori, 1995), computer integrated manufacturing documentation and inspection (Dori, 1996), and web application (Reinhartz-Berger et al., 2002). These systems were

modeled without first devising a domain-specific ontology infrastructure. OPM was selected as the alternative modeling technique due to its supremacy over UML with respect to comprehension and construction of system models. This has been shown experimentally by Peleg and Dori (2000), Reinhartz-Berger and Dori (2004), and Siau and Cao (2001).

The contribution of this paper is threefold. First, we extend OPM with facilities to support domain engineering principles for developing domainspecific applications. These facilities make OPM more accessible and efficient for modeling domainspecific systems and products. Second, we validate the suitability of the ADOM approach to modeling languages other than UML. Third, we experiment and provide an empirical proof of the advantage of using the ADOM-OPM-based approach over using the generic version of OPM.

The rest of this paper is organized as follows. In Section 2 we introduce the ADOM-OPM extension for domain analysis and demonstrate its use within the domain of access control system. In Section 3 we describe an experiment we performed in order to establish the suitability of ADOM-OPM for application modeling compared with OPM and report the results. Section 4 concludes with summary and future research.

2 ADOM-OPM

To implement the ADOM approach using OPM, we had to extend it with only two new features: (1) A role, which is a stereotype-like element emphasizing additional semantic for an OPM thing. Roles will be used within an application model. (2) A multiplicity indicator, which constrains the number of OPM things of some class that can be modeled in an application. The multiplicity indicator will be used within the domain model.

The rest of this section presents the domain and application layers of ADOM-OPM. This is done for the example domain of access control (AC) systems, and specifically for the Drink Vending Machine (DVM) application within the AC systems domain. Applications in the AC domain are concerned with the problem of accessing entities, objects and resources using well-defined access policies and procedures (Duffy, 2004). Application areas within the AC domain include all kinds of product vending machines, automated teller machines (ATM), all kinds of systems that access databases using batch and interactive interfaces, gambling machines, and local (batch, interactive) and remote access to software and hardware objects in a computer network.

The DVM application manages several machines that belong to various companies. Each machine is identified by its location and the company that owns it. The system keeps the name and telephone number of each company. Each machine works with several coin types. The products sold in each machine are identified by their name and producer. When a customer buys a drink from the system, he or she first needs to check whether the product is available and, if needed, whether coins for change are available. When the customer asks to buy a drink, the system creates a transaction, updates the relevant information and notifies the machine about the product and coins it needs to deliver. A machine operator can perform two operational activities: drinks filling and coins loading.

2.1 The ADOM-OPM Domain Layer

As noted, the domain in the ADOM approach should be modeled as a regular application. OPM is thus the modeling technique for both the domain model and the application model, and each will be constructed as an OPM model with its OPD set.

Figure 1, which depicts the system diagram (SD, top level) of the AC domain, shows that it consists of three external entities—Client, Machine, and Maintenance Entity, two processes—Operate and Maintain, and four system objects—Owner, Company, Transaction, and Machine Info. The symbols "m" and "+" at the right-bottom edge of some OPM things (objects and processes) indicate

the multiplicity constraints of these things within the application model. The symbol "m" indicates zero to many and the symbol "+" indicates 1 to many. For example, at least one object of type **Client** should appear within the application model related to that domain. In addition to defining OPM things that serve as building blocks in an application in that domain, links are defined too. For example, the **Operate** process yields a **Transaction**. This constraint should hold in any applications within the AC domain.

Machine Info is unfolded in Figure 2. Machine Info consists of many Item objects and many Money Availability objects. Item exhibits Item Identifier and at least one Item Attribute and refers to many Transactions and to at least one Owner. Money Availability exhibits Money Amount and refers to Money Type, which exhibits Money Value and at least one Identification Sign. Machine Info exhibits at least one Machine Identifier and an optional Balance. Machine Info refers to a Company and to many Transactions. Company exhibits Company Identifier. Transaction exhibits Transaction Date and optionally refers to Owner which exhibits at least one Owner Details.

In Figure 3 the **Operate** process is elaborated using the in-zooming scaling mechanism of OPM. The order of the processes depicted in that figure is the following:

1. An optional (as indicated by the multiplicity indicator "m") **Identification** process, which requires a **Company** object, an **Owner** Object, and a **Machine Info** object and yields a **Can Operate** object;



Figure 1: System Diagram of the AC domain.

- 2. At least one (as indicated by the "+" multiplicity indicator) Item Availability Checking process, which requires an Item object and yields a Can Operate object;
- 3. At least one Money Availability Checking process, which requires a Money Amount object and yields a Can Operate object;
- 4. A **Transaction Creating** process, which is activated if the **Can Operate** object is **true**, in which case it yields a **Transaction** object;
- 5. At least one Money & Machine Updating process, which requires the Transaction

object and affects **Balance**, **Money Amount**, and **Machine**; and

6. At least one Item Updating & Machine Operating process, which requires Transaction and affects Item Attribute and Machine.



Figure 2: Machine Info Unfolded.



Figure 3: Operate process in-zoomed.

2.2 The ADOM-OPM Application Layer

In ADOM, the application layer uses the domain layer as a validation template. In this section we provide a specification of the Drink Vending Machine (DVM) application which is classified by Duffy (2004) as belonging to the domain of access control systems. The requirements of the DVM application were presented in the beginning of Section 2.

Figure 4 presents the system diagram of the DVM application. In the application layer model, each thing (i.e., an object or a process) is associated with a role. For example, the object **Customer** is associated with a *Client* role, which is an object in the domain layer model. The **Drink Buying** process is associated with the *Operate* role, a process in the domain layer model.

Note that objects that are classified as **Owner** and **Company**, which were specified in the domain layer model, do not appear in the application layer model since they are not required at the lower level OPDs of this application. This shows the ability of the ADOM-OPM approach to capture variability within a domain using the multiplicity constraints.

The system exhibits three top-level processes:

1. Drink Buying, which is triggered by a Customer, yields a Buy Transaction, and affects DVM and DVM Info. This process

stands for the constraints that were specified with the *Operate* process in the domain layer model in Figure 1.

- 2. Drink Updating, which is triggered by the Operator and affects DVM and DVM Info.
- 3. Coin Updating, which is triggered by the **Operator** and affects **DVM** and **DVM Info**.

Both **Drink Updating** and **Coin Updating** conform to the constraints associated with the *Maintain* process in the domain level model.

Figure 5 shows an OPD in which **DVM Info** is unfolded. This OPD relates to the domain OPD depicted in Figure 2 as its validation template. The roles specified within the domain model are mapped to the application classes of both objects and processes. For example, the **Producer** labeled with the role *Owner* exhibits **Producer** Name and **Producer** Address, which are labeled with the role *Owner* Details. This relation also demonstrates how the domain layer model serves as a guideline for modeling the application.

The **Drink Buying** process, which is in-zoomed in Figure 6, follows the constraints specified in the domain layer, as described in Figure 3. Overall, the sequence of application processes follows the pattern specified in the domain layer model, yet an *Identification* process is missing, as it was specified as optional.



Figure 4: System diagram of the Drink Vending Machine.



Figure 6: Drink Buying process in-zoomed.

3 EVALUATING ADOM-OPM

The ADOM-OPM approach has been applied in several domains, including multi-agent systems, discrete simulation event, resource allocation and tracking, process control, and databases. We also conducted an experiment to compare ADOM-OPM with OPM. The goal of the experiment was to determine whether modeling that is based on a domain model improves the resulting application model compared with an application model that is developed without the support of a domain model. In this section, we present the experiment and its results.

3.1 Experiment Hypothesis

Our conjecture prior to carrying out the experiment was that an application model constructed using ADOM-OPM is more complete and more correct than the model of the same system resulting from using OPM alone. The reason for this conjecture was that the domain model in ADOM-OPM provides a framework that guides the modeler in creating the application model within the domain of discourse.

3.2 Experiment Settings

The subjects of the experiment were 120 third year students in a four-year engineering B.Sc. program at the Technion – Israel Institute of Technology, who took the course "Specification and Analysis of Information Systems" at the winter semester of the 2004-5 academic year. The students had no previous knowledge or experience in system modeling and specification. During the course, the students studied various modeling techniques, including Data Flow Diagram (DFD), UML, Statecharts, and OPM. The last lecture was devoted to the ADOM approach and its application in UML and OPM.

Table 1: Students' distribution by exam version and domain (question).

Exam Version Domain	V1	V2	V3
Resource Allocation and Tracking (RAT)	OPM (32)		ADOM- OPM (40)
Process Control (PC)		ADOM- OPM (38)	OPM (28)
Access Control (AC)	ADOM- OPM (41)	OPM (32)	

The experiment took place during the final examination of the course. The examination consisted of three questions relating to different domains. In each question the students were provided with application requirements similar to the requirements for the DVM application in Section 2. We had three different examination versions, such that in each question (domain) about half of the students were also provided with the OPM-based domain layer model.

The students were divided arbitrarily into three groups, labeled V1, V2, and V3, and each group responded to a different examination version. Each version included one question with a domain model and one question without a domain model. The distribution of students into the three groups and the three domains (questions) is given in Table 1, where the numbers of students who responded to each question in each version appear in parenthesis.

3.3 Experiment Results

All the questions were graded by the course staff. Each one of the graders checked a question in one domain for all students according to a pre-defined set of criteria. Each question could score up to 34 points. Table 2 summarizes the average scores students achieved for each question in OPM and in ADOM-OPM.

Table 2: Average scores.

Domain	RAT	PC	AC	Total
Method				
ОРМ	23.06	27.07	25.06	25.6
ADOM-OPM	25.00	30.64	28.19	27.55
				p<0.0
Significance	p<0.05	p<0.01	P<0.02	1

Table 2 clearly shows that using the ADOM-OPM the students achieved better results than with OPM alone, and these results are domain independent. Performing a mean comparison statistical analysis we found that the differences between the two methods were significant. This confirms our conjecture regarding the benefits of modeling with ADOM-OPM compared with generic OPM modeling. Examining the results in detail we found out that the models done using ADOM-OPM scored better than models done with OPM alone in terms of correctness of objects, processes, and links and in terms of model completeness.

4 SUMMARY

In this paper, we present our extension for the Object-Process Methodology (OPM) to handle application domain modeling (ADOM) approach. The OPM extension includes roles, which are stereotypes-like elements, and multiplicity indicators. We demonstrated the use of the resulting ADOM-OPM approach by applying it to the domain of access control systems and a corresponding application-the drink vending machine. Finally, we examined the ADOM-OPM approach via a controlled experiment and established that it helps create better models than those obtained using OPM alone.

In addition, analyzing the empirical results and the theoretical aspects, we found that the ADOM-OPM approach addresses the following problem:

- 1. The multiple view problem: OPM supports system specification in a single, unifying view, or diagram type. Since a domain is modeled just like an application within a domain, domain modeling benefits from all the advantages of OPM, including its single view, the combination of formality with intuition, and the bimodal graphic-textual representation.
- 2. Relationships between the domain and application models: The ADOM-OPM approach utilizes the domain model while modeling the

application in the following ways: (1) labelling of the application model entities with roles defined in the domain model; and (2) validating the relationships among the application model elements (entities and links) according to the thing roles and link constraints defined in the domain model.

3. The models incompatibility problem: both the domain and the application OPM models use the same notations and semantics, so no mental model transformation is needed.

Moving forward from domain analysis, domain design in OPM is similar to domain analysis, as it employs the same terminology while deepening the level of details and shifting the focus from the problem domain to the solution domain. The transformation to domain implementation can be done using the Generic Code Generator (GCG) (Reinhartz-Berger and Dori, 2004) associated with OPCAT (Dori et al, 2003). Utilizing the GCG and roles within a domain can be a basis for developing infrastructure components and using them to generate application code.

The implementation of the ADOM-OPM analysis approach is currently being integrated into OPCAT. We plan to add negation constraints as well as extending the application model so that it can be based on more than one domain model. We also intend to experimentally compare the ADOM-OPM approach with ADOM-UML approach.

ACKNOWLEDGMENTS

The authors wish to thank Dr. Iris Reinhartz-Berger for her insightful remarks and comments and for her help in designing the experiment.

REFERENCES

- Carnegie Mellon Software Engineering Institute, 2002. Domain Engineering: A Model-Based Approach, http://www.sei.cmu.edu/domain-engineering/.
- de Champeaux, D., Lea D., and Faure P., 1993. *Object-Oriented System Development*, Addison Wesley.
- Cleaveland, C., 2002. Domain Engineering, http://craigc.com/cs/de.html.
- Czarnecki, K. and Eisenecker, U. W., 2000. Generative Programming - Methods, Tools, and Applications, Addison-Wesley.
- Dori, D., 2002. Object-Process Methodology A Holistic Systems Paradigm, Springer Verlag.
- Dori, D., 1995. Representing Pattern Recognition-Embedded Systems through Object-Process Diagrams: the Case of Machine Drawing

Understanding System, Pattern Recognition Letters, 16(4), pp. 374-384.

- Dori, D., 1996. Object-Process Analysis of Computer Integrated Manufacturing Documentation and Inspection, International Journal of Computer Integrated Manufacturing, 9(5), pp. 339-353.
- Dori, D., Reinhartz-Beger, I., and Sturm, A., 2003. *OPCAT – A Bimodal CASE Tool for Object-Process Based System Development*, The fifth International Conference On Enterprise Information Systems (ICEIS).
- Duffy, D. J., 2004. Domain Architectures: Models and Architectures for UML Applications, John Wiley & Sons.
- OMG-MOF, 2002. *Meta-Object Facility (MOF™)*, version 1.4.
- OMG-UML, 2003. The Unified Modeling Language (UMLTM), version 1.5.
- Peleg, M. and Dori, D., 2000. The Model Multiplicity Problem: Experimenting with Real-Time Specification Methods, IEEE Transaction on Software Engineering, 26 (8), pp. 742-759.
- Reinhartz-Berger, I., Katz, S., and Dori, D., 2002. OPM/Web - Object-Process Methodology for Developing Web Applications, Annals on Software Engineering - Special Issue on OO Web-based Software Engineering, pp. 141-161.
- Reinhartz-Berger, I. and Dori, D., 2005. *OPM vs. UML Experimenting Comprehension and Construction of Web Application Models*, Empirical Software Engineering Journal, 10 (1), pp. 57-80.
- Reinhartz-Berger, I. and Dori, D., 2004. *Object-Process Methodology (OPM) vs. UML: A Code Generation Perspective*, EMMSAD, 2004.
- Reinhartz-Berger, I. and Sturm, A., 2004. Behavioral Domain Analysis – The Application-based Domain Modeling Approach, the 7th International Conference on the Unified Modeling Language (UML'2004), LNCS 3273, pp. 410-424.
- Rumbaugh, J., Blaha, M., Premerlani, W., Eddy, F., and Lorensen, W., 1991. *Object-Oriented Modeling and Design*, Prentice-Hall International Inc.
- Siau, K. and Cao, Q., 2001. Unified Modeling Language: A Complexity Analysis, Journal of Database Management, 12 (1), pp. 26-34.
- Sturm, A. and Reinhartz-Berger, I., 2004. Applying the Application-based Domain Modeling Approach to UML Structural Views, the 23rd International Conference on Conceptual Modeling (ER'2004), LNCS 3288, pp. 766-779.
- Valerio, A., Succi, G, and Fenaroli, M., 1997. Domain analysis and framework-based software development, ACM SIGAPP Applied Computing Review, 5 (2).