

AN AUTOMATED METHOD FOR RETINAL IMAGE MATCHING USING VASCULAR FEATURES

Alauddin Bhuiyan^{1,2}, Baikunth Nath¹, Kotagiri Ramamohanarao¹ and Tien Y. Wong²

¹*Department of Computer Science and Software Engineering, The University of Melbourne Australia
Victoria 3010, Australia*

²*Centre for Eye Research Australia, The University of Melbourne Australia, Victoria 3002, Australia*

Keywords: Retinal image, Vessel bifurcation, Branch and crossover points, Invariant feature, Feature vector, Binary tree, Tree matching algorithm.

Abstract: In this paper, we propose a method for retinal image matching that can be used in image matching for person identification or patient longitudinal study. Vascular invariant features are extracted from the retinal image and a feature vector is constructed for each of the vessel-segments in the retinal blood vessels. The feature vectors are represented in a tree structure with maintaining the vessel-segments actual hierarchical positions. Using these feature vectors, corresponding images are matched. An image matching method is demonstrated which identifies the same vessel in the corresponding images for comparing the desired feature(s). Initial results demonstrate that the method is suitable for image matching and patient longitudinal study.

1 INTRODUCTION

Recent advancement in retinal imaging has enable us to use images for earlier diagnosis of diseases, image matching in biometric security application and information retrieval purposes. Studies show that changes in the retinal vascular features such as vessel width, tortuosity and branching angle are very important indicator for predicting hypertension and cardiovascular diseases (Wong et al., 2006),(Wong et al., 2003). In addition, retinal vascular pattern is unique to each individual and can be used in image matching applications such as biometric authentication and information retrieval. Hence, a suitable approach that can accurately analyze retinal images for both disease diagnosis and image matching purposes will be a very significant contribution in this image modality.

For disease prediction or clinical trial, the most widely used approach is to take person's retinal image (Figure 1(a)) within a time interval and compare these images to observe the change(s) in the vascular features (Stanford et al., 1988),(Abrahams and Gregerson, 1983). In various studies (Hughes et al., 2008),(Taarnhoj et al., 2008) authors have reported the effect of hypertension treatment on retinal vessel diameter and tortuosity which is performed by taking person's retinal image before and after medication. These studies mainly consider manual or semi-

automatic methods for image analysis which are very time consuming and expensive. Further, these studies are based on analyzing a single feature which is not enough to observe multiple feature changes. None of these techniques is able to match the vascular features from two images based on vessel-segments hierarchical position, which is very important for automated patient longitudinal study.

Retinal image matching methods for person identification mainly register images after vessel segmentation, or match bifurcation or branch point in the corresponding images (Marino et al., 2006), (Harris and Yen, 2002), (Womack, 1994). In the first approach, retinal blood vessels are used as the biometric parameter, with a prior registration stage needed to align the template image and the acquired image. The second approach segments the blood vessel from the image and computes the bifurcation/branch and crossover points (Figure 1(b)). Overall, bifurcation/branch and crossover points geometry should provide higher in generating unique pattern for an individual person. At present, retinal vascular bifurcation and branch points are consider as the same parameter for image matching applications. Classified bifurcation and branch points can add higher degree in the uniqueness of the retinal vascular pattern.

Considering these issues, we propose an automatic retinal image matching method, which is highly




Figure 1: A retinal image showing the blood vessels (a) and a cropped section showing vascular Bifurcation (circle), Branch (square) and Crossover (star) points(b).

potential for patient longitudinal study and biometric security application. The method uses retinal vascular bifurcation, branch and crossover points as features to match the images. We utilize the retinal vessel hierarchical property and construct a binary tree for each vessel to match images with high confidence. A number of vessel tree construction methods are available in the literature for retinal image (Deng et al., 2010),(Lin et al., 2009),(Guo et al., 2006). None of them represents multiple features for each of the vessel-segments hierarchically. Further, no method classifies the bifurcation and branch points to match the images which provides higher degree of uniqueness in the pattern. Our proposed method will be able to match retinal images for authentication or analyzing multiple feature changes for disease diagnosis purposes.

The rest of the paper is organized as follows. Section 2 describes the proposed method which includes the vascular tree-model construction, invariant feature extraction and tree matching based on the invariant features. Initial results on the matching method which can be used for patient longitudinal study is shown in section 3. Section 4 concludes the paper with future work.

2 PROPOSED METHOD

Our proposed image matching method is based on the tree representation of the retinal vascular network which is a hierarchical representation of features of the vessel-segments of blood vessels. In this paper, we mainly focus on the vascular invariant feature extraction, the feature vector construction and the matching algorithm for patient longitudinal study. We utilize retinal bifurcation, branch and crossover points to construct the feature vector. The vascular invariant features along with the vessel-segments hierarchical position provide a unique pattern for each of the blood vessels in the retina for each individual person.

2.1 The Tree-model

We have applied a method for developing a tree structure (we call it tree-model) of the retinal vascular network which is based on vessel centerline (L), width (W) and bifurcation (B_2), branch (B_1) or crossover (C_1) point information in the retinal optical fundus image as represented in Figure 2(a). We have applied the methods for vessel segmentation and centerline detection (Bhuiyan et al., 2007a) and bifurcation, branch and crossover points detection (Bhuiyan et al., 2007b) which will be used in the tree-model. The construction of the tree-model begins by tracking the vessel centerline from the border of the optic disc (OD) in the retinal image. This corresponds to the root node in the tree-model. Each vessel originating from the optic disc is then represented by a binary tree and is linked to the root node in the tree-model.

The blood vessel centerlines are fragmented into different vessel-segments based on the bifurcation, branch and crossover points. Initially, these landmark points and their corresponding vessels' start or end points are computed and stored. Hence, a vessel-segment starts from the optic disc boundary or a bifurcation or a branch point, and ends at a bifurcation or branch point. For each vessel-segment, the features are computed and inserted into its corresponding node in the tree-model. This is shown in Figure 2 for vessel V_1 .

Vessel-segment $V_1.S_1$ (starts from S_1 and ends at E_1) is traced, and its features are inserted into the corresponding node (node $V_1.S_1$ in Figure 2(b)) in the tree-model. Its daughter vessel-segments $V_1.S_2$ and $V_1.S_3$ are then traced. These vessel-segments' features are inserted into the tree-model as children nodes of $V_1.S_1$ (Figure 2(b)). Similarly, vessel-segments $V_1.S_4$ and $V_1.S_5$ are inserted as the children node of $V_1.S_3$. Generally, a vessel-segment appears as two parts in a crossover point (C_1 in Figure 2(a)). Therefore, the crossover point is used to trace the other part of a vessel-segment. For example, as in Figure 2(a), when the crossover point C_1 is encountered,




Figure 2: A schematic diagram of a retinal image showing two blood vessels (V_1 and V_2) and the optic disc (a) and the tree-model representing the binary tree for vessel V_1 (b).

the end point of the vessel segment $V_1.S_2$ is measured as E_2' instead of E_2 .

2.2 Invariant Features for Image Matching

For image matching we consider the vascular invariant features i.e., the features invariant to rotation, translation or scaling. The features are: vessel-segment's length to width ratio (L/W), bifurcation or branch point, Information on crossover existence in a vessel-segment, crossover location in the vessel-segment and acute angle between the parent and smaller daughter vessel-segments. We consider these invariant features which provide a unique pattern for any individual's retina. For each vessel-segment these feature values are inserted into the corresponding node in the tree-model.

2.3 Vascular Feature Extraction

For vascular feature extraction we consider vessel centerline image, edge image and fragmented centerline image. The methods for obtaining these images are described in (Bhuiyan et al., 2008).

Length to Width Ratio (L/W). We implement region growing algorithm (Gonzalez and Woods, 2008) to extract the length of a vessel-segment. Using the optic disc center and radius, we search a circular region around the OD and determine the starting pixel of a vessel centerline. Once a vessel centerline (starting) pixel is obtained we traverse through the centerline until we reach its end point.

For each vessel-segment, the starting pixel is considered for initiating the traversal process in the fragmented vessel centerline image. The traversal algorithm uses the 3×3 neighborhood connectivity check to find the neighboring pixels in the vessel-segment.

For this, a mask is applied by considering the starting pixel of any vessel-segment as its center. Once a neighboring pixel is found it replaces the previous center pixel in the mask. Each time a pixel position is considered, a flag value is assigned to this. Once the traversal process reaches the vessel-segments end point, it stops if it belongs to a bifurcation or a branch. The traversal process also stops if the vessel-segments end point is not obtained after a certain number of iterations. Once the end point is obtained, the total length of this vessel-segment is returned in pixel number and average width (Bhuiyan et al., 2008) is computed. These values are inserted into the corresponding node in the tree-model.

Bifurcation or Branch Point. We classify each landmark as bifurcation or branch point (Bi/Br). The bifurcation, branch and crossover point classification method is applied by using the method described in (Bhuiyan, 2009). We assign a unique value (1 for bifurcation and 0 for branch) in the feature value for each of the vessel-segment.

Existing Crossover. For each vessel-segment if there is any crossover point exists we assign a unique value for the node. We insert 1 for presence of a crossover point and 0 for absence of the crossover point to the node value.

Crossover Location. For the vessel-segment, if there is any existing crossover point we assign the positional information of that crossover. For example, if the actual length is 100 pixels and the crossover position is on the 70th pixels from the starting of the vessel-segment; we assign the ratio of its position to the total segment length, which is 0.7. If there is no crossover we assign 0 for this feature value.

Acute Angle between the Parent and Smaller Daughter Vessel. We find the acute angle between




Figure 3: Vascular widths (left) and Angles (right).

the parent and the smallest vessel. The parent and smallest (daughter) vessel is classified by using the width of each of the vessels for any bifurcation or branch point. The vessel-segments for each bifurcation or branch point are sorted based on their width. Then the angle between the centerlines of highest and lowest width vessels' are computed. Figure 3 shows the vessel-segments width and the corresponding angles.

2.4 Accessing Vascular Features from the Tree-model

We access the vascular features from the tree-model by using preorder tree traversal algorithm (Knuth, 1973). To traverse a non-empty binary tree in preorder, we perform the following operations recursively at each node. Starting at the root of a binary tree, we retrieve the values for the current node (referred to as "visiting" the node), then traverse to the left child node, and finally traverse to the right child node.

2.5 Feature Vector Construction and Matching

Each binary tree is traversed and the invariant feature values (in Table 1) are obtained from each node. Following this, for each node (i.e., each vessel-segment) we construct a feature vector from these invariant feature values. We note that the invariant features with their actual hierarchical position in the tree-model enhance the uniqueness of a feature vector. We then, compare the corresponding feature vectors on the tree traversal order for finding the binary trees (which represent the same vessel) from the tree-models.

For image matching, our goal is to find the corresponding binary trees in the tree-models that represent the same vessel in the two retinal images. We perform the bitwise comparison of the feature vectors to find the distance between the corresponding binary trees. For each corresponding feature vector, if a match is found, we add zero to the final matching

Table 1: The invariant features for vessel-segments in the nodes of a tree-model.

Nodes	Invariant Features				
	L/W	Bi/Br	Crossover	Cross pos.	Acute angle
1	88.77	1	0	0	0.877
2	18.27	0	0	0	1.126
3	43.12	0	0	0	0
4	34.27	1	1	0.79	0.788
5	53.42	1	0	0	0.689

Table 2: The distance matrix between the vessels for an image.

	Distance between the vessels in node number				
	Vessel1	Vessel2	Vessel3	Vessel4	Vessel5
Vessel1	0	7	7	7	7
Vessel2	7	0	7	7	7
Vessel3	7	7	0	7	7
Vessel4	7	7	7	0	7
Vessel5	7	7	7	7	0

distance and one if there is no match. We note that the matching distance is the distance between the binary trees (i.e., the vessels) in node number. We obtained the matching matrix by comparing the corresponding binary trees in the tree-models.

For finding the corresponding binary trees, we consider the upper two levels' nodes from each of the binary trees. This way we are able to obtain sufficient number of feature vectors for matching to find the corresponding binary trees from the tree-models. This also makes the matching process faster and reduces computation complexity which is higher with considering more levels of nodes in the binary trees. Once a match is obtained, another binary tree is considered from the respective tree-model to find the corresponding binary tree to the other tree-model. This matching process continues until all the corresponding vessels are obtained.

3 EXPERIMENTAL RESULTS

We match the tree-models obtained from the retinal images of an individual. From this we trace the corresponding blood vessels to observe the changes in a particular period of time. We note that each vessel has a unique pattern on its feature vectors. Therefore, we are always able to find the corresponding vessel or binary tree in the tree-models. Table 2 shows the distance of different blood vessels in node number for an image.

To observe the performance of our matching method on the images taken at different conditions (e.g., second image may be rotated or shifted while capturing), we rotated the image from $\pm 5^\circ$ to $\pm 30^\circ$.

Table 3: The distance matrix with vessel 1 for different rotating angles.

Rotation	Distance with vessel1 in node number				
	Vessel1	Vessel2	Vessel3	Vessel4	Vessel5
0°	0	7	7	7	7
5°	0	7	7	7	7
10°	0	7	7	7	7
15°	2	7	7	7	7
20°	2	7	7	7	7
25°	4	7	7	7	7
30°	4	7	7	7	7

Table 4: The distance matrix after applying the thresholding with vessel 1 for different rotating angles.

Rotation	Distance with vessel1 in node number				
	Vessel1	Vessel2	Vessel3	Vessel4	Vessel5
0°	0	7	7	7	7
5°	0	7	7	7	7
10°	0	7	7	7	7
15°	0	7	7	7	7
20°	0	7	7	7	7
25°	0	7	7	7	7
30°	0	7	7	7	7

Unfortunately, we do not have the data on images taken at different times for the same person. Hence, to check the robustness of our method, we rotated the same image and constructed the tree-model for each rotated image. We then obtained the distance matrix in node numbers for one vessel with the other vessels. This is done by comparing the first tree-model which is obtained from the original image with the tree-models constructed for the images in different rotating angles. Table 3 shows the distance matrix for vessel 1 with the original tree-model and the obtained tree-model after rotating the image.

We observe that for smaller rotation angle, there is no difference on the feature vectors' attributes. With higher rotation angle, some changes are introduced in feature values such as vessel length, width and crossover position. We observe that such errors are introduced due to the discretization of the pixels' actual position during rotation operation of the image. To overcome this problem, we consider a threshold value of $\pm 5\%$ for the length to width ratio and actual crossover position and received the distance as 0 for the same vessel while the distances with other vessels remain the same. Table 4 shows the distance matrix for vessel 1 after applying the thresholding technique. Using the tree-models, we also compare the distances between the same vessels in the images with this technique. Table 5 shows the distance matrix between the same vessels in the image (from the two tree-models).

From these observations we can conclude that the proposed vascular network model is suitable for com-

Table 5: The distance between the same vessel represented by the two different tree-models after applying the thresholding.

Rotation	Distance between				
	Vessel 1	Vessel 2	Vessel 3	Vessel 4	Vessel 5
	to Vessel1	to Vessel2	to Vessel3	to Vessel4	to Vessel5
0°	0	0	0	0	0
5°	0	0	0	0	0
10°	0	0	0	0	0
15°	0	0	0	0	0
20°	0	0	0	0	0
25°	0	0	0	0	0
30°	0	0	0	0	0

paring vascular feature(s) between two images for patient longitudinal study. Our main focus is to find the corresponding vessel i.e., the binary tree from the tree-models. In worst case, if the minimum number of nodes are not matched from the corresponding binary trees, we can rely on the best match between the binary trees assuming that we are matching the tree-models from the same person's images. Based on this, we can decide about the corresponding binary trees. We evaluate the robustness of our method for image matching and considered 20 images in the STARE database. For each image the tree-model is constructed and then the nodes are compared to find the distance matrix. We observe that each image is unique for its vascular pattern. Table 6 shows the distance in node number between the tree-models for ten different images.

4 CONCLUSIONS AND FUTURE WORK

In this paper we described a novel approach for retinal image matching which is highly suitable for patient longitudinal study. Initial results predicts that the method will be very accurate in matching the retinal images and finding the corresponding blood vessels. Based on this method, the medical practitioners can observe changes on different vascular features for each of the vessel-segments. Simple modification of the method can also be suitable for biometric security application. At present we are acquiring multiple images for the same person to enable a large scale study and further validation of the method. We aim to perform two case studies in biometrics and patient longitudinal study using our proposed retinal image matching algorithm.

Table 6: The distance matrix between the images.

	The distance between the images in node number									
	One	Two	Three	Four	Five	Six	Seven	Eight	Nine	Ten
One	0	31	42	34	47	29	56	48	49	51
Two	31	0	43	35	48	30	57	49	50	52
Three	42	43	0	46	59	41	68	60	61	63
Four	34	35	46	0	51	33	60	52	53	55
Five	47	48	49	51	0	46	73	65	66	68
Six	29	30	41	33	46	0	55	47	48	50
Seven	56	57	68	60	73	55	0	74	75	77
Eight	48	49	60	52	65	47	74	0	67	69
Nine	49	50	61	53	66	48	75	67	0	70
Ten	51	52	63	55	68	50	77	69	70	0

REFERENCES

- Abrahams, I. W. and Gregerson, D. S. (1983). Longitudinal study of serum antibody responses to bovine retinal s-antigen in endogenous granulomatous uveitis. *British Journal of Ophthalmology*, 67:681–684.
- Bhuiyan, A. (2009). Automated modeling of retinal vascular network. *PhD Thesis, The University of Melbourne*.
- Bhuiyan, A., Nath, B., Chua, J., and Kotagiri, R. (2007a). Blood vessel segmentation from color retinal images using unsupervised classification. *In the proceedings of the IEEE International Conference of Image Processing*, pages 521–524.
- Bhuiyan, A., Nath, B., Chua, J., and Ramamohanarao, K. (2007b). Automatic detection of vascular bifurcations and crossovers from color retinal fundus images. *Proceedings of Third International IEEE Conference on Signal-Image Technologies and Internet-Based System (SITIS)*, pages 711–718.
- Bhuiyan, A., Nath, B., Chua, J., and Ramamohanarao, K. (2008). Vessel cross-sectional diameter measurement on color retinal image. *Communications in Computer and Information Science*, 25:214–227.
- Deng, K., Tian, J., Zheng, J., Zhang, X., Dai, X., and Xu, M. (2010). Retinal fundus image registration via vascular structure graphmatching. *International Journal of Biomedical Imaging*, pages 1–13.
- Gonzalez, R. C. and Woods, R. E. (2008). *Digital Image Processing*. Pearson Prentice Hall, third edition.
- Guo, X., Hsu, W., Lee, M. L., and Wong, T. Y. (2006). A tree matching approach for the temporal registration of retinal images. *Proceedings of IEEE International Conference on Tools with Artificial Intelligence*, pages 632–642.
- Harris, A. J. and Yen, D. C. (2002). Biometric authentication: assuring access to information. *Information Management and Computer Security*, 10(1):12–19.
- Hughes, A. D., Stanton, A. V., Jabbar, A. S., Chapman, N., Martinez-Perez, M. E., and Thom, S. A. (2008). Effect of antihypertensive treatment on retinal microvascular changes in hypertension. *Journal of Hypertension*, 26:1703–1707.
- Knuth, D. E. (1973). *The art of computer programming*. Addison-Wesley Pub. Co., 2nd edition edition.
- Lin, K.-S., Tsai, C.-L., and Sofka, M. (2009). Vascular tree construction with anatomical realism for retinal images. *Proceedings of Ninth IEEE International Conference on Bioinformatics and Bioengineering*, pages 313–318.
- Marino, C., Penedo, M. G., Penas, M., Carreira, M. J., and Gonzalez, F. (2006). Personal authentication using digital retinal images. *Pattern Analysis Application*, 9:21–33.
- Stanford, M. R., Graham, E., Kasp, E., Sanders, M. D., and Dumonde, D. C. (1988). A longitudinal study of clinical and immunological findings in 52 patients with relapsing retinal vasculitis. *British Journal of Ophthalmology*, 72:442–447.
- Taarnhoj, N. C. B. B., Munch, I. C., Sander, B., Kessel, L., Hougaard, J. L., and Kyvik, K. (2008). Straight versus tortuous retinal arteries in relation to blood pressure and genetics. *British Journal of Ophthalmology*, 92:1055–1060.
- Womack, M. (1994). The eyes have it. *Sensor Review*, 14(4):15–16.
- Wong, T. Y., Kamineni, A., Klein, R., Sharrett, A. R., Klein, B. E., Siscovick, D. S., Cushman, M., and Duncan, B. B. (2006). Quantitative retinal venular caliber and risk of cardiovascular disease in older persons. *Archives of Internal Medicine*, 266:2388–2394.
- Wong, T. Y., Klein, R., Klein, B. E. K., Meuer, S. M., and Hubbard, L. D. (2003). Retinal vessel diameters and their associations with age and blood pressure. *Investigative Ophthalmology and Visual Science*, 44(11):4644–4650.