

A Roadmap towards Tuneable Random Ontology Generation Via Probabilistic Generative Models

Pietro Galliani, Oliver Kutz and Roberto Confalonieri

Free University of Bozen-Bolzano, Faculty of Computer Science, 39100, Bozen-Bolzano, Italy

Keywords: Ontology Generation, Benchmarking, Testing.

Abstract: As the sophistication of the tools available for manipulating ontologies increases, so does the need for novel and rich ontologies to use for purposes such as benchmarking, testing and validation. Ontology repositories are not ideally suited for this need, as the ontologies they contain are limited in number, may not generally have required properties (e.g., inconsistency), and may present unwelcome correlations between features. In order to better match this need, we hold that a highly tuneable, language-agnostic, theoretically principled tool for the automated generation of random ontologies is needed. In this position paper we describe how a probabilistic generative model (based on features obtained via the analysis of real ontologies) should be developed for use as the theoretical back-end for such an enterprise, and discuss the role of the DOL metalanguage in it.

1 INTRODUCTION

Due to the ever-increasing practical importance of Semantic Web technologies, in recent years there has been a remarkable increase in the pacing of the study and development of algorithms and tools for manipulating, analyzing or exploring ontologies (Cristani and Cuel, 2005; Katifori et al., 2007). Every month, sophisticated novel techniques are developed for identifying and resolving inconsistencies in ontologies (Plessers and De Troyer, 2006; Troquard et al., 2018), representing and answering queries over them (Wache et al., 2001; Zhang et al., 2018), aligning ontologies (Choi et al., 2006; Granitzer et al., 2010; Dragisic et al., 2014), and assisting human users in their creation and manipulation (Choi et al., 2006; Zablith et al., 2015).

The problem of testing and validating such techniques, as well as the problem of comparing their performance with that of related approaches, cannot be solved without a steady supply of new, independently generated ontologies satisfying specific criteria (e.g., language choice, size, height and tree-width of induced class hierarchy, distribution of the operator depth in logical expressions and so forth).

The existence of *Ontology Repositories* (e.g., BioPortal (Matentzoglou and Parsia, 2018) and OntoHub (Codescu et al., 2017)) making publicly available a number of human-generated ontologies of practical importance is not, in itself, a satisfactory solution to

this need. In more detail:

1. Although the number of ontologies contained in such repositories is not small, it is not sufficient for performing each instance of testing or benchmarking on a truly novel corpus of ontologies. This is especially problematic in the case of tools designed to be used for specific subclasses of ontologies, for which few examples may be available in such repositories, or for tools that make use of machine learning methodologies (and which, therefore, need to be trained, cross-validated and tested on different corpora of ontologies).
2. Tools for solving certain highly important types of problems, like ontology repair, operate on ontologies with properties (e.g inconsistency) which are not generally shared by the ontologies uploaded to public repositories. It is, of course, possible to induce artificially such properties via ad-hoc methods (e.g., adding random axioms to an ontology until it is made inconsistent), but it then becomes rather opaque whether the resulting corpus of ontologies bears any resemblance to the typical real use cases.
3. In many cases, it would be important to be able to examine how the performance of a tool is affected by various changes in the properties of the input ontologies. However, it is not generally possible to sample from repositories adequately rich corpora of ontologies which differ with respect

to certain features and are not statistically distinguishable with respect to others: instead, different features are generally highly correlated. For instance: if the larger ontologies of a repository tend to be little more than taxonomies, having relatively few complex axioms in comparison to the smaller ontologies of the repository, then sampling ontologies of different sizes from it in order to study the effect of ontology dimension on the performance of an algorithm might lead unwary researchers to outright incorrect conclusions.

One additional difficulty worth mentioning, moreover, is that there does not, at the moment, exist a truly comprehensive, experimentally validated set of ontology features with respect to which to validate and compare tools and algorithms. Certainly, the classification of ontologies is not unexplored territory altogether; but the features thus far studied in the literature, though certainly interesting and worth of further analysis, have not for the most part been obtained through systematic exploration of the available corpora but rather as a result of the researchers' own interests in certain properties of ontologies.

To bridge this gap, the development of a new generation of tools, based on principled theoretical foundations, for the automatic generation of random ontologies, is required. These tools should be tuneable with respect to a variety of (logic-agnostic) features, and these features should in turn be extracted and justified through the study of corpora via network analysis-inspired techniques and probabilistic modeling.

We here outline a possible roadmap towards such an achievement, discussing furthermore the current approaches to ontology generation and their limitations.

2 TOWARDS TUNEABLE RANDOM ONTOLOGY GENERATION

Against the above mentioned background, it is clear that extracting a selection of human-readable, comprehensive ontology features and using them for the generation of random ontologies suitable for testing purposes is a major and challenging task.

Our overall aim is then to:

Develop a tuneable, language-agnostic generator of random ontologies suitable for the testing and benchmarking of algorithms and tools. Relevant features will be extracted semi-automatically from corpora of ontologies. These features will be used for the development of Markov Chain Monte Carlo (MCMC)-like sampling algorithms over ontologies. The usefulness of the resulting generator for benchmarking and testing purposes will be experimentally verified.

To achieve the general aims outlined above, we believe that the following three specific objectives need to be solved.

Objective 1 – Ontology Features: A fundamental prerequisite for tuneable ontology generation is to first generate and justify, on empirical grounds, a set of language-agnostic *ontology features* and study their distribution and correlations in corpora of human-created ontologies. We will then need to find (possibly multiple) choices of *default values* for these features that may be used to direct the generation of realistic random ontologies, barring users choosing different values for them (cf. Figure 1, Node 1: Feature Analyzer). It is worth remarking here that obtaining such features and classifying real ontologies with respect to them will result in a product of inherent value for the scientific community, even aside from their intended application to random ontology generation: indeed, it will provide the basis for a reliable, empirically grounded, language-agnostic *taxonomy of ontologies*.

Objective 2 – Generative Probabilistic Model: The thus obtained ontology features and statistics will then serve as the basis for a *Generative Probabilistic Model* (see Figure 1, Node 3: Ontology Generator) for ontologies which, for any given choice of parameters, will provide a mechanism for producing novel, random ontologies. The precise structure of such a model will, of course, depend heavily on the nature of the features found as well as on their probabilistic distribution over the corpora; but as a preliminary hypothesis, we think that an *agent-based* approach in which multiple artificial agents add or remove certain patterns of expressions to the ontology with a probability which depends on the values of certain features is likely to be a profitable one in this context, in such a way that the overall probability distribution of features is as required. This can be seen, after a fashion, as a generalisation of Markov Chain Monte Carlo approaches to




Figure 1: Tuneable Ontology Generation: workflow, structure and modules.

random sampling.

Objective 3 – Implementation and Validation: We will then implement the thus obtained theoretical model. The implementation will also be *language agnostic*, in the sense that it will be applicable to ontologies described in any language as long as a DOL specification and a suitable reasoner will be provided (see Nodes 2 and 4 of Figure 1, as well as the discussion below). This implementation will then be validated by means of comparing the performance of algorithms over real-world ontologies and over synthetic ones.

3 THE ROLE OF DOL

The Distributed Ontology, Modeling, and Specification Language (DOL) (Mossakowski et al., 2015) was submitted in November 2015 to the Object Management Group (OMG), and formally adopted in 2016 as an international standard. The finalisation of this language for heterogeneous logical specification involved more than 50 international experts overall.¹ DOL has support for logical heterogeneity, structuring, linking, and modularisation, i.e., crucial features to organise a large number of ontologies into structured repositories. Also, several key technologies have been developed in the DOL ecosystem, most importantly the OntoHub repository and reasoning platform (Cordescu et al., 2017).²

¹See <http://ontoiop.org>

²See <http://ontohub.org>

The availability of DOL is thus essential to the overall feasibility of the research proposed here, for at least three different reasons:

- In its role as a unifying meta-language, it allows our approach to be truly language-agnostic, in that it will be able to generate random ontologies (or estimate feature parameter distributions given corpora) for any formalisms for which DOL specifications and reasoners can be provided (see Figure 1);
- The OntoHub repository, which, as already mentioned, is part of the DOL ecosystem and provides a rich collection of ontologies in various specification languages, will be essential for our work in feature selection over ontologies as well as for the testing of the resulting framework.
- The rich linking and modularisation constructs of DOL support specifically two crucial operations: 1) the systematic build-up of larger ontologies from smaller parts, and 2) the recording of relationships between ontologies in different logical formalisms, e.g. recording the approximation of an ontology in a less expressive language, via a theory interpretation. Note that operationalising this structural information is non-destructive, i.e., the parts of a larger ontology can be recovered from the structural links.

4 EXTRACTING FEATURES FROM ONTOLOGY CORPORA

As the size and the practical importance of ontologies increased, it is not surprising that the interest in the development of *ontology metrics* – that is, numerical quantities that summarize the overall features of ontologies – has also grown (Lozano-Tello and Gómez-Pérez, 2004; García et al., 2010; Kang et al., 2012; Sicilia et al., 2012; McDaniel et al., 2018).

Such metrics have been introduced for different purposes, such as assessing the quality of an ontology (McDaniel et al., 2018), predicting the performance of reasoners (see e.g., (Tempich and Volz, 2003; Kang et al., 2012)) or measuring the cognitive complexity of OWL justifications (Horridge et al., 2011).

Approaches along these lines seem to have been fairly effective in predicting the results of benchmarks in real ontologies. Their effectiveness for evaluating ontology quality seems more limited, owing to some degree to the greater intangibility and complexity of the concept, but nonetheless such metrics can have a useful role in this context (Tartir and Arpinar, 2007; Duque-Ramos et al., 2011; Sicilia et al., 2012; Neuhaus et al., 2013; McDaniel et al., 2018).

These metrics, in general, are hand-crafted by researchers on the basis of their intuitions and experience with ontologies. We think that, in this context, it would be instead useful to take inspiration from approaches to *representation learning on graphs* (see (Hamilton et al., 2017b) for a survey) such as *node2vec* (Grover and Leskovec, 2016) and *GraphSAGE* (Hamilton et al., 2017a) to automatically extract the salient features from a corpus of ontologies.

Automatically extracted features, however, will not suffice for our needs: indeed, for our purposes we need to find not only features over ontologies which are suitable for clustering and prediction tasks or for ontology generation, but also those features which can be understood and used as parameters by humans.

Therefore, we envision a two-stage approach to the extraction of features from ontologies:

1. Automated feature learning techniques can be used to extract statistically significant (but not necessarily human-readable) features from ontology corpora;
2. These features can then be further analysed, attempting to either (a) find intuitively comprehensible, human-readable analogues or (b) decompose them in terms of multiple human-readable features.

5 A GENERATIVE PROBABILISTIC MODEL FOR ONTOLOGIES

A natural source of inspiration for the study of generative models for ontologies is the study of such models for graphs. This is a very rich topic, and many such models, like *Exponential Random Graphs* (Erdős and Rényi, 1959; Robins et al., 2007), the *Barabási-Albert model* (Albert and Barabási, 2002), *stochastic block models* (Airoldi et al., 2008) and *Kronecker graphs* (Leskovec et al., 2010) have been extensively studied in the literature.

It is difficult to predict in advance the exact structure of the model which we will develop, as much will of course depend on the results of our previous investigation about ontology features.

We think, in analogy with some recent works on graph generation (see e.g., (You et al., 2018)), that a potentially fruitful approach might be to create a MCMC-like model in which various transformations (e.g., axiom additions, deletions and modifications) might be applied to an ontology with a probability that depends on the current values of its features. By assigning correct weights to the probability of each transformation, it would be then possible to ensure that the probability distribution over the features would indeed match the specified one; and, by sampling from this distribution, we could indeed obtain random ontologies for any choice of parameter value. As an added advantage, this type of model - represented as a set of possible transformation over ontologies, with pre-requisites and weights - would be fairly human-interpretable and could be modified manually if desired.

6 IMPLEMENTATION, TESTING AND COMPARISON

The best known and most used frameworks for the benchmarking of tools over ontologies are the *Lehigh University Benchmark* (LUBM) (Guo et al., 2005) and the *University Ontology Benchmark* (UOBM) (Ma et al., 2006). Albeit certainly useful, the general applicability of these two frameworks for generating ontologies is hindered by at least three factors:

1. The languages of the ontologies generated through these two frameworks are fixed (to a subset of OWL Lite and to the complete OWL Lite or OWL DL respectively) and not easy to change;
2. The structure of the TBoxes obtained via these approaches are fairly static, and not necessarily re-

flective of that of all real ontologies;

3. Although there are options for changing somewhat the properties of the ontologies generated via these approaches, the amount of fine-tuning that is possible to perform with respect to the features of the ontology is very limited.

The programme sketched in this work is thus considerably more ambitious than LUBM and UOBM: indeed, as we argued before, it would be highly desirable to develop a tool for the generation of random ontologies that was highly tuneable, language agnostic, theoretically well founded, and capable of generating ontologies whose statistical features are analogous to those of arbitrary real world ontologies. Despite their undeniable practical success, LUBM and UOBM are quite far indeed from this mark.

A more general approach, much closer in concept to our research perspectives, is the one employed by the *OTAGen ontology generator* (Ongenaë et al., 2008). In short, given a number of parameter choices (e.g., number of classes, number of logically defined classes, number of individuals, minimum and maximum number that non-functional object properties are instantiated and so forth), OTAGen generates a random ontology *ex novo*. Still, the selection of adjustable parameters is arguably somewhat idiosyncratic in that it reflects the structure of the ontology generation algorithm employed (rather than considerations regarding the importance of these *specific* parameters for the testing and benchmarking of ontologies); and, furthermore, the ontologies thus generated are not necessarily “typical” or structurally similar to real-world ontologies with the same parameter values.

Another work worth mentioning in this context is *Mips Benchmark* (Zhang et al., 2015), an automatic generator of incoherent ontologies for the purpose of measuring the effectiveness of tools for solving the minimal incoherence preserving sub-terminologies (Mips) problem (Schlobach et al., 2007). This is more special-purpose than our intended approach, and while experimental evaluation suggests that the tuneable parameters of this generator are relevant to the analysis of the complexity of the Mips problem once more there is no particular concern about whether the ontologies thus generated are structurally analogous to real-world use cases.

After devoting some effort to the principled search for relevant ontological features and to the development of a generative probabilistic mathematical model of ontology generation, we believe that it would be possible to build and validate a general-purpose, theoretically sound, highly tuneable generator of structurally plausible (in the sense of “having statistical structural properties close to those of real ontologies”)

random ontologies; and, as mentioned before, such a generator - aside from its direct possible application to the testing and benchmarking of algorithms over ontologies - would constitute a useful step towards the integration of statistical and symbolic reasoning via probabilistic inference.

Our generator will also need to be *validated*. In order for this validation to be successful, we will require the following three requirements to be all satisfied:

Correctness: The probability distribution of the features of the generated ontologies will match the predictions of the probabilistic model (in other words, our generator will be a correct implementation of our probabilistic model);

Suitability: The ontologies generated by our tool will be suitable for use in testing, benchmarking and algorithm validation purposes (as verified, for instance, by comparison with other benchmarking approaches and with real ontologies);

Verisimilitude: For adequate choices of parameters, the ontologies generated will be structurally close to real ones, as verified both by direct inspection and by automated exploration of relevant properties.

7 CONCLUSION

In this work we presented a roadmap towards the automated generation of random ontologies for testing/benchmarking purposes.

This preliminary discussion left several open issues in need of further exploration, and it is a foregone conclusion that many ulterior difficulties and insights (quite possibly, ones which would prove themselves valuable in a much wider scope than that of the specific problem of random ontology generation) will be encountered in the process of developing the theoretically principled, tuneable, practically useable tool that we envision.

Nonetheless, we hope to have convinced the reader that the problem of random ontology generation is a surprisingly complex, subtle, and potentially fruitful one, and to have provided some insights regarding the difficulties inherent to it and the possible ways to surpass them.

As a final comment, we further speculate that resolving the problem of random ontology generation – and, in particular, doing so via the generative probabilistic approach discussed here – has the potential to provide a useful avenue towards the integration of symbolic and statistical reasoning. Indeed, generative probabilistic models such as the ones envisioned

in this roadmap can in principle be also used for inferential reasoning over ontologies: very briefly, the probability distributions over ontologies provided by such a model can be used to calculate quantities such as e.g. the probability that an axiom will be contained in an ontology given that certain other axioms are in it and so forth. It is not possible to say much more at this juncture regarding the feasibility of this type of approach to statistical inference over ontologies; but it is an intriguing idea that would certainly be deserving of further examination after the development of an adequate model for the generation of random ontologies.

REFERENCES

- Airoldi, E. M., Blei, D. M., Fienberg, S. E., and Xing, E. P. (2008). Mixed membership stochastic blockmodels. *Journal of Machine Learning Research*, 9(Sep):1981–2014.
- Albert, R. and Barabási, A.-L. (2002). Statistical mechanics of complex networks. *Reviews of modern physics*, 74(1):47.
- Choi, N., Song, I.-Y., and Han, H. (2006). A survey on ontology mapping. *ACM Sigmod Record*, 35(3):34–41.
- Codescu, M., Kuksa, E., Kutz, O., Mossakowski, T., and Neuhaus, F. (2017). Ontohub: A semantic repository engine for heterogeneous ontologies. *Applied Ontology*, 12(3–4):275–298.
- Cristani, M. and Cuel, R. (2005). A survey on ontology creation methodologies. *International Journal on Semantic Web and Information Systems (IJSWIS)*, 1(2):49–69.
- Dragisic, Z., Eckert, K., Euzenat, J., Faria, D., Ferrara, A., Granada, R., Ivanova, V., Jiménez-Ruiz, E., Kempf, A. O., Lambrix, P., et al. (2014). Results of the ontology alignment evaluation initiative 2014. In *Proc. of the 9th Int. Conf. on Ontology Matching-Volume 1317*, pages 61–104. CEUR-WS. org.
- Duque-Ramos, A., Fernández-Breis, J. T., Stevens, R., Aussenac-Gilles, N., et al. (2011). Oquare: A square-based approach for evaluating the quality of ontologies. *Journal of Research and Practice in Information Technology*, 43(2):159.
- Erdős, P. and Rényi, A. (1959). On random graphs, I. *Publicationes Mathematicae (Debrecen)*, 6:290–297.
- García, J., JoseGarcía-Peñalvo, F., and Therón, R. (2010). A survey on ontology metrics. In *World Summit on Knowledge Society*, pages 22–27. Springer.
- Granitzer, M., Sabol, V., Onn, K. W., Lukose, D., and Tochtermann, K. (2010). Ontology alignment survey with focus on visually supported semi-automatic techniques. *Future Internet*, 2(3):238–258.
- Grover, A. and Leskovec, J. (2016). node2vec: Scalable feature learning for networks. In *Proc. of the 22nd ACM SIGKDD Int. Conf. on Knowledge discovery and data mining*, pages 855–864. ACM.
- Guo, Y., Pan, Z., and Heflin, J. (2005). LUBM: a benchmark for OWL knowledge base systems. *Web Semantics: Science, Services and Agents on the World Wide Web*, 3(2-3):158–182.
- Hamilton, W., Ying, Z., and Leskovec, J. (2017a). Inductive representation learning on large graphs. In *Advances in Neural Information Processing Systems*, pages 1025–1035.
- Hamilton, W. L., Ying, R., and Leskovec, J. (2017b). Representation learning on graphs: Methods and applications. *arXiv preprint arXiv:1709.05584*.
- Horridge, M., Bail, S., Parsia, B., and Sattler, U. (2011). The cognitive complexity of owl justifications. In *International Semantic Web Conference*, pages 241–256. Springer.
- Kang, Y.-B., Li, Y.-F., and Krishnaswamy, S. (2012). Predicting reasoning performance using ontology metrics. In *International Semantic Web Conference*, pages 198–214. Springer.
- Katifori, A., Halatsis, C., Lepouras, G., Vassilakis, C., and Giannopoulou, E. (2007). Ontology visualization methods a survey. *ACM Computing Surveys (CSUR)*, 39(4):10.
- Leskovec, J., Chakrabarti, D., Kleinberg, J., Faloutsos, C., and Ghahramani, Z. (2010). Kronecker graphs: An approach to modeling networks. *Journal of Machine Learning Research*, 11(Feb):985–1042.
- Lozano-Tello, A. and Gómez-Pérez, A. (2004). Ontometric: A method to choose the appropriate ontology. *Journal of database management*, 2(15):1–18.
- Ma, L., Yang, Y., Qiu, Z., Xie, G., Pan, Y., and Liu, S. (2006). Towards a complete OWL ontology benchmark. In *European Semantic Web Conference*, pages 125–139. Springer.
- Matentzoglou, N. and Parsia, B. (2018). BioPortal. last accessed, 2018/26/05.
- McDaniel, M., Storey, V. C., and Sugumaran, V. (2018). Assessing the quality of domain ontologies: Metrics and an automated ranking system. *Data & Knowledge Engineering*.
- Mossakowski, T., Codescu, M., Neuhaus, F., and Kutz, O. (2015). The Road to Universal Logic: Festschrift for the 50th Birthday of Jean-Yves Béziau, Volume II. chapter The Distributed Ontology, Modeling and Specification Language – DOL, pages 489–520. Springer International Publishing, Cham.
- Neuhaus, F., Vizedom, A., Baclawski, K., Bennett, M., Dean, M., Denny, M., Grüninger, M., Hashemi, A., Longstreth, T., Obrst, L., et al. (2013). Towards ontology evaluation across the life cycle. *Applied Ontology*, 8(3):179–194.
- Ongenaë, F., Verstichel, S., De Turck, F., Dhaene, T., Dhoedt, B., and Demeester, P. (2008). OTAGen: A tunable ontology generator for benchmarking ontology-based agent collaboration. In *32nd Annual IEEE Int. Computer Software and Applications Conf.*, pages 529–530.

- Plessers, P. and De Troyer, O. (2006). Resolving inconsistencies in evolving ontologies. In *European Semantic Web Conference*, pages 200–214. Springer.
- Robins, G., Pattison, P., Kalish, Y., and Lusher, D. (2007). An introduction to exponential random graph (p^*) models for social networks. *Social networks*, 29(2):173–191.
- Schlobach, S., Huang, Z., Cornet, R., and Van Harmelen, F. (2007). Debugging incoherent terminologies. *Journal of Automated Reasoning*, 39(3):317–349.
- Sicilia, M., Rodríguez, D., García-Barriocanal, E., and Sánchez-Alonso, S. (2012). Empirical findings on ontology metrics. *Expert Systems with Applications*, 39(8):6706–6711.
- Tartir, S. and Arpinar, I. B. (2007). Ontology evaluation and ranking using OntoQA. In *Semantic Computing, 2007. ICSC 2007. International Conference on*, pages 185–192. IEEE.
- Tempich, C. and Volz, R. (2003). Towards a benchmark for semantic web reasoners-an analysis of the daml ontology library. In *EON*, volume 87.
- Troquard, N., Confalonieri, R., Galliani, P., Peñaloza, R., Porello, D., and Kutz, O. (2018). Repairing ontologies via axiom weakening. In *Proceedings of the Thirty-Second AAAI Conference on Artificial Intelligence*, pages 1981–1988.
- Wache, H., Voegelé, T., Visser, U., Stuckenschmidt, H., Schuster, G., Neumann, H., and Hübner, S. (2001). Ontology-based integration of information-a survey of existing approaches. In *IJCAI-01 workshop: ontologies and information sharing*, volume 2001, pages 108–117. Citeseer.
- You, J., Ying, R., Ren, X., Hamilton, W. L., and Leskovec, J. (2018). GraphRNN: A deep generative model for graphs. *arXiv preprint arXiv:1802.08773*.
- Zablith, F., Antoniou, G., d’Aquin, M., Flouris, G., Kondylakis, H., Motta, E., Plexousakis, D., and Sabou, M. (2015). Ontology evolution: a process-centric survey. *The knowledge engineering review*, 30(1):45–75.
- Zhang, F., Ma, Z., and Cheng, H. (2018). A review of answering queries over ontologies based on databases. In *Information Retrieval and Management: Concepts, Methodologies, Tools, and Applications*, pages 2267–2286. IGI Global.
- Zhang, Y., Ouyang, D., and Ye, Y. (2015). An automatic way of generating incoherent terminologies with parameters. In *IWOST-1*, pages 117–127.