

Towards an Effective Decision-making System based on Cow Profitability using Deep Learning

Charlotte Gonçalves Frasco^{1,2}, Maxime Radmacher¹, René Lacroix³, Roger Cue^{3,4}, Petko Valtchev¹, Claude Robert⁵, Mounir Boukadoum¹, Marc-André Sirard⁵ and Abdoulaye Banire Diallo¹

¹*Université du Québec à Montréal, Montréal, Canada*

²*Université de Bordeaux, Bordeaux, France*

³*Lactanet, Sainte-Anne-de-Bellevue, Canada*

⁴*McGill University, Montréal, Canada*

⁵*Université Laval, Québec, Canada*

charlotte.goncalves-frasco@outlook.fr, radmacher.maxime@uqam.ca

Keywords: Dairy Farming, Recurrent Neural Network, Lifetime Profitability, Decision Making.

Abstract: Life-time profitability is a leading factor in the decision to keep a cow in a herd, or sell it, that a dairy farmers face regularly. A cow's profit is a function of the quantity and quality of its milk production, health and herd management costs, which in turn may depend on factors as diverse as animal genetics and weather. Improving the decision making process, e.g. by providing guidance and recommendation to farmers, would therefore require predictive models capable of estimating profitability. However, existing statistical models cover only partially the set of relevant variables while merely targeting milk yield. We propose a methodology for the design of extensive predictive models reflecting a wider range of factors, whose core is a Long Short-Term Memory neural network. Our models use the time series of individual features corresponding to earlier stages of cow's life to estimate target values at following stages. The training data for our current model was drawn from a dataset captured and preprocessed for about a million cows from more than 6000 different herds. At validation time, the model predicted monthly profit values for the fifth year of each cow (from data about the first four years) with a root mean squared error of 8.36 \$/cow/month, thus outperforming the ARIMA statistical model by 68% (14.04 \$/cow/month). Our methodology allows for extending the models with attention and initializing mechanisms exploiting precise information about cows, e.g. genomics, global herd influence, and meteorological effects on farm location.

1 INTRODUCTION

Between the mid-1960s and 2015, worldwide food consumption increased by 24% (Bruinsma, 2017). This increase is a call for improvement of the agricultural techniques. The key is bringing to the farmers the best precision tools guiding and helping in their decision making process. Several advancements in Artificial Intelligence (AI) have paved the way on improving Decision-Making System based on collected big data. Deep learning is among the most modern and promising techniques in sequence and data analysis. Recent studies have shown that these techniques, applied to agriculture, outperform more traditional methods in several tasks (Kamilaris and Prenafeta-Boldú, 2018), including classification (Kussul et al., 2017), identification (Grinblat et al., 2016; Sladojevic et al., 2016) or counting (Rahnemoonfar and Shep-

pard, 2017). Temporal data in agriculture can be associated to Machine Learning techniques to identify seasonal effect, unravel patterns to make prediction. For example, Deep Learning has been used on temporal agricultural data to predict irrigation calendars (Song et al., 2016), to estimate the yield of mais crops (Kuwata and Shibasaki, 2015) or the depth of water tables (Zhang et al., 2018).

Dairy farming is a core agriculture sector that has been subject to innovation through data-driven methods (Borchers et al., 2017; Ushikubo et al., 2017). Promising results were highlighted on predicting the calving date of a cow using behaviour and movement data on the cow (Borchers et al., 2017) or diagnosing a common disease (Ketosis) with an Support Vector Machine based on the production and health markers of a cow (Ushikubo et al., 2017). Those examples traduce a real opportunity for the dairy sector

to benefit from those techniques. Nevertheless, our review of the literature did not show any work focused on predicting the profitability of a cow using historical production data in order to help the farmer’s decision-making process. In fact, the increase of data collection is opening the door to Deep Learning approaches. In the developed countries, several dairy producers have been gathering data for more than 10 years. Here, we introduce how the future of predictive models should look like. As their methods are standardized, this work will be easily transferable to different farm cooperatives, countries or another live-stock industry.

2 PROBLEM DEFINITION

Several factors, associated to various features, impact on dairy production industry profits (Figure 1). The data for these factors are collected from connected sensors, interactive dashboards and questionnaires. Factors are interconnected: For example, environment (such as nutrition) can have a direct impact on production, but it can also leverage health, genetics or management of a cow, thus influencing production. Here, we focused on learning the effects of health, environment, management and production on each cow dairy production profit.

This approach provides an animal-centered view. In practice, decision are made based on the results of entire herds and other variables (Jones et al., 2017), such as the state of the market (demand, presence of quotas), the farmer’s behaviour (risk aversion, type of farm) (Figure 2). But these factors are beyond the scope of this paper. We chose to build a simple decision-making system based on the predicted profit of each cow. If the cow is predicted to be productive we keep it, otherwise it is dropped.

Usually in the dairy industry, the farms are part of the Dairy Herd Improvement (DHI) program that collects data ten times a year on, so called, *test-dates*. *Test-dates* are identified using the animal ID and the date. They include measures of various components (fat, protein, lactose yields; management of the cow; health records etc.) from different factors associated with the production of the milk. Here the problem (described in Figure 3) can be tackled as follows : Given the sequence of *early test-dates* of a cow at a given *test-date*, we predict the future profit of the corresponding cow. We used two inputs : the *early test-dates* sequence is either composed of the *early profit* in \$ (**UniMu**); or composed of variables from the main factors (**MuMu**).




Figure 1: **Interaction Diagram** of the different types of factors found in Dairy production for a given cow. Dotted lines are one-way interaction, dashed lines are mutual interaction, solid lines are interaction we chose to model in this paper. Genetics are dashed because not included in our study.




Figure 2: **Interaction Diagram** of the different types of factors that influence the farmer’s decision. Solid lines are consequences we model in our recommendation system, dotted lines are the ones that would require more research.




Figure 3: **Symbolic Graph of the Inputs and Outputs**. Both UniMu and MuMu are trying to predict future profit. UniMu model only uses profit of early Test-dates and MuMu model uses all information of the tests.

3 RELATED WORK

Dairy production temporal data can be defined as a time series prediction problem from multi-source

(factors) and heterogeneous data. (Box et al., 2015). Time-series forecasting can be used to analyse the sequences in order to detect trends and identify patterns, that helps to build an accurate predictive model. In time series forecasting, classical methods based on statistical tools have been widely experimented among the scientific community.

The Autoregressive Integrated Moving Average (**ARIMA**) technique has already proved to be able to make predictions of time series (Contreras et al., 2003). ARIMA models are following the methodology of Box-Jenkins (Box et al., 1970) and can represent chronological series of different type : Autoregressive, Moving Average or Mixed. ARIMA is based on a linear modelisation corrected for stationarity and seasonality and includes random residuals. Hence, its main limitation resides in the prediction of non-linear systems. (Zhang et al., 1998)

Nowadays, Deep Learning techniques are showing satisfactory results. Recurrent Neural Networks have been introduced by David Rumelhart’s team in 1986 (Rumelhart et al., 1988) and are considered as the state-of-the-art for temporal data. It used back-propagation to correct weights of the network using the error in the output layer. This led to an issue called vanishing gradient : the correction of the weights does not occur after the gradient goes back through a couple activation gates (Bengio et al., 1994). The long Short Term Memory (**LSTM**) (Hochreiter and Schmidhuber, 1997) helps preventing the gradient to vanish as it is now pass from a cell to the previous one without going through any activation. Since their implementation, LSTM have been used for various tasks, such as time-series prediction (Schmidhuber et al., 2005), speech recognition (Graves et al., 2013), handwriting recognition (Graves and Schmidhuber, 2009), medical care pathway (Choi et al., 2016), (Lipton et al., 2015) and also for text analysis (Maupomé et al., 2019).

In the case of the dairy industry, there are some emerging industries that used the Internet of Things to help the farmer monitor its farm from day to day and check for potential abnormalities with individual cows. But most of the industry uses DHI program (10 *test-dates* per year) to keep track of the farm performance. They use the Multiple-Trait Prediction of Lactation model (Schaeffer and Jamrozik, 1996) to make prediction of the milk fat and protein yield of a cow after 305 days in lactation which relies on variables such as breed, region, age, season, etc. as well as production curves of previous years. This model is based on linear mixed model and does not give any results on the profit generated by the farm. However, this model is patented and not accessible

upon request or open source. Moreover, it is now well accepted that Somatic Cell Counts (**SCC**), Levels of Beta-HydroxyButyrate (**BHB**) and Milk Urea Nitrogen (**MUN**) are good indicators of a cow’s health and metabolism (Dohoo and Martin, 1984), hence have an impact on milk production (Auld and Hubble, 1998). But they were not considered in previous models.

Here, we propose to build a model that can integrate multiple source of heterogeneous test-date data that into a non-linear model to better estimate the future profits of cows.

4 METHODS

4.1 Preprocessing

4.1.1 Time-reindexing

Time series for individual cows are aligned by using relative dates: Each value is re-dated w.r.t. cow’s birth and in number of months (or other timesteps), thus generating the Months after Birth (MaB) index. We build a table $f_{i,t}$ for each feature f indexed by the animal’s ID i and containing the values for all MaB t .

4.1.2 Feature Engineering

Non-ordinal Features are one-hot encoded. Each class representing a new binary feature.

Months are one-hot encoded into seasons as follows:

$$S_{i,t} = \begin{cases} [1, 0, 0, 0] & \text{if } m_{i,t} \in \{1, 2, 3\} \\ [0, 1, 0, 0] & \text{if } m_{i,t} \in \{4, 5, 6\} \\ [0, 0, 1, 0] & \text{if } m_{i,t} \in \{7, 8, 9\} \\ [0, 0, 0, 1] & \text{if } m_{i,t} \in \{10, 11, 12\} \end{cases}$$

where $S_{i,t}$ is a season vector containing 4 features (seasons), $m_{i,t}$ is the month of test.

The Conditions affecting Records (**CAR**) is binarized as indicator of *condition feature* $c_{i,t}$. Whenever a condition is marked at the test period $c_{i,t} = 1$, otherwise $c_{i,t} = 0$.

All *ordinal features* are kept as is.

The *profit* is computed as $p_{i,t} = v_{i,t} - c_{i,t}$; where $v_{i,t}$ is the daily value produced by the cow i at MaB t and $c_{i,t}$ are the daily cost of a cow (feed or health cost).

4.1.3 Imputation of Missing Values

With the presence of missing values in such datasets, several types of imputations are performed.

For *categorical features*, we use the mode of the herd and if not available the mode of the dataset.

For a *continuous feature* $f_{i,t}$, we interpolate values linearly between values : Between t_1 and t_0 :

$$f_{i,t} = f_{i,t_0} + \frac{f_{i,t_1} - f_{i,t_0}}{t_1 - t_0} * (t - t_0)$$

For the missing values at the end of the profit sequence $p_{i,t}$, we used a moving average of range 3 to impute the end of the sequence

$$p_{i,t+1} = \frac{p_{i,t} + p_{i,t-1} + p_{i,t-2}}{3}$$

For the remaining missing values two techniques are explored:

- 1) *Without Masking*. Padding all the remaining missing values with a defined baseline value given by the domain experts;
- 2) *With Masking*. Ignoring timestamps t that have a missing profit. Padding the remaining missing values.

4.1.4 Scaling

In order to compare features together, we scale each $f_{i,t}$ using a featurewise min-max to [0,1] scaler:

$$\hat{f}_{i,t} = \frac{f_{i,t} - \min_{i,t}(f_{i,t})}{\max_{i,t}(f_{i,t}) - \min_{i,t}(f_{i,t})}$$

After all these steps, we stack every $\hat{f}_{i,t}$ into a tensor $\hat{U}_{i,t,f}$ indexed by animal ID i MaB t and feature f .

We divide the MaBs into *early test-dates* and *late test-dates* that will correspond respectively to input $\hat{U}_{i,early,f}$ and the targeted output $p_{i,late}$ of the model.

4.2 Models & Metric

4.2.1 UniMu-RNN

This neural network (see *Figure 4*) has two LSTM layers ensures enough capacity for the model to learn and the Dense layer allows to prevent overfitting. LSTM layers are activated using hyperbolic tangent, the Dense layer is activated by a Rectified Linear Unit (Nair and Hinton, 2010) in order to be able to predict the profit which is real-valued. It uses $\hat{p}_{i,early}$ to predict $\tilde{p}_{i,late}$.

4.2.2 MuMu-RNN

This neural network model uses $\hat{U}_{i,early,f}$ to predict $\tilde{p}_{i,late}$ (*Figure 4*). We used the same architecture and implementation. We now input a tensor $\hat{U}_{i,early,f}$ instead of a matrix $\hat{p}_{i,early}$




Figure 4: **Graph of UniMu and MuMu**. The only difference between the two graphs are the inputs : UniMu uses a vector, MuMu a tensor. The dotted lines represent the first steps that might be omitted if we choose the masking option.

The objective function is the Root Mean Squared Error defined as follows:

$$RMSE = \sqrt{\frac{1}{N_{late} * N_{cows}} \sum_{t \in late} \sum_{i \in cows} (\tilde{p}_{i,t} - p_{i,t})^2}$$

We also use the Mean absolute error:

$$MAE = \frac{1}{N_{late} * N_{cows}} \sum_{t \in late} \sum_{i \in cows} |\tilde{p}_{i,t} - p_{i,t}|$$

We also use the bias :

$$bias = \frac{1}{N_{late} * N_{cows}} \sum_{t \in late} \sum_{i \in cows} p_{i,t} - \tilde{p}_{i,t}$$

4.2.3 Recommendation System

The future profit predictions are the basis of the farmer decision if the cow is worth to be kept for another lactation. To fit this view, we designed our recommendation system as follows : if the sum of predicted profit \tilde{P}_i for all the months of *late* is bigger than a given threshold L , the cow is kept, otherwise it is dropped. The threshold can be:

- normal $L = \bar{P}_i$

- conservative $L = \bar{P}_i - 0.5 * \sigma_{P_i}$ (less productive accepted)

- consumerist $L = \bar{P}_i + 0.5 * \sigma_{P_i}$ (only very productive)
 where \bar{P}_i is the mean and σ_{P_i} the standard deviation of P_i the real profit of *late*.

5 EXPERIMENTS

5.1 Dataset

In this study, we collected data from 2006 to 2017 from 6675 herds following a DHI program (10 *test-dates* per year), representing 1 482 383 cows. Each line of the dataset is identified by the ID of the cow and the date of the test. We have in total 36 697 423 lines for 4 factors encapsulated within 14 domain expert selected features.

5.2 Preprocessing

5.2.1 Feature Selection

Variables have been selected on their relevance. They are summarized in *Table 1*. Milk, Fat, Protein and lactose are directly linked to the price of the milk, so we had to include them in input of our model (Emmons et al., 1990). SCC, BHB and MUN are useful to detect any health issue as presented in introduction. CAR is also kept as it directly shows if the cow is ill or not. Days in Milk (**DIM**) are also helpful because milk yield increases rapidly at the beginning of the lactation (small DIM) then decreases slowly until the dry period (Wood, 1967). These tendencies need to be taken into account. The lactation number is also necessary, as cows tend to produce more milk as their number of lactation grows (Ray et al., 1992). Milking Frequency has a direct influence on the daily yield of a cow (Erdman and Varner, 1995). Value and Cost are necessary to compute profit.

The particularity of this dataset is that only a third of the cow records have information on feed consumption and thus feed cost. When possible, we imputed the values using herd means of feed cost, otherwise we used the overall mean as used by the farmers for their statistics. We then follow all the preprocessing techniques detailed in Methods.

5.2.2 Inputs & Outputs

A cow produces milk for around 10 months over a period of one year (lactation). In our inputs, we included the first lactation of every cow whereby the goal was to predict the second one. As seen in *Figure 5*, most

Table 1: **Dataset Overview**, Factors are the group of features we defined in *Figure 1*. Feat. are the features we used in our analysis. Value represents the minimum and maximum of each feature. Square brackets are continuous variables, double square brackets are ordinal ones, Curly brackets are categorical ones. Legend is a brief description of the feature

Factors	Feat.	Value	Legend
product.	Milk	[0 ; 129.4]	Milk yield (Kg)
	Fat	[0 ; 7.30]	Fat Yield (Kg)
	Prot	[0 ; 5.31]	Protein Yield (Kg)
	Lact	[0 ; 12.4]	Lactose Yield (Kg)
health	SCC	[0.81;36 849]	Somatic Cells (10^3 /mL)
	BHB	[0 ; 8]	Beta-hydroxybutyrate
	MUN	[0 ; 1 632]	Milk Urea Nitrogen
	CAR	22 categories	Condition Affect. Record
managmt.	DIM	[[0 ; 3 731]]	Days in Milk
	N_{Lac}	[[1 ; 88]]	Lactation Number
	Freq	[[1 ; 4]]	Milking Freq. (/day)
	t_{Milk}	{AM, PM}	Milking Time
prof.	Value	[-34 ; 231]	prod. Milk Value (\$/day)
	Cost	[0 ; 10]	Feed cost (\$/day)

of the cow did their first lactation between 18 and 46 MaB and the second from 36 to 60 MaB.

So, we defined *early test-date* = [18, 46] and *future test-date* = [47, 60].




Figure 5: **Lactation Age Histogram**, Number of cows with profit value by MaB for different lactations.

5.2.3 Cow's Selection

We only kept cows of the Holstein breed (92.8% of the cows). All the cows with no information on their milk value or that has been sold between MaB 18 and 60 is dropped. Cows for which the milk value were missing for the last 6 months are also dropped.

After all preprocessing steps, we end up with $\hat{U}_{i,t,f}$ containing continuous information on 21 features for 417 401 cows (28,2% remaining) from MaB 18 to 60.

5.2.4 Train-test Split

Test set $\hat{U}_{test,t,f}$ corresponds to 33% of the remaining cows (137 742 cows) were sampled. The models

are trained on the remaining data $\hat{U}_{train,t,f}$ (279 659 cows).

5.3 Comparison Models

We compare the designed models with the following standard approach within the domain.

5.3.1 Persistence Model

A simple heuristic model that uses the value of the previous real profit $p_{i,t}$ as its prediction $\tilde{p}_{i,t+1}$.

5.3.2 Auto-ARIMA

With Auto-ARIMA, the model uses $p_{i,[18,46]}$ to predict $\tilde{p}_{i,[47,60]}$. For each cow, the parameter d for stationarity is determined using the Kwiatkowski-Phillips test (Kwiatkowski et al., 1992) and D for seasonality is determined with Canova-Hansen test (Canova and Hansen, 1995). The last parameters p , q , P and Q are also cow-specific and are determined using a stepwise algorithm (Hyndman and Khandakar, 2007).

5.4 Implementation

Persistence Model and Auto-ARIMA have been run on local computers. Auto-ARIMA is using the pyramid implementation (Smith et al., 2017). Our other models have been trained on computing clusters using 2 x Intel E5-2683 v4 Broadwell CPUs for models with masking (training time : 4 days) and 4 x NVIDIA P100 Pascal GPUs for model without masking (training time : \sim 13h). Univariate training took 4 GB of memory, Multivariate 10 GB. Our model uses Adam Optimizer, a batchsize of one (update its weights after each cow) and is trained for 30 epochs using the RMSE (with $N_{cows}=1$) as objective function. Keras 2.2.5 (Chollet, 2015) is used as a wrapper of TensorFlow 1.13.1 (Abadi et al., 2016).

5.5 Evaluation

Persistence and Auto-ARIMA results are evaluated on the whole dataset as they don't use training sets. Our LSTM models have been evaluated on the test set after having being trained on the training set using a validation set of 20%.

MuMu can be considered as the best model as it achieves the smallest RMSE (Table 2). The results show almost no effect of masking in our experiment. From now, we will only show the model without masking.

We compare ARIMA and MuMu (Table 3) by computing bias, RMSE, MAE and their relative values

Table 2: **Test Loss for different models.** Auto-ARIMA achieves the worst prediction with a RMSE of 14.04\$, MuMu achieves the best one without Masking : 8.36\$.

Model type	RMSE (\$)	
Persistence	8.66	
Auto-ARIMA	14.04	
	With Masking	Without Masking
UniMu	76	75
MuMu	8.37	8.36

(percentage of \bar{p} mean of the profit for *late* for all the cows = 13.43\$).

Table 3: **Metrics for MuMu vs ARIMA** MuMu has a small bias but high variance, and yet both are smaller than for ARIMA.

Metric	MuMu	ARIMA
bias	-0.12 \$	-4.38 \$
RMSE	8.36 \$	15.5 \$
MAE	6.23 \$	11.8 \$
relative bias	-0.91 %	-32.6 %
relative RMSE	62.2 %	115 %
relative MAE	46.4 %	87.8 %

It appears that MuMu largely outperform Auto-ARIMA with very small bias (-0.91% of \bar{p}) and better RMSE and MAE, although it still has a very high relative RMSE (62.2% of \bar{p}) which can be considered too large to be satisfactory. Plotting the predicted value against the real value lets us know where our model fails.




Figure 6: **Predicted Value vs Actual Value** of the profit for MaB 47 for the cows of the test set. Three distinct clusters can be drawn, the Dry Cows (Negative actual profit), The Under-Estimated cows (Negative predicted profit) and the correctly predicted cows. The red line is the identity curve.

According to Figure 6, our model has trouble predicting dry cows (RMSE = 14.4 \$; 107% of \bar{p}) and also underestimates some of them (RMSE = 11.1 \$;

83% of \bar{p}). The correctly predicted cows have a better RMSE of 6.47 \$ that represent 48.2% of \bar{p} . Even if we identified negative predictions as the main issue of our model, we will see that our model still leads to meaningful recommendations.

In Table 6, using Auto-ARIMA and MuMu to predict \tilde{P}_i we show the percentages of cows that have been:

- *well-estimated*: the recommendation was in accordance with the real observed values.
- *over-estimated*: the cow should be removed from the herd but the recommendation is to keep it.
- *under-estimated*: the cow should be kept for another lactation but the recommendation is to drop it.

These results highlight that more than 90% of the prediction will be coherent with the farmers decision in most of the situation taking into account half a standard deviation from the mean as indicators of decision as performed usually.

Table 4: **Recommendation Errors.** Auto-ARIMA and MuMu are compared on their percentages of recommendation errors made on the cows they have predicted.

Limit	Model	Percentages of cow		
		over	under	well
conserv.	ARIMA	7.3	17.3	75.4
	MuMu	8.7	0.7	90.6
normal	ARIMA	32.7	12.9	54.4
	MuMu	12.9	12.8	74.3
consum.	ARIMA	47.9	3.4	48.7
	MuMu	1.5	7.9	90.6

For example, if we use our recommendation system to select the cows, the actual mean profit \bar{p} increases from 13.43\$ (selected by the farmers) to 14.26\$. This represents an increase of almost 3000 \$ for a 300-cows farm over one year (6% of total annual profit) even for such a simple system.

6 DISCUSSION

This work is the first step of a project integrating multi sources data (veterinary, genetics and environmental) in dairy prediction using deep learning techniques. It will serve as baseline for our future research.

6.1 Preprocessing

One should notice that the data is subject to a lot of pollution within the acquisition pipeline. To reduce this noise, we need to correct and impute them and thus influence the prediction of our model. As seen in

Table 3 and discussed with the animal science experts, there are still outliers in each feature. Unfortunately a Min-Max scaler is not robust to outliers and will prevent efficient learning. Even if the model could learn the presence of outliers by itself, an ongoing discussion with the experts helps us perfect our preprocessing pipeline to keep only meaningful cows.

We tested two imputation methods for *late* profit

$P_{i,[47:60]}$:

- padding with -5
- imputing using a simple rolling mean of order 3

We trained using both methods and compared the test RMSE with padding : 8.73\$ and with imputation : 8.36\$. It is then clear that imputing using roll mean is the best method.

Fortunately, the recent development of automation in farms and milking robot will lead to more standardized methods and frequent data-points. This will be very useful to give consistent results and be more fine-grained in our prediction.

6.2 Improving Architecture

The architecture could be adapted and improved. However, it yields already better results than a state-of-the-art ARIMA method. Future research will emphasize testing more complex architecture, such as ensemble method using other type of estimator. We could also implement an encoder-decoder architecture (Cho et al., 2014) or a recursive model that predicts step by step the next value of each features.

We've clearly highlighted the fact that our model fails to predict dry cows effectively. Having a classifier predicting the animal status (milking or dry) prior to the LSTM could be of great help for the final prediction.

Beside that, there are yet many aspects to tackle, especially in the field of decision making. In this paper we used the individual profit as a the only feature for cow selection. In fact, the choice is made at the herd level according to certain objectives - weather its maximizing the profit or reaching quotas. Further collaboration with the economy field could integrate market models to take into account inflation, demand evolution (veganization of the society) or the dairy share market between farms (for countries with quotas). Adding a farmer-specific recommendation model is also another challenge of this research. If we want to have a chance that the recommendation is applied by the farmer, it is necessary to take into account their subjective inputs. This is, by the way, a far more general critic. The AI community should listen carefully to domain researchers.

6.3 Health Data

We know that health and metabolic markers such as SCC, MUN and BHB can help us predict the occurrence of diseases, hence drops in production. In future research, it might be useful to collect full health records and include them as input data since, we see with the CAR codes that different types of condition have different influences on the milk production (Figure 7). With the future acquisition of new veterinary data we will be able to use them to develop a risk factor that could be used to improve the prediction of the LSTM.




Figure 7: **Disease Influence** on the produced Milk Value and the Feed costs.

6.4 Integrating other Data Type

Production data are not the only one available in the dairy industry. Other types of data have been gathered and could be used to fine tune our model.

6.4.1 Genetic Data

In the current state, our model is considering each sequence as an instance of the same cow. Using genetics as a cow embedding would help our model to distinguish two cows and make more specific predictions. Many cows are also genotyped for the most frequent genetic variants. These data would need extensive feature engineering in order to keep the input reasonably small, but some research has already been conducted on this matter (Calus et al., 2018). We could then use the same method to integrate the genotypic information in the first hidden state.

6.4.2 Feed Information

A key aspect to the dairy production is the food intake of the cow. The only data we used on this matter is a global feed cost $c_{i,t}$, estimated by the farmer. We used it to model the profit $p_{i,t}$ but not as a feature itself. Nevertheless, it would be possible to retrieve fine-grained data on this matter and thus build a more accurate model. For now we only had feed cost for 30% of the cows and had to impute the rest with a

rather brutal method (herd mean or global mean). We compared the prediction made by MuMu on the cows who had information on their feed cost versus the one who did not.

Table 5: **Feed Cost influence**, n is the number of cows, mean and σ are the mean and the standard deviation of the RMSE of the two predictions group.

	With Feed Cost	Without Feed Cost
n	67 227	70 515
mean	7.83	8.91
σ	6.48	7.42

It appeared to be significantly better ($t = -78.1, p < 10^{-12}$) when there was information on Feed Cost. So it seems like there are still place for improvement in this direction.

6.5 Transfer Learning to Other Breeds

Typical model in the dairy industry are suited for only one breed. So we chose to follow this choice and train our model for the Holstein cows that constituted 92.8% of our dataset. We could therefore train our model for other breeds and customize for each breed even if we have few instances of them. We asked our model to predict the profit for the cows of other species and it showed some interesting results. It failed to outperform ARIMA for the CN breed because there production is quite different from the HO breed and we have very few examples.

Table 6: **Performance across breeds**, Breeds: AY = Ayrshire, BS = Brown Swiss, CN = Canadienne, JE = Jersey, n is the number of cows, RMSE and MAE are the errors in dollar, over is the percentage the cows over-estimated in our recommendation, under is the percentage of cows underestimated by our model.

	AY	JE	BS	CN
n	19 432	8 346	2 794	847
RMSE _{MuMu}	9.72	9.09	8.49	12.6
RMSE _{ARIMA}	13.5	12.9	13.3	10.8
MAE _{MuMu}	7.54	7.10	6.32	10.9
MAE _{ARIM}	10.4	9.71	9.90	8.30

7 CONCLUSION

This paper presents a first attempt to predict the future profit of cows based on early information. The proposed models achieves better results than ARIMA statistical model. This shows that data-driven can be

used to improve decisions made by farmers and increase their profit. With such models, they can anticipate almost any decision. Future direction is to include more data and integrate new factors. We also shed light on some interesting paths we should follow in order to improve the results.

REFERENCES

- Abadi, M., Barham, P., Chen, J., Chen, Z., Davis, A., Dean, J., Devin, M., Ghemawat, S., Irving, G., Isard, M., et al. (2016). Tensorflow: A system for large-scale machine learning. In *12th {USENIX} Symposium on Operating Systems Design and Implementation ({OSDI} 16)*, pages 265–283.
- Auld, M. and Hubble, I. (1998). Effects of mastitis on raw milk and dairy products. *Australian journal of dairy technology*, 53(1):28.
- Bengio, Y., Simard, P., Frasconi, P., et al. (1994). Learning long-term dependencies with gradient descent is difficult. *IEEE transactions on neural networks*, 5(2):157–166.
- Borchers, M., Chang, Y., Proudfoot, K., Wadsworth, B., Stone, A., and Bewley, J. (2017). Machine-learning-based calving prediction from activity, lying, and ruminating behaviors in dairy cattle. *Journal of dairy science*, 100(7):5664–5674.
- Box, G. E., Jenkins, G. M., and Reinsel, G. (1970). Time series analysis: forecasting and control holden-day san francisco. *BoxTime Series Analysis: Forecasting and Control Holden Day1970*.
- Box, G. E., Jenkins, G. M., Reinsel, G. C., and Ljung, G. M. (2015). *Time series analysis: forecasting and control*. John Wiley & Sons.
- Bruinsma, J. (2017). *World agriculture: towards 2015/2030: an FAO study*. Routledge.
- Calus, M., Goddard, M., Wientjes, Y., Bowman, P., and Hayes, B. (2018). Multibreed genomic prediction using multitrait genomic residual maximum likelihood and multitask bayesian variable selection. *Journal of dairy science*, 101(5):4279–4294.
- Canova, F. and Hansen, B. E. (1995). Are seasonal patterns constant over time? a test for seasonal stability. *Journal of Business & Economic Statistics*, 13(3):237–252.
- Cho, K., Van Merriënboer, B., Gulcehre, C., Bahdanau, D., Bougares, F., Schwenk, H., and Bengio, Y. (2014). Learning phrase representations using rnn encoder-decoder for statistical machine translation. *arXiv preprint arXiv:1406.1078*.
- Choi, E., Bahadori, M. T., Schuetz, A., Stewart, W. F., and Sun, J. (2016). Doctor ai: Predicting clinical events via recurrent neural networks. In *Machine Learning for Healthcare Conference*, pages 301–318.
- Chollet, F. e. a. (2015). Keras. <https://keras.io>.
- Contreras, J., Espinola, R., Nogales, F. J., and Conejo, A. J. (2003). Arima models to predict next-day electricity prices. *IEEE transactions on power systems*, 18(3):1014–1020.
- Dohoo, I. R. and Martin, S. (1984). Subclinical ketosis: prevalence and associations with production and disease. *Canadian Journal of Comparative Medicine*, 48(1):1.
- Emmons, D., Tulloch, D., and Ernstrom, C. (1990). Product-yield pricing system. I. technological considerations in multiple-component pricing of milk. *Journal of dairy science*, 73(7):1712–1723.
- Erdman, R. A. and Varner, M. (1995). Fixed yield responses to increased milking frequency. *Journal of dairy science*, 78(5):1199–1203.
- Graves, A., Mohamed, A.-r., and Hinton, G. (2013). Speech recognition with deep recurrent neural networks. In *2013 IEEE international conference on acoustics, speech and signal processing*, pages 6645–6649. IEEE.
- Graves, A. and Schmidhuber, J. (2009). Offline handwriting recognition with multidimensional recurrent neural networks. In *Advances in neural information processing systems*, pages 545–552.
- Grinblat, G. L., Uzal, L. C., Larese, M. G., and Granitto, P. M. (2016). Deep learning for plant identification using vein morphological patterns. *Computers and Electronics in Agriculture*, 127:418–424.
- Hochreiter, S. and Schmidhuber, J. (1997). Lstm can solve hard long time lag problems. In *Advances in neural information processing systems*, pages 473–479.
- Hyndman, R. and Khandakar, Y. (2007). Automatic time series forecasting: the forecast package for r 7, 2008. URL <http://www.jstatsoft.org/v27/i03>.
- Jones, J. W., Antle, J. M., Basso, B., Boote, K. J., Conant, R. T., Foster, I., Godfray, H. C. J., Herrero, M., Howitt, R. E., Janssen, S., et al. (2017). Toward a new generation of agricultural system data, models, and knowledge products: State of agricultural systems science. *Agricultural systems*, 155:269–288.
- Kamilaris, A. and Prenafeta-Boldú, F. X. (2018). Deep learning in agriculture: A survey. *Computers and electronics in agriculture*, 147:70–90.
- Kussul, N., Lavreniuk, M., Skakun, S., and Shelestov, A. (2017). Deep learning classification of land cover and crop types using remote sensing data. *IEEE Geoscience and Remote Sensing Letters*, 14(5):778–782.
- Kuwata, K. and Shibasaki, R. (2015). Estimating crop yields with deep learning and remotely sensed data. In *2015 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*, pages 858–861. IEEE.
- Kwiatkowski, D., Phillips, P. C., Schmidt, P., and Shin, Y. (1992). Testing the null hypothesis of stationarity against the alternative of a unit root: How sure are we that economic time series have a unit root? *Journal of econometrics*, 54(1-3):159–178.
- Lipton, Z. C., Kale, D. C., Elkan, C., and Wetzel, R. (2015). Learning to diagnose with lstm recurrent neural networks. *arXiv preprint arXiv:1511.03677*.
- Maupomé, D., Queudot, M., and Meurs, M.-J. (2019). Inter and intra document attention for depression risk assessment. In *Canadian Conference on Artificial Intelligence*, pages 333–341. Springer.
- Nair, V. and Hinton, G. E. (2010). Rectified linear units improve restricted boltzmann machines. In *Proceed-*

- ings of the 27th international conference on machine learning (ICML-10), pages 807–814.
- Rahmehoonfar, M. and Sheppard, C. (2017). Deep count: fruit counting based on deep simulated learning. *Sensors*, 17(4):905.
- Ray, D., Halbach, T., and Armstrong, D. (1992). Season and lactation number effects on milk production and reproduction of dairy cattle in arizona. *Journal of dairy science*, 75(11):2976–2983.
- Rumelhart, D. E., Hinton, G. E., Williams, R. J., et al. (1988). Learning representations by back-propagating errors. *Cognitive modeling*, 5(3):1.
- Schaeffer, L. and Jamrozik, J. (1996). Multiple-trait prediction of lactation yields for dairy cows. *Journal of Dairy Science*, 79(11):2044–2055.
- Schmidhuber, J., Wierstra, D., and Gomez, F. J. (2005). Evolino: Hybrid neuroevolution/optimal linear search for sequence prediction. In *Proceedings of the 19th International Joint Conference on Artificial Intelligence (IJCAI)*.
- Sladojevic, S., Arsenovic, M., Anderla, A., Culibrk, D., and Stefanovic, D. (2016). Deep neural networks based recognition of plant diseases by leaf image classification. *Computational intelligence and neuroscience*, 2016.
- Smith, T. G. et al. (2017). pmdarima: Arima estimators for Python. <http://www.alkaline-ml.com/pmdarima>.
- Song, X., Zhang, G., Liu, F., Li, D., Zhao, Y., and Yang, J. (2016). Modeling spatio-temporal distribution of soil moisture by deep learning-based cellular automata model. *Journal of Arid Land*, 8(5):734–748.
- Ushikubo, S., Kubota, C., and Ohwada, H. (2017). The early detection of subclinical ketosis in dairy cows using machine learning methods. In *Proceedings of the 9th International Conference on Machine Learning and Computing*, pages 38–42. ACM.
- Wood, P. (1967). Algebraic model of the lactation curve in cattle. *Nature*, 216(5111):164.
- Zhang, G., Patuwo, B. E., and Hu, M. Y. (1998). Forecasting with artificial neural networks:: The state of the art. *International journal of forecasting*, 14(1):35–62.
- Zhang, J., Zhu, Y., Zhang, X., Ye, M., and Yang, J. (2018). Developing a long short-term memory (lstm) based model for predicting water table depth in agricultural areas. *Journal of hydrology*, 561:918–929.