A Study on the Public Construction Project Cost-Saving Practice Information Provision Service Method

Hyun Ok and Tae-Hak Kim

Korea Institute of Civil Engineering and Building Technology, Goyang-si, Republic of Korea

- Keywords: CODIL(COnstruction technology Digital LIbrary), CPIPS(Construction Project Information Portal System), Design Value Engineering, Cost-Saving Practices, Public Construction Projects.
- Abstract: Cost saving in construction projects consists in building structures with the most economical method while satisfying the user requirements with regard to the features and quality. Cost saving through systematic cost management is required to improve the competitiveness in line with the changing construction environment. Organizations affiliated with the Ministry of Land, Infrastructure, and Transport are striving to save on construction costs by reviewing the economic efficiency of their designs, process management, and project management when implementing public construction projects. They are sharing the design value engineering (VE) results information among the public ordering agencies during the design stage, but the sharing of the cost-saving practices in the construction stage is still insufficient. This study presented step-by-step information systems development and service methods so that people can refer to and utilize cost-saving practices in similar construction projects while carrying out public construction projects. The results of this study are expected to contribute to more rational decision-making in and the higher investment efficiency of public construction project sthrough the analysis and provision of cost-saving cases information for each stage of the construction project life cycle, such as the planning, design, construction, and maintenance stages.

1 INTRODUCTION

It is difficult to estimate the profit and loss of construction projects compared to the projects in other fields or industries because there is a high degree of uncertainty in the contract execution process. Therefore, the cost of the whole process of a construction project must be managed economically within the specified budget through cost management [1]. Cost saving consists in building structures with the most economical method while satisfying the user requirements with regard to the features and quality. Cost saving through systematic cost management is required to improve the competitiveness in line with the changing construction environment. The Ministry of Land, Infrastructure, and Transport (MOLIT) and their affiliated organizations, such as corporations and industrial complexes, are striving to save on construction costs by reviewing the economic efficiency of designs in the design stage ("Design value engineering" or "Design VE"), as well as the process and project management during the construction stage. At present, the design VE results information is being shared among the public ordering agencies during the design stage, but the

sharing of cost-saving practices in the construction stage is still insufficient.

This study was conducted to build an information system for sharing cost-saving practice information during the performance of public construction projects, and to present an information service method for utilization in the public and private sectors. The results of this study will contribute to the efficient execution of public construction projects through the reference and utilization of related information by the MOLIT-affiliated organizations, local governments, public ordering agencies, and construction companies.

2 STATUS ANALYSIS

2.1 Construction Management System Status

The cost-saving practices of public construction projects refer to success stories that enabled cost savings in construction projects through technical development and project management by MOLIT and

248

Ok, H. and Kim, T-H.

DOI: 10.5220/0006083202480253

Copyright © 2016 by SCITEPRESS - Science and Technology Publications, Lda. All rights reserved

A Study on the Public Construction Project Cost-Saving Practice Information Provision Service Method.

In Proceedings of the 8th International Joint Conference on Knowledge Discovery, Knowledge Engineering and Knowledge Management (IC3K 2016) - Volume 3: KMIS, pages 248-253 ISBN: 978-989-758-203-5

its affiliated organizations, local governments, public ordering agencies, and construction companies [2]. MOLIT requires a review of the design VE during the basic and working design stages for public construction projects with a minimum total project cost of 10 billion won, in accordance with the "Enforcement Guideline for the Review of the Economic Efficiency of Designs, Etc." Furthermore, the results of the design VE are registered and managed through the Design VE Madang in the Construction Project Information Portal System, and the design VE information is shared among the MOLIT-affiliated organizations, local governments, public ordering agencies, and construction-related organizations. The design VE information is limited, however, because it contains only the ideas and improvements in the basic and working design stages as well as summarized information regarding cost-MOLIT-affiliated saving practices. The organizations, such as corporations and industrial complexes, are sharing information by publishing their collections of cost-saving practices in the planning, design, and construction stages. The regional construction and management offices, however, which are affiliated with MOLIT, are not yet publishing or sharing their cost-saving practices.

2.2 Investigation and Analysis of the Current Research Trends

The studies on the cost-saving practices of construction projects have been mostly about the application cases of design VE and the improvement of the construction and engineering methods. Other studies include those on the cost management and saving methods for unit constructions as well as on the construction types, cost-saving methods through schedule management, and analysis of the factors influencing the construction cost.

The analysis of the current research trends revealed that there have been few studies on the costsaving practice information sharing and service methods for improving the efficiency of public construction projects. Therefore, research on information sharing and service is required for the integrated and systematic management and utilization of cost-saving practices in the execution of public construction projects in the future.

2.3 Analysis of Cases of FMMS-based Bridge Inspection and Analysis

FMMS's inspection and diagnosis menu consists of planning in line with the above workflow,

management of the inspection history, inquiry about the damage photos by member and about the maps of damages by visual inspection, internal approval, and confirmation of the inspection book. Fig. 1 shows cases of the history of inspection and diagnosis.

3 INFORMATION SYSTEM DEVELOPMENT AND SERVICE METHODS

In this study, to develop a cost-saving practice information system for construction projects, the design changes, design standards, and operation process revisions were analyzed based on the "Collection of Expressway Design Work Practices" published by Korea Expressway Corporation. Furthermore, a database (DB) of cost-saving practices and original data such as project outlines, status, problems, improvements, and conclusions with regard to construction cost-saving practices was constructed through the preparation of metadata [2].

The construction project cost-saving practice DB was designed to consist of four major types of information: "cost-saving practices", "cost-saving practice application details", "cost-saving practice utilization plans", and "cost-saving practice common codes". The cost-saving practice information includes the general status information of construction projects, including the project outlines. The costsaving practice application details consist in the processing status and the results of requests for costsaving practices in public ordering agencies and construction companies. The cost-saving practice utilization plans allow the entry of a detailed utilization plan to view or download cost-saving practice information or attached files. The cost-saving practice common codes define classification names, classification types, and codes according to the integrated construction information classification system to improve the search and view convenience.

In this study, a step-by-step information system development method was prepared for the utilization and integrated management of cost-saving practice information in the future by MOLIT and the regional construction and management offices.

First, the construction project cost-saving practice information system was set up in such a way that it can be serviced from CODIL (Construction Technology Digital Library), which corresponds to a unit system of the Construction Project Information System, one of MOLIT's operation systems. CODIL is easily accessible by the MOLIT-affiliated



Figure 1: Concept diagram of the CPIPS (Construction Project Information Portal System).

organizations, local governments, public ordering agencies, and construction companies because it is located on the Internet. When MOLIT and the regional construction and management offices, however, which are on the organization network (internal network), want to view cost-saving practices, they must change from the organization network to the Internet before logging on to CODIL, which is inconvenient.

To address this problem, an upgrade plan was first established for the development of the cost-saving practices view feature on the Construction Project Information Portal System (for agencies/public) and for service provision in connection with CODIL, and for later enabling integrated management through the development of management features for cost-saving practices in the future.

The construction project information portal system is a gateway to the construction project information system. It works as a single-access window and performs public services by integrating the information from each construction project information unit system and their operating environments. The system enables the sharing of diverse construction information. The figure below is a concept diagram of the said system. The construction project information portal system consists of the agency portal system, which is used by the MOLIT headquarters and subagencies, such as regional construction and five management administrations, and the public portal system, which

is used by the MOLIT subagencies, other departments, municipalities, construction companies, and the general public. The agency portal system has 10 major functions, including the operation of the central committee, and the public portal system has 10 major functions, including the post-evaluation of construction projects, design VE square, online turnkey square, design drawing information square, and cost reduction cases of construction projects. For the development of the view feature for construction project cost-saving practices, a DB of cost-saving practices will be developed and managed in CODIL before developing OpenAPI. Next, for the public portal system, a metadata collection feature for costsaving practices will be developed for linking with CODIL. Lastly, information linking with the public portal system will be developed so that the MOLIT users can access the agency portal system to search and view cost-saving practices [3]. The following figure shows a conceptual diagram for the development of a cost-saving practices view feature [4].

Next, the development of cost-saving practice management features is identical to the development of the cost-saving practices view feature, but first, a public portal system-CODIL cost-saving practices synchronization process must be developed. Next, the cost-saving practices search, view, entry, and modification features through the agency portal system will be developed for the MOLIT users. A Study on the Public Construction Project Cost-Saving Practice Information Provision Service Method







Figure 3: Development of construction project cost-saving practice management features.

Furthermore, the downloading feature for the attached files regarding cost-saving practices will be developed in such a way that the downloading of such files will be allowed only after a utilization plan is entered [3]. The following figure shows a conceptual diagram of the development plan for the cost-saving practice management features.

A cost-saving practice icon was added to the initial screen of the Construction Project Information Portal System for agencies so that it can be used to view the same information as the cost-saving practices entered in CODIL [4].

The initial screen of the agency portal system was developed in such a way that selecting the construction project cost-saving practice icon on the initial screen will show the list of cost-saving practices, and selecting an item in this list will allow the user to download the details of and the attached files regarding the selected cost-saving practice [4].

MOLIT-affiliated organizations, local The governments, public ordering agencies, and construction-related organizations such as associations should maintain a cooperation system for the continuous expansion of the cost-saving practice DB for public construction projects in the future. Furthermore, the services must be increased and the features must be upgraded so that construction sites and workers can frequently refer to the cost-saving practice DB [2]. In particular, such issues as double management of data and synchronization between CODIL and the Construction Project Information Portal System could arise due to the development of the construction project cost-saving practice management features. Therefore, the integrated information service of the construction project costsaving practices requires the preparation of system upgrade plans considering the efficient management of the computing resources.

KMIS 2016 - 8th International Conference on Knowledge Management and Information Sharing

| 국토교등부 포 | 열사업성 털시스 | 템 | 건설사 | 업정보 | 화(CAL | S)소개 | 법령정보 | <u>i</u> | 통계정보 | 컨 | |
|--|---|--|--|----------------|---|--|--|--|--|--|--|
| 건설사업정보포털시스 | 5 | | 인하가 | | The | | | | | 접속중 Login | |
| 방문을 환영합 | ur. | | | 건성 | 설인허기 | | | 실사 | 법관리 | 건물(관리지 로 | CALS센터 1 님 접속량 그야웃 |
| 건설인하가및/ 2 2 2 3 2 3 2 0 2 3 2 5 2 3 2 4 5 2 3 2 4 5 2 3 2 4 5 2 3 2 4 5 2 3 2 4 5 2 5 4 5 2 5 4 5 2 5 4 5 2 5 4 5 2 5 2 | 사업관리)건 | 58 G | الاللة معنى المعالم الم المعالم المعالم | | 용지보상 | 5 | 이 도로자리 | 1 문 문 문 | 지관리 | 응어(8) 클라우드 전환 원 클라우드 서비스 건설사업정보시- [공지]건설사업정 [장기점검] 시스 2014년 3분기 건: [시스템증지] 용 | 범진 08 건환 안 상봉 클라우 양보시스템 영 점검 설사 지보상시 |
| 선설공사 원가결강 | 건송 | 공사원 | !가절감 | | | | 몸 > 컨뷰용사발가(| 82 > 29 | 249782 | 건설공사 원가철 | 감사례 청 |
| 1설공사 원가결감 건설용사원개월경 | 건송 | 1공사원 | I가절감 | | 2041128 | | (4) 2 (4 | 92×20 | 849782 | 2484 878 | |
| 1설공사 원가결감 건설공사원가열감 | 건송 | l공사원 ^{거円} | 1가절강 | | 작성기관 | | 동 > 전달용사일가i | 2>23 | 249782 | | |
| 1설공 <mark>사</mark> 왕가결강 5성분사용개요값 | 건송 | l공사원 거역 | 기위 | B-427(2) | 24871 2 255922 | 2008 | E > 전설용사업/H (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | 2028 | | 건설공사 원가열 1 eg | 감사레 8 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) |
| 설공사 왕가결강 5월848개월경 | 건설 No 1 | 1 공사원 개목 데스Ħ2 | 1가절감 | 3.WQ | 작성가관 작성도관 2014/11/18 | 2(g)129 6() | 표 > 컨뷰용사용가! 기관방위 지방국토관리성 | 22 > 20 20 20 20 20 20 20 20 20 20 20 20 20 2 | 849780 C CC 2748 N2 | 건설공사 원가열 1 gg 1 gg 건설 | 감사례 항 500 000 설공사원가절감 리이토하메느억 |
| [설공사원가결강] 753848개82 | | HR HR H <u>C</u> R2 MD 문 R2 | 가절감 | ₹497€Ľ | R12712 R125272 2014/11/18 2011 | 2007-20 60-52 1245-52-4 | 표 > 컨뷰플사일가!) 20분위 지방국로 24성 글사 > 한국도 26년 | 2>20 23 23 23 23 23 24 23 21 24 | 2948 2948 3259 | 건설공사 원가열 1 gg 1 gg 건설 건설 건설 건설 건설 건설 2 건설 | 감사례 항 50 (6) 50 (7) 성공사원가절감 라인통합메뉴얼 |
| (설공사원가열감 이영홍48개월감 | 건 4 1 2 3 | 1공사원 개목 데스S2 레이는 10 도서장인 | 가정강 기역 27명 4건5만 28 57년 406년 8년 28 | ₹49Q | 75%7129 75%277 2014/11/28 2011 | | 종 > 전설용사업/11 기관(영취 지방국요간426 응사 > 한국도도응사 공사 > 한국도도공사 | 8월 > 전영 공용분류 도급 기타 부대금 | 2948 XC 2550 XC 2550 XC 2550 XC 2550 | 2484 878 1 a 24 24 24 24 24 24 24 24 24 24 24 24 24 | 감사례 항 500 000 500 000 000 000 000 000 |
| 1설공사원가결강 19성공487782 | 건 6 1 2 3 4 | HR HR 데스S2 에이운 적 도식장 안 더날 안동 | 27월 22 고려 27년 주년 28년 8년 년 년 28년 28년 28년 8년 년 년 18년 28년 28년 28년 28년 28년 28년 28년 28년 28년 2 | 849782 | 2014/10/28 2014/10/28 2011 2011 | | 표 > 컨뷰팅사업/11 기관波明 지방국로관리성 평사 > 한국토로등과 동사 > 한국토로등과 동사 > 한국토로등과 | 8월 > 7년 11 공동보류 모금 기타 부대금 티일곱 | 20038 NG 20550 NG 20550 NG 20550 NG 20550 NG 20550 20550 20550 | 건설공사 원가열 1 81 (1 81 (1 81) (1 81) (| 감사례 항 50 |
| 1설공사 원가결강 건설공사회개333 | 전성 80 1 2 3 4 5 | HR HR 데스S2 데이프 적 도서관 단 더날 단을 당당의 클 | 27절강 24년 2년 4년 11년 11년 11년 11년 11년 11년 11년 11년 11년 | ₹ <i>4</i> 912 | 2014/11/28 2014/11/28 2011 2011 2011 | | 표 > 컨뷰팅사용가 가운경해 지방국호관4성 문사 > 한국도로등사 문사 > 한국도로등사 문사 > 한국도로등사 문사 > 한국도로등사 문사 > 한국도로등사 문사 > 한국도로등사 | 82 > 관향 공용분류 모공 기타 부대공 티날공 기타 | 249782 2018 M2 2699 70720 2699 2699 2699 2699 2699 26999 26999 26999 | | 감사례 항 50 |
| 1설공사 원가결강 건설공사원가별강 | 건설 80 3 4 5 6 | HR HR 데스트2 레이는 작 데이는 작 데이는 작 데이는 작 데이는 같이 다니 같이 당 같이 더 같이 같이 당 같이 더 당 같이 더 나이 것이 다. 한 것이 더 다. 한 것이 더 다. 한 것이 다. 한 것이 더 더 더 더 더 것이 더 더 것이 더 더 더 더 더 것이 더 더 더 더 더 더 더 더 더 더 더 더 더 더 더 더 더 더 더 | 27절강 고액 고액 27년 42년년 원호 8년 년 78년 8년 21 25 7 47년 42년 11년 8년 21 25 11년 11년 11년 11년 11년 11년 11년 11년 11년 11년 | 3.40°Q | 79/87129 79/85279 2014/11/29 2011 2011 2011 2011 | 200709 60.002 10755834 10755834 10755834 10755834 10755834 10755834 | 초 > 건설용사용가(기년)20년 지방국로관리성 문사 > 한국도로공사 문사 > 한국도로공사 문사 > 한국도로유사 문사 > 한국도로유사 문사 > 한국도로유사 문사 > 한국도로유사 | 82 > 관향 공용분류 모공 기타 부대공 티날공 기타 | 2008 2008 322 2250 3550 3550 2550 2550 2550 2550 | 건설공사 원가열 1 년 1 년 전 년 (1 년 1 년 1 년 1 년 1 년 1 년 1 년 1 년 1 년 1 년 | 감사원 항 50 000 50 000 24공사원가절감 라인통합메뉴얼 역산회재사원 505m 4-Net 바로가기 |
| 1설공사 원가정감 건설유사원가정감 | 24 100 1 2 3 4 5 6 7 | H용사원 비소52 이소52 이소52 이소52 이소52 이소52 이소52 이소52 이 | 가정값 >>>>>>>>>>>>>>>>>>>>>>>>>>>> | 849782 | 79/87129 79/85079 2014/11/19 2011 2011 2011 2011 | 200709 60.002 10755834 10755834 10755834 10755834 10755834 10755834 | 초 > 건설용사용71 7년2년第 지당권호관48 교사 > 한국토로분4 교사 > 한국토로분4 교사 > 한국토로분4 교사 > 한국토토분4 교사 > 한국토토분4 | 8월 > 관향 종종분류 도급 기타 탁남품 기타 티날품 기타 | 848782 2938 2938 42 2938 42 2358 42 2358 42 2358 42 2358 42 2358 42 2358 42 2358 42 2358 42 2358 42 2358 43 45 45 45 45 45 45 45 45 45 45 | 건설공사 원가열 1 80 (1 80 (1 80 (1 80 (1 80 (1 80)) (1 80) (1 | 감사적 항 500 (44) 500 (44) 철공사원가절감 라인통합메뉴얼 역산회계시스템 87: 1 Annurel States A-Net 바로가기 |
| 1설공사 원가절감 2018년 4월 7월 2019 | 20 4 100 1 2 3 4 5 6 7 0 | HR HR 데스트 22 데이프 34 도 42 인 터너 128 당 같으로 탄 같으로 탄 25 대 탄 25 | 27월23 고려 고려 고려 고려 고려 고려 고려 고려 고려 고려 고려 고려 고려 | 84712 | - 9087129 2014/11/19 2014 2011 2011 2011 2011 2011 2011 | 전설기관 태스코고 한국도로과사 한국도로과사 한국도로과사 한국도로과사 한국도로과사 | 8 > 간보위사발가 기단전문序 지당국동 2424 교사 > 안국도 모르사 교사 > 안국도 모르사 | 8월 > 관향 공용보류 도급 기타 타남문 기타 티남문 기타 기타 | 2014 < | 건설공사 회가의 1 80 년 1 80 | 감사적 항 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) |
| 1설중사 딸가랑감 전호유사환개함값 | 244 100 1 2 3 4 5 6 7 0 9 | 제목 제목 데너희 데너희 < | 가장감 지역 고역< 수입었는 값값 | 8472 | - 9087129 2014/17/19 2014/17/19 2011 2011 2011 2011 2011 2011 2011 | 전성기관 태소변2 한국도로공사 한국도로공사 한국도로공사 한국도로공사 한국도로공사 한국도로공사 한국도로공사 | 고 고 고 고 고 고 고 고 고 고 고 고 고 고 고 고 고 | 92 > 관향 공용보류 보급 기타 탁대공 기타 티날공 기타 티날공 기타 기타 기타 기타 기타 | | 건설공사 회가열 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 감사적 항 500 (이용 이용 이 |

Figure 4: Initial screen of the construction project cost-saving practice portal system for agencies.



Figure 5: Detailed screen of the construction project cost-saving practice portal system for agencies.

4 CONCLUSIONS

This study aimed to improve the efficiency of construction project execution through the sharing and propagation of cost-saving practice information among public ordering agencies, such as the organizations affiliated with the Ministry of Land, Infrastructure, and Transport (MOLIT), by building a database (DB) and providing information services based on the cost-saving practices of the affiliated organizations, such as Korea Expressway Corporation, for public construction projects. For this purpose, step-by-step information development and cost-saving practice information service methods were presented so that cost-saving practices can be referred to and utilized for similar public construction projects.

The analysis and provision service of cost-saving practice information by life cycle stage of public construction projects, such as the planning, design, construction, and management stages, are expected to contribute to more rational decision-making in, and the higher investment efficiency of, public construction projects in the future.

REFERENCES

H. P. Woo, "A study of cost management and reduction strategy in construction work [master's thesis]", University of ULSAN, pp.1-3, (2012).

- Ministry of Land, Transport and Maritime Affairs (MOLIT), "15 Operation of Construction Technology Knowledge Information Database and Service System, final report", Korea Institute of Civil Engineering and Building Technology (KICT), pp.79-118, (2015).
- MOLIT, "14 Operation and Technical Improvement of Construction CALS System (II) final report", KICT, pp.208-212, (2014).
- MOLIT, "15 Operation and Technical Improvement of Construction CALS System (Π) final report", KICT, pp.64-67, (2015).
- CPIPS(Construction Project Information Portal System), http://www.calspia.go.kr
- CODIL(Construction Technology Digital Library), http://www.codil.or.kr

