Factors Associated with Exclusive to Giving Breastfeeding Infants Tambora in the Community Health Center, West Jakarta Year 2019

Dara Desyaila Putri and Ira Marti Ayu

Department of Public Health, Faculty of Health and Sciences, University of Esa Unggul, Jl. North Arjuna 9, Rt.1 / RW.2, Duri Kepa, Jakarta Raya 11510, Indonesia

Keywords: Exclusive Breastfeeding, Infants, Influencing Factors.

Abstract: Based on the Data Provided, Exclusive Breastfeeding in the Tambora District Health Center by 47.6% is still below the targets of the Indonesian national government. This study discusses the factors associated with exclusive breastfeeding in the Tambora Community Health Center Working Area in West Jakarta in 2019. This study uses a cross-sectional design with a sample of 53 mothers who have 180-365 days of babies, using the stratified sampling techniques sampling method Analyzed by the Chi-square test. Univariate results items, namely exclusive breastfeeding (56.6%), mothers who did not work (64, 2%), good knowledge 58.5), receiving family support (52.8%), receiving support from health workers (62.3%). There was a relationship between maternal parity (PR = 2.100, 95% CI = 1.077 to 4.093), maternal knowledge (PR = 2.192, 95% CI = 1.162 to 4.4134), family support (PR = 3.173, 95% CI = 1,486- 6.775) and health care support (PR = 3.771, 95% CI = 1.886 to 7.543) with exclusive breastfeeding for infants. It is expected to add material and conduct questions and answer questions after updating and monitoring with the help of Cadres.

1 PRELIMINARY

Exclusive Breastfeeding is the first food, main and that are best for the baby naturally. Exclusive breastfeeding is the infant only given breast milk alone, since the age of 30-minute postnatal (after birth) until the age of 6 months without additional other liquids such as milk formula, orange, maduk, mineral water, biscuits, rice porridge, juice beet and rice team except drink medicines and vitamins (Prasetyono, 2009); (Wilyani & Purwoastuti, 2015); (Roesli, 2000), Exclusive breastfeeding is still a problem in the world. Scope of exclusive breastfeeding in the world only by 41%. Scope of exclusive breastfeeding highest in the world were in East and Southern Africa by 56%. While in Asia coverage of exclusive breastfeeding with the highest coverage is in South Asia by 52% and the lowest coverage in the Asia Pacific and East Asia by 22% (UNICEF, 2018),

Based Health Research (RISKESDAS) in 2018 that the proportions pattern of exclusive breastfeeding in the last 24 hours only breast milk consumption and not to eat or drink in the last 24 hours in infants aged 0-5 months in Indonesia amounted to 37.3% and the proportion of pattern exclusive breastfeeding in infants 0-5 months of Jakarta approximately 33% (Kemenkes RI, 2018),

Based on the data from Jakarta Health Profile 2017, the number of infants who are exclusively breastfed for 28 880 out of a total of 51 978 babies. Based on the region implement exclusive breastfeeding in North Jakarta (71.67%), South Jakarta (69.59%), East Jakarta (61.22%), Jakarta (55.54%), Thousand Islands (54%) and the lowest was in West Jakarta (41.70%) (Jakarta Provincial Health Office, 2017),

Mothers who breastfeed the child has long-term health benefits such as reduced risk of being overweight or obese. While the children are breastfed by his mother's influence on health outcomes will come which is to protect children against gastrointestinal infections diseases to infectious diseases gastrointestinal (diarrhea), respiratory tract infection (pneumonia), stunting and ear infections. Besides the importance of breastfeeding can reduce and prevent allergic diseases, asthma, malnutrition and obesity. In Indonesia there are 31.36% from 37.94% a sick child because it does not receive exclusive breastfeeding (WHO, 2019); (Kemenkes RI, 2019); (Prasetyono, 2009),

Putri, D. and Ayu, I.

Factors Associated with Exclusive to Giving Breastfeeding Infants Tambora in the Community Health Center, West Jakarta Year 2019. DOI: 10.5220/0009563100590064

In Proceedings of the 1st International Conference on Health (ICOH 2019), pages 59-64 ISBN: 978-989-758-454-1

Copyright (c) 2020 by SCITEPRESS - Science and Technology Publications, Lda. All rights reserved

Tambora Puskesmas is one of public health services in the area of West Jakarta. Scope of exclusive breastfeeding in Puskesmas Tambora in 2018 was still low at 63.1%. Tambora Puskesmas oversees nine health centers in the villages working area, one of the health centers coverage to its lowest exclusive breastfeeding Urban Village Puskesmas Tambora with the achievements of exclusive breastfeeding 47.6%. Tambora Urban Village Puskesmas data show that in 2018 cases of diarrhea in infants aged 6-12 months as many as 26 people (32.5%) and cases of malnutrition by 1 person (1.25%).

Based on the description above, the researchers are interested to do research with title Factors -Factors Associated with Exclusive Breastfeeding Baby in Tambora Urban Village Puskesmas 2019.

2 RESEARCH METHODS

This research uses quantitative approach with the aim to get an idea by studying the relationship between the dependent and independent variables. This study used cross sectional design because in this study were mothers with babies 180-365 days with a sample size of 53 respondents. Sample calculations performed using two different formulas proportions. The sampling technique in this study using *probability Sampling* techniques *Stratified Sampling*.

The collection of data that will be used in the form of primary data is done by using a questionnaire to interview contains questions such as age, parity, employment status, knowledge, family support and support of health workers. Furthermore, the data were analyzed using univariate performed each variable, while bivariate analysis done with chi-square test using SPSS with significance level of p = 0.05(CI = 95%).

3 RESULT

The result showed that the variables Exclusive breastfeeding The highest proportion is in exclusive breastfeeding mothers who were 30 infants (56.6%), while the lowest proportion is the mother who does not give exclusive breastfeeding as much as 23 infants (43.4%). Results showed that maternal employment status variables The highest proportion is in women who do not work as many as 34 mothers (64.2%), while the lowest proportion is the working mother as many as 19 mothers (35.8%).

Table	1:	An	overview	of	each	Variable	Exclusive
breastf	eedi	ng Ir	Infants	at Vi	llage	Puskesmas	Tambora,
West Ja	akar	ta 20	19.				

Variables	Frequency	Percentage (%)		
Exclusive breastfeeding				
Exclusive breastfeeding photo	23	43.4		
Exclusive breastfeeding	30	56.6		
Mother work status				
Work	19	35.8		
Does not work	34	64.2		
Knowladge				
More knowladge	22	41.5		
Good knowladge	31	58.5		
Family support				
Does not support	25	47.2		
Support		52.8		
Support Health Officer				
Does not support	20	37.7		
Support	33	62.3		

Results showed that the variables mother's knowledge The highest proportion is in women who have a good knowledge as many as 31 mothers (58.5%),while the lowest proportion is in women who have poor knowledge as many as 22 mothers (41.5%). Results showed that the variables of family support the highest proportion in mothers family support as many as 28 mothers (52.8%), while the lowest proportion is in mothers no family support as many as 25 mothers (47.2%). Results showed that on the variable support health workers the highest proportion in mothers support health workers as much as 33 mothers (62.3%),while the lowest proportion is in mothers do not get the support of health workers by 20 mothers (37.7%). Factors Associated with Exclusive to Giving Breastfeeding Infants Tambora in the Community Health Center, West Jakarta Year 2019

	Exclusive breastfeeding				Total		<i>P</i> -	PR (95% CI)
Variables	No		Yes				Value	
	N	%	Ν	%	Ν	%		
Mothers Work Status								
Work	9	47.4	10	52.6	19	100.0	0.883	1,150
Does not work	14	41.2	20	58.8	34	100.0	0.885	(0.618 to 2.141
Knowledge								
More knowledge	14	63.6	8	36.4	22	100.0		2.192
Good knowledge	9	29.0	22	71.0	31	100.0	0,026	(1.162 to 4.134
Family support								x
Does not support	17	68.0	8	32.0	25	100.0	0,002	3.173
Support	6	21.4	22	78.6	28	100.0		(1.486 to 6.775
Support Health Officer								× ·
Does not support	16	80.0	4	20.0	20	100.0	0.000	3.771
Support	7	21.2	26	78.8	33	100.0	0,000	(1.886 to 7.543

Table 2: Proportion of Exclusive Breastfeeding with Independent Variables in Infants in urban village Puskesmas Tambora, West Jakarta 2019.

4 DISCUSSION

4.1 Job Status

Based on the survey results revealed there is no relationship between maternal employment status with exclusive breastfeeding. This is in line with research conducted by Susmaneli (2013) showed that there was no correlation between employment status with exclusive breastfeeding. Another line of research is research conducted by Trisnawati et al., (2013) showed no association between maternal employment status with exclusive breastfeeding. Mothers who work in an effort to exclusive breastfeeding often experience barriers due to the short period of maternity leave. Exclusive breastfeeding before ending perfectly, mothers have started to work, it is used as a reason for not breastfeeding mothers, especially mothers who exclusively in urban areas (Prasetyono, 2009), but the results of the study claim there is no relationship between maternal employment status with exclusive breastfeeding. This may be caused by other factors such as knowledge, family support and support of health workers.

4.2 Mother's Knowledge

Based on the survey results revealed there is a relationship between knowledge of mothers with exclusive breastfeeding. This is in line with research conducted bySusmaneli (2013) shows that there is a relationship between knowledge of mothers with exclusive breastfeeding. Another line of research is research conducted by Trisnawati et al., (2013)

showed no association between maternal knowledge with exclusive breastfeeding. One's knowledge of the object has a different intensity. Knowledge and understanding enough about breastfeeding in terms of feeding positions, treat breast, stimulate breast milk, the benefits and advantages of breastfeeding, will motivate mothers to breast feed properly and will increase the breastfeeding baby (Maryunani, 2012), Efforts are underway health centers to improve knowledge of the mother in the form of counseling pregnant women and education puerperal women with delivery of material in the form of the sense of exclusive breastfeeding, the benefits of breastfeeding, how to express the milk, breastfeeding is right, what is breast milk colostrum, the substance contained in breast milk and how to facilitate breastfeeding without question and answer. As for storage, the composition of breast milk and breastfeeding infants marks are not described in these materials.

4.3 Family Support

Based on the survey results revealed there is a relationship between family support exclusive breastfeeding. This is in line with research conducted byRubinem (2012) shows that there is a relationship between family support exclusive breastfeeding. Another line of research is research conducted by Trisnawati et al., (2013) showed no relationship between family support exclusive breastfeeding. According toMubaraq (2012), The family is the strategic focus of health care because the family has a major role in maintaining the health of all family members, and family issues are interrelated, the

family can also be a place in health care decision makers. Support husband greatly affect family, especially exclusive breastfeeding for infants. That the support of the family, especially the husband is very important in the success of the mother to produce the quality and quantity. When the mother was having difficulty with breastfeeding, a husband who can not wait will advise mothers to switch to formula (Fikawati et al, 2018). Based on the interview with the mother, because of family reasons do not support her husband have entrusted the affairs of the house and the child to the mother. Then when it is experiencing difficult to breastfeed then husband/ family suggested that formula feeding in anticipation of the baby is hungry. As for the efforts of health centers that provide education about the role of the family in the exclusive breastfeeding when the mother's womb control with the family.

4.4 Support Health Officer

Based on the survey results revealed there is a relationship between health workers to support exclusive breastfeeding. This is in line with research conducted by Arifiati (2017) shows that there is a relationship between health workers with the support exclusive breastfeeding. Another line of research is research conducted by Rubinem (2012) showed no relationship between support health workers with exclusive breastfeeding. An important role for menunjung success of breastfeeding, health care workers are required to provide information and education exclusive breastfeeding to mothers or members keluraga baby is concerned since prenatal care until the period of exclusive breastfeeding is finished and health officials are forbidden to promote and provide infant formula that dampat inhibit feeding programs exclusive breastfeeding unless there is a medical indication determined by a physician who require drinking milk formula (Fikawati et al., 2018). Based on the interview to health workers that in order to succeed in addition to the extension of exclusive breastfeeding during pregnancy and after childbirth education, health care workers to monitor every Posyandu, mothers with babies less than 180 days they were asked about exclusive breastfeeding or not. The results based on the observation that health officials are tasked to monitor infants aged less than 180 days amounted to only one person, so it is less effective. Efforts made health officials when mothers do not come to Posyandu appealed to cadres to pick up the ball that is attended to home, weighed and asked about exclusive breastfeeding.

5 CONCLUSION

These results indicate the relationship between mother's knowledge, family support and support of health workers. There was no relationship between maternal employment status.

6 SUGGESTION

To increase rates of exclusive breastfeeding in Puskesmas Village of Tambora in 2019 then puskesmas village added the material was enough milk, how breast milk storage and milk composition and conduct a question and answer after being given counseling and education and monitoring of exclusive breastfeeding monthly smoothly should health workers ask for help the cadres to conduct monitoring of exclusive breastfeeding on the following day for 6 months so that the monitoring is effective for reports posyandu every month.

ACKNOWLEDGEMENTS

This peneitian supervisor under the supervision of Mrs. Ira Marti Ayu, SKM., M.Epid, with the examiner's mother Mayumi Nitami, SKM., MKM and Mrs. PutriHandayani, SKM., M.KKK.

REFERENCES

- Afriyani, R., Savitri, I., & Sa'adah, N. (2018). Pengaruh Pemberian ASI Eksklusif di BPM Maimunah Palembang, 9, 330–334.
- Agow, L. L., Lestari, H., & Umboh, J. M. (2016). Faktor-Faktor Yang Berhubungan Dengan Pemberian ASI Eksklusif Di Wilayah Kerja Puskesmas Motoboi Kecil Kota Kotamobagu. Kesehatan Masyarakat, 30–39. Retrieved from https://bit.ly/2TZgPeu
- Arifiati, N. (2017). Analisis Faktor yang Mempengaruhi Pemberian ASI Ekslusif pada Bayi di Kelurahan Warnasari Kecamatan Citangkil Kota Cilegon. Kesehatan Masyarakat, 129–135. Retrieved from https://bit.ly/2G2AFC0
- Atabik, A. (2013). Faktor Ibu Yang Berhubungan Dengan Praktik Pemberian ASI Eksklusif Di Wilayah Kerja Puskesmas Pamotan. Skripsi Kesehatan Masyarakat. Retrieved from https://bit.ly/2uJioTC
- Awaliyah, R. Q., Yunitasari, E., & Nastiti, A. A. (2013). Faktor Yang Berhubungan Dengan Pemberian ASI Eksklusif Oleh Ibu Di Ponkesdes Pilang Kabupaten Sidoarjo. Keperawatan, 57–66. Retrieved from https://bit.ly/2U21NEY

Factors Associated with Exclusive to Giving Breastfeeding Infants Tambora in the Community Health Center, West Jakarta Year 2019

- Azwar, S. (2003). *Reliabilitas dan Validitas*. Yogyakarta: Pustaka Belajar.
- Badan Pusat Statistik. (2013). Survei Demografi dan Kesehatan Indonesia Tahun 2012. Retrieved from http://kesga.kemkes.go.id/images/pedoman/SDKI 2012-Indonesia.pdf
- Depkes RI. (2005). Manajemen Laktasi, Direktorat Jenderal Bina Kesehatan Masyarakat. Jakarta. Retrieved from http://bygbdu07nsa
- Dewi, M. U. (2013). Pengaruh Karakteristik Ibu Terhadap Pemberian Asi Eksklusif Pada Bayi Usia 0-6 Bulan Di Bpm Nurul Trianawati, Sst Surabaya. Keperawatan Dan Kebidanan, 146–150. Retrieved from http://bit.lyuhak89
- Dinas Kesehatan Provinsi DKI Jakarta. (2017). Profil kesehatan Provinsi DKI Jakarta tahun 2017. Retrieved from https://bit.ly/2HWTMPX
- Fikawati, S., Syafiq, A., & Karima, K. (2018). *Gizi Ibu dan Bayi*. Depok: Rajawali Pers.
- Friedman, M. M. (2010). Buku Ajar Keperawatan Keluarga. Jakarta: EGC.
- Garbhani, A. A. I. H., & Padmiari, I. A. E. (2015). Faktor-Faktor Yang Mempengaruhi Keberhasilan Pemberian ASI Eksksklusif di Wilayah Kerja Puskesmas I Denpasar Timur. Gizi, 1(2), 177–190. Retrieved from https://bit.ly/2G2AFC0
- Gibney, J. M., Margetts, M. B., Kearney, M. J., & Arab, L. (2015). Gizi Kesehatan Masyarakat. Jakarta: EGC.
- Hakim, R. (2012). Faktor Faktor Yang Berhubungan Dengan Pemberian Asi Eksklusif Pada Bayi 6 -12 Bulan Di Di Wilayah Kerja Puskesmas Nabire Kota Kabupaten Nabire Tahun 2012. Skripsi Kesehatan Masyarakat. Retrieved from http://lib.ui.ac.id/ file?file=digital/20320761-S-Ramla Hakim.pdf
- Hastono, S. P. (2016). *Analisis Data Pada Bidang Kesehatan*. Jakarta: Raja Grafindo Persada.
- Hastono, S. P., & Sabri, L. (2010). *Statistik Kesehatan*. Jakarta: Rajawali Pers.
- Jannah, N. (2011). Buku Asuhan Kebidanan Ibu Nifas. Jogjakarta: Ar-Ruzz Media.
- Kemenkes RI. (2018a). Hasil Utama RISKESDAS 2018. Retrieved from http://www.depkes.go.id/resources/ download/info-terkini/hasil-riskesdas-2018.pdf
- Kemenkes RI. (2018b). Profil Kesehatan Indonesia Tahun 2017. Retrieved from https://bit.ly/2TNmvcH
- Kemenkes RI. (2019). Menyusui Dapat Menurunkan Angka Kematian Bayi. Retrieved from https://bit.ly/2uOgiSm
- Lestari, R. R. (2018). Faktor-Faktor yang Berhubungan dengan Pemberian ASI Ekslusif pada Ibu, 2(1), 131– 136.
- Manuaba, I. B. G. (2010). *Ilmu Kebidanan, Penyakit Kandungan dan KB*. Jakarta: EGC.
- Maritalia, D. (2014). Asuhan Kebidanan Nifas dan Menyusui. Jogjakarta: Pustaka Belajar.
- Maryunani, A. (2012). Inisiasi Menyusu Dini, ASI Eksklusif dan Manajemen Laktasi. Jakarta: CV Trans Info Media.
- Menteri Negera Pemberdayaan Perempuan dan Perlindungan Anak. (2010). Permen No 03 Tahun 2010 Penerapan Sepuluh Langkah Menuju Keberhasilan Menyusui. Retrieved from http://bphn.go.id/data/

documents/10pp010.pdf

- Mubaraq, W. iqbal. (2012). *Ilmu Kesehatan Masyarakat Konsep dan Aplikasi dalam Kebidanan*. Jakarta: Salemba Medika.
- Nirwana, A. B. (2014). ASI dan Susu Formula: Kandungan dan Manfaat ASI dan Susu Formula. Yogyakarta: Nuha Medika.
- Notoatmodjo, S. (2003). *Pendidikan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2007a). Pendidikan dan Perilaku Kesehatan. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2007b). Promosi Kesehatan dan Ilmu Perilaku. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2012a). Metodologi Penelitian Kesehatan. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2012b). Promosi Kesehatan dan Perilaku Kesehatan. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2014). *Ilmu Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nursalam. (2013). Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan. Jakarta: Salemba Medika.
- Oxorn, H., & Forte, W. R. (2010). *Ilmu Kebidanan: Patologi dan Fisiologi Persalinan.* Jogjakarta: Andi Yogyakarta. Retrieved from http://books.google.co.id/ UFSBHuhsjja
- Peraturan Presiden RI. (2014). Undang-Undang No. 36 Tahun 2014 tentang Tenaga Kesehatan. Retrieved from http://gajiroum.kemkes.go.id/data/UU_NO_36_2014.p df
- Portal Data Terpadu Pemerintah Provinsi DKI Jakarta. (2017). Data Jumlah Penduduk Berdasarkan Pekerjaan Perkelurahan Tahun 2017. Retrieved from http:data.jakarta.go.id/dataset/jumlah-pendudukberdasarkan-pekerjaan
- Prasetyono, D. S. (2009). ASI Eksklusif. Yogyakarta: Diva Press.
- Purwoastuti, E., & Walyani, E. S. (2015). *Ilmu Kesehatan Masyarakat dalam Kebidanan*. Yogyakarta: Pustaka Baru Press.
- Pusat Data dan Informasi Kementerian Kesehatan RI. (2014). Situasi dan Analisis ASI Eksklusif. Retrieved from https://bit.ly/2G0Q5Xi
- Puskesmas Kecamatan Tambora. (2018). Profil 2018 Kesehatan Puskesmas Kecamatan Tambora.
- Republik Indonesia. (2012). *PP RI No 33 Tahun 2012 Pemberian Air Susu Ibu Eksklusif*. Retrieved from http://www.hukor.depkes.go.id/uploads/produk_huku m/PP No. 33 ttg Pemberian ASI Eksklusif.pdf

Roesli, U. (2000). Mengenal ASI Eksklusif. Jakarta: EGC.

- Rubinem. (2012). Faktor-Faktor Yang Berhubungan Dengan Perilaku Pemberian ASI Eksklusif Di Puskesmas Srondol Kota Semarang Tahun 2012. Skripsi Kesehatan Masyarakat. Retrieved from https://bit.ly/2UfD2tS
- Sears, William, & Martha. (2013). *The Baby Book, Everything You Need To Know About Youtr Baby From Birth To Age Two.* New York: Little Brown and Compay.
- Shrimp, T. (2003). Periklanan Promosi. Jakarta: Erlangga.

- Soetjiningsih. (2007). ASI Petunjuk untuk Tenaga Kesehatan. Jakarta: EGC.
- Susmaneli, H. (2013). Faktor-Faktor yang Berhubungan dengan Pemberian ASI Eksklusif di Wilayah Kerja Puskesmas Rambah Hilir I Kabupaten Rokan Hulu Tahun 2012, 2(36), 67–71.
- Syafneli, & Handayani, E. Y. (2015). Analisis Faktor-Faktor yang Berhubungan Dengan Pemberian ASI Eksklusif di Desa Pasir Jaya Tahun 2014. Maternity and Neonatal, 2(1), 54–61.
- Trisnawati, E. I., Machmudah, & Sobirun. (2013). Faktorfaktor yang Berhubungan dengan Pemberian ASI Eksklusif di Wilayah Kerja Puskesmas Ngaliyan Semarang. Keperawatan, 1–14. Retrieved from https://bit.ly/2uNfspa
- UNICEF. (2018). Adopting optimal feeding practices is fundamental to a child's survival, growth and development, but too few children benefit. Retrieved from https://data.unicef.org/topic/nutrition/infant-andyoung-child-feeding/
- Walyani, E. S., & Purwoastuti, E. (2015). Asuhan Persalinan dan Bayi Baru Lahir. Jogjakarta: Pustaka Baru Press.
- WHO. (2019). Exclusive breastfeeding for optimal growth, development and health of infants. Retrieved from https://www.who.int/elena/titles/exclusive_breastfeedi ng/en/
- Widdefrita, & Mohanis. (2013). Peran Petugas Kesehatai dan Status Pekerjaan Ibu Dengai Pemberian ASI Ekslusif. Kesehatan Masyarakat, 8(1), 40–45. Retrieved from https://bit.ly/2YSwct0
- Wilyani, E. S., & Purwoastuti, E. (2015). *Ilmu Kesehatan Masyarakat dalam Kebidanan*. Yogyakarta: Pustaka Baru Press.
- Yuliarti, N. (2010). Keajaiban ASI, Makanan Terbaik untuk Kesehatan, Kecerdasan, dan Kelincahan Si Kecil. Yogyakarta: Andi Yogyakarta.