

# Biometric Evaluation to Measure Brain Activity and Users Experience Using Electroencephalogram (EEG) Device

Alaa Alkhafaji<sup>1,4</sup><sup>a</sup>, Sanaz Fallahkhair<sup>2</sup> and Ella Haig<sup>3</sup><sup>b</sup>

<sup>1</sup>*School of Engineering, Computing, and Mathematics, University of Plymouth, U.K.*

<sup>2</sup>*School of Computing University of Brighton, U.K.*

<sup>3</sup>*School of Computing, University of Portsmouth, U.K.*

<sup>4</sup>*Department of Computer Science, College of Science, Mustansiriyah University, Iraq*

**Keywords:** EEG, Biometric Data, HCI, User Experience, Field Study.

**Abstract:** This paper presents an empirical study in the field to obtain preliminary insights evaluating the mobile application using an electroencephalogram (EEG) device (i.e. EMOTIV Insight headset). EMOTIV is a device to be worn on the head that monitors brain activity to further analyse them into meaningful data that can inform the results of measuring the users' experience in terms of six cognitive metrics which are: stress, engagement, interest, focus, excitement and relaxation. A mixed methods approach was used adopting questionnaire, automated biometric data using EMOTIV and observations. The results suggest that the biometric data obtained from this device are reliable to some extent, but it is important to be combined with qualitative data using observational method in order to make sense of the results into different dimensions. This would help researchers, who are seeking a way to measure internal user experience both subjectively and objectively. Additionally, the results suggest that participants' experience was positive when used a mobile app to receive information regarding heritage places in the field. Moreover, several implications and challenge are outlined.


## 1 INTRODUCTION


User experience is a very important element when it comes to introducing a new technology to users (Dibeklioglu et al., 2021). It is essential to measure their experience as accurately as possible for a better insight regarding the investigated aspect (Hassenzahl & Tractinsky, 2006). User experience would inform developers about the quality of a new product and whether it will be used or not (Paul & Komlodi, 2014). Thus, researchers should make sure the results of such studies are accurate enough to draw conclusions that assist in taking any decision regarding the product, whether positive or negative.

Measuring user experience traditionally is done using self-reported techniques (Law et al., 2009; Vermeeren et al., 2010), which could not be useful in providing subjective measures (Galindo & García-Canseco, 2015). Additionally, it might cause a lack of accuracy of the results as people tend to forget things after a short period of time. The slight

inaccuracy in research results could cause, to some extent, unreliability of studies (Bai & Fuglerud, 2018). That could hinder the process of research and trust in its results. In addition, traditional methods do not measure aspects such as engagement, stress and focus (McNamara & Kirakowski, 2006).

The recent emergence of electroencephalogram (EEG) devices that monitor brain activity provides a complimentary tool to support the traditional methods that measure user experience. These could potentially be more accurate and include aspects that are not well-considered (e.g. engagement, interest and focus) (Galindo & García-Canseco, 2015; Heunis, 2016). As experience usually is in users' mind (Attfield et al., 2011), capturing these from users' brain directly would support researchers when conducting field studies for this purpose. Additionally, in many cases we would need to acquire objective measure to reduce evaluator/researcher effect. Therefore, objective measure for testing such as biometric methods (i.e. EEG) could be used. The EEG devices enable us to

<sup>a</sup> <https://orcid.org/0000-0001-8625-886X>

<sup>b</sup> <https://orcid.org/0000-0002-5617-1779>

collect objective feedback about users and their experience. However, as this is yet immature in the literature, there is no clear insight to which extent these electronic data are reliable. This paper presents an empirical study to provide a preliminary insight of this question while measuring user experience in the field when using a mobile app for information acquisition about a cultural heritage site. The next section gives a brief overview of similar studies.

## 2 RELATED WORK

Few studies were conducted using automated approaches to measure users' experience. The eye-tracking method is one approach that is used to measure user experience by monitoring users' gaze while experiencing the use of a technological device (Amadiou et al., 2015; Pel et al., 2010; Poole & Ball, 2006). However, this approach measures only the aspect of where users look with the aim of identifying what catches the participants' eyes, but not experiences such as "engagement", "focus" and "interest". It was also utilized in robotics (Aguilar et al., 2016; Chowdhury et al., 2014).

Another approach is capturing brain signals of participants with the aim of measuring experience. This approach is yet immature in the literature; very few studies were conducted using such an approach (Balart-Sánchez et al., 2019; Holman & Adebesein, 2019; Kotowski et al., 2018; Šumak et al., 2017; Vokorokos et al., 2012; Zhang et al., 2019). However, none of them measured the accuracy of the biometric data as the same time when measuring users experience at outdoors. In outdoor settings, the EMOTIV Insight device is light to carry and, easy to use and set up, which is always preferable features as the device does not need a considerable amount of time and effort to be carried, set and used.

Hence, we know very little about the accuracy of this approach, which otherwise could bring great benefits in the field of human-computer interaction to automatically measure user experience. This paper presents a field study that was conducted to measure users' experience automatically using an EEG EMOTIV Insight headset device. and reports the results. The next section provides an overview of the adopted methods and techniques.

## 3 METHODOLOGY

A mixed methods approach was adopted using three

research techniques, which are: questionnaire, automated biometric data using EMOTIV Insight and the MyEmotiv app (see Fig. 1), and observations. The study took place in the outdoor setting of the Royal Pavilion in Brighton, UK. The convenience sampling method was used to recruit participants. Visitors of the site were targeted, which were randomly chosen to be kindly asked if they are happy to take part. Seven participants responded positively and accepted to take part in this study. Participants were asked to use a mobile app that provides historical information regarding the site in multiple modalities (e.g. audio & pictures to see attractions back in time) while wearing the device. Participants were asked to perform two tasks using related features of the app: (a) listen to an audio explanation about the attraction; (b) see how the attraction appeared in the past (more details regarding the heritage app are given in Section 4).

### 3.1 Participants

Seven participants took part in this study; all of them were visitors at the royal pavilion in Brighton. Their age ranged between 30 to 50; three were females and four were males. In terms of their background, one was Australian, one was German, and the remainder were British. In terms of their occupation, there were three lecturers, one teacher, one project manager and one officer. Consent for using their photos was obtained.

### 3.2 Methods

MyEmotiv records brain's waves captured by the device in the real time to be analysed later. EMOTIV is a wireless headset device that monitors brain activity and translate them into meaningful data via MyEmotiv – impaired data (see Fig.1). It has four semi-dry polymer sensors that are placed right on the skull to capture brain activity. Additionally, it has nine axis sensors, which help detecting head movements (Duvinaige et al., 2013; Heunis, 2016). MyEmotiv consists of six metrics; a brief definition of each one is given below:

The impaired data obtained from MyEmotiv was transferred to MS Excel to prepare them for the analysis phase. A simple statistical analysis performed to obtain the average and STD for each category amongst participants.

A questionnaire technique was used to in this study to compare its results with the biometric data.

The questionnaire was designed based on the cognitive metrics of the MyEmotiv to compare the results of both techniques, which are interest,

Table 1.

Interest	Measures how much you like or dislike something
Excitement	Measures your level of mental arousal
Relaxation	Is your ability to switch off and reach a calm mental state
Engagement	Measures how immersed you are in what you are doing or experiencing
Stress	Measures how comfortable you are with the current challenge you are facing
Focus	Is your ability to concentrate on one task and ignore distractions



A: Graph showing results of all metrics

B: detecting “engagement” with the definition

Figure 1: Examples of the results in MyEmotive.

excitement, relaxation, engagements, stress and focus. The questionnaire consists four sections: (a) task one: listening to the audio description; (b) task two: seeing the attraction how looked in the past; (c) demographic information; (d) Authorization. in sections a & b participants are required to rate their experience from 1 to 10, where 1 is the least and 10 is maximum, when used the SmartC app based on the six cognitive metrics, so each metric is rated from 1 to 10. Participants were also, given an opportunity to add any comment regarding their experience. The results obtained from the questionnaire was transferred MS Excel preparing for the analysis phase.

## 4 STUDY SETTING

This study used a combination of three research techniques as mentioned earlier to obtain rich data. It used the EMOTIV device that monitors brain activity and then translate it into meaningful data - impaired data, which measures cognitive aspects of focus, engagement, relaxation, stress, interest and excitement. EMOTIV is a wearable device to be worn on the head (a brain-worm device), which has five channel EEG that help capture the brain’s signals (EMOTIV INSIGHT, 2022) (see Figs 2 & 3). The MyEmotiv app was used to obtain the data from EMOTIV by simply pairing it to the device via Bluetooth.

Participants were given a leaflet talking about the purpose of the study and explaining how the device works. Participants were required to wear the device while at the same time perform two tasks using the SmartC app, which is a mobile app for cultural heritage sites that has features enable users to explore heritage places in the context (Alkhafaji et al., 2019). The features include: listening to audio explanations and seeing how attractions looked in the past, see-it-in-the-past, using augmented reality. This feature simply works when visitors place a mobile device in front of the related attraction, then an old image of the attraction attached to a live camera view appears to show how the attraction appeared in the past (Alkhafaji et al., 2020).

The tasks that participants were requested to do include: (a) listening to an audio explanation regarding the related attraction; (b) seeing the attraction how looked in the past. The researchers helped participants to wear the device and set it up to start the monitoring process. Participants filled out a questionnaire directly after each task to rate their experience. The questionnaire contained three sections: (a) the demographic section; (b) task one, which was about listening to the audio explanation; and (c) task two, which was seeing how an attraction looked in the past.

The questions were designed based on the six metrics in MyEmotiv and the reason is to compare the results of the MyEmotiv app that the device captured automatically with the results that the participants reported themselves. Participants were asked to rate their experience when using the SmartC app in the outdoor setting of the Royal pavilion from 1 to 10, where 1 is the minimum and 10 is the maximum; these were converted to percentages to be easily compared.





Figure 2: A participant trying EMOTIV while doing the first task.



Figure 3: A participant trying EMOTIV while doing the second task.

The observational study was carried out during the experience sessions; researchers took notes while participants were performing the tasks (i.e. listen to an audio and look at a picture of the attraction displaying how it looked in the past). EMOTIV worked properly with almost all participants, but failed to connect properly with two of them, which led the data were not recorded. One participant performed the first task only as she had something to do and the session took quite some time to perform. More details regarding challenging and implication are given in Section 7.

## 5 RESULTS

The results of the study are presented in this section.

For task 1, as shown in the Fig. 4, the results obtained from the MyEmotiv app show participants were interested and engaged in listening to the audio explanation as the average respectively were 64% and 57%. These results were the highest amongst the metrics of the app, where focus was the lowest as it was 36%, which indicates participants were not completely focused. The possible explanation of this results could be the nature of the outdoor settings as it was busy and noisy, which could affect participants' focus. On the other hand, the stress was 42% and relaxation was 49%, which indicate they had a slight stress. That could be explained as they were not quite relaxed when using a new device.

Participants also performed the second task, which was seeing an old image of the attraction that showed how the pavilion looked in the past. The results of this task were less positive than the previous task as it was slightly challenging to see the old image (see Fig. 5). Participants needed to spend extra time trying to get the image to appear, and more challenging to keep it for enough time to be seen properly. That was due the nature of this feature as it was based on location, which sometimes caused the image to disappear when making a slight move on location. In addition to the EMOTIV device experience, participants were asked to fill out a questionnaire to report their experience themselves in terms of the same aspects as the MyEmotiv app, on scale from 1 to 10. The data were converted to percentages to be easily compared to the brain activity results.

The results of the questionnaire suggest that participants were interested (81%) and engaged (79%) with the experience; they were focused (77%), but less excited (50%). Additionally, whilst the results indicate participants were not highly relaxed (59%), they were not stressed (27%) (see Fig. 4).

The figure of the results of the second task looks different from the first one as shown in Fig. 5 and that could be because the old image was not easy to obtain, which caused a slight frustration amongst participants.

The results were: focus 70%, interest 63%, engagement 43%, excitement 38%, stress 43% and relaxation 42%; a further discussion is presented later in this section. As shown, the average of the "engagement" and "excitement" metrics are not encouraging, which could give impression that participants were not engaged. The possible explanation is the nature of the feature as explained earlier, it required the device to be against the attraction and in a specific position for the old image

to appear, which was slightly hard to find, “*really struggled to find position of phone where past photo showed*”. Same is true regarding the average of the “stress” category as one participant added against to her rate, “*was holding breadth to try to find the correct position*”.

Participants also were given a choice to add comments if they would like to. Four of them chose to add comments as given below:

*“I like the feature of how looked in the past but with more features such as video and 3D images”*

*“excellent ideas. Great to see technology supporting heritage”*

*“I’ve lived in Brighton for 17 years and only visit the Pavilion once, because it’s quite expensive, so, this could be a great alternative for a lower cost experience, but still [...] for the pavilion.”*

*“I would like to see the image for longer.”*

Based on these comments, it is clear that participants enjoyed the experience, but wished the image to stay for longer to be better seen. The results are compared in the next sub-section.

From looking to the above figures, it is clear that the results of the questionnaire are more positive than the results of the app. However, the trend is similar in most metrics, with the exception of “focus”, where the data shows big difference. This could mean participants thought they were focused, while they were trying to focus but the noise around them prevented them from being focused without realising. Our justification for this explanation is that this device is supposed to work in any circumstances (e.g. noisy or quite) based on the official website (Sumak et al., 2017), so we assume that its results are more accurate in this context. Additionally, this would also explain the “stress” results as the app reported “stress” is 42%, which could mean they were get slightly stressed as they were trying to focus in busy and noise circumstances




Figure 4: The results of task 1.




Figure 5: The results of task 2.

that is not very easy. Comments by a participant supports this explanation as she added against to her rate of the metrics for the first task, “focus” and “stress” to explain them, “noisy garden”, “trying to hear”.

Figure 5 shows that the results of the second task suggest both tools are relatively consistent and there is no big difference between them. This could indicate that the EMOTIV device could be a reliable tool to measure people’s experience.

As the results of both studies suggest that the participants were not highly relaxed but slightly stressed, this could be due to two possible reasons: first: using a new device, which they are not very familiar with; second: the noisy environment that required participants to put more efforts to focus.

An observational technique was also used in this study. Participants were verbalising their thoughts as they performed the tasks, which made it easier for researchers to capture them.

The results of this technique show that participants liked the idea of using a mobile app for acquiring information regarding cultural heritage sites. They showed a great interest in using EMOTIV to measure their experience as they looked excited, especially they were able to see a 3D image that shows brain activity pattern while they were performing the tasks. It was noticed that most participants made comments regarding the first task after they were done with it, while they were making comments regarding the second task while they were doing it. This could be explained in two ways: first, it could give an impression they were more relaxed and enjoying the first task, while they got slightly frustrated during the second task. Second: the first task needed participants to focus due to the noisy environment. Whilst both explanations could be valid; we tend to go with the first one due to the fact that participants looked interested and enjoying the audio as explained below.

Regarding the first task and as mentioned earlier, participants seemed they were enjoying the audio explanation and mentioned the word “very interesting” a lot during and after the task when they talked about it after the completion of it. Regarding the second task, participants very much wished to see the old image of the attraction, but because it was slightly challenging to obtain, they looked slightly frustrated. One participant said, “I am holding breath to get the old image”, as she mentioned that she really wanted to see it clearly. Another Participant mentioned that the time spent on getting the image to show up had a negative effect on engagement. In brief, the results of the observations were consistent with the results of the questionnaire and the MyEmotiv app.

## 6 DISCUSSION

The user experience study presented in this paper helped have preliminary insights regarding the use of EEG devices such as EMOTIV Insight to measure the experience of people automatically when performing a task or simply when doing any activity. This would support researchers to measure participants’ experience during field studies to get a better insight on the investigated issues. The results of all methods were relatively consistent, which give validity to the findings.

The results indicate that the biometric data obtained from EMOTIV are reliable to some extent, which means the device have a potential to be used by researchers in field studies to measure the experience of users alongside other self-reported techniques. This could be a good tool in evaluation studies, as often measuring the experience of users is challenging due to the fact that the experience, including aspects such as the ones measured in this study (e.g. engagement, interest, etc.), is in users’ mind (Attfield et al., 2011; Henrie et al., 2015)] and participants sometimes are not able to accurately report the experience (Poole & Ball, 2006). An example of this, the results of the questionnaire show the average of the “focus” was 77% during the first task, while the results of the app show it was 38%, which is a big difference. The justification for this could be that participants sometimes cannot measure their experience properly, or simply not very accurate as humans often forget things after a short period. Someone could ask here, why not the other way around and not the results of the app were not accurate? Our justification for this, that although there was a gap between the results of both tools of the first task, the trend was the same, the only exception was the “focus”. Additionally, the results of the second task were relatively similar of both tools. The other reason, the study took place at the outdoor setting of the site on a beautiful summary day, which was very busy; consequently, it was noisy, which made sometimes slightly hard to focus. Thus, we believe that the results of the app were more accurate in this context.

Although the trend of the results was similar, there was a gap between the results from both resources (questionnaire and EMOTIV) as the results of the questionnaire were slightly higher in most metrics. That suggests that participants were more generous in reporting their experience than the app.

Alongside the positive results regarding the validity of capturing biometric data, this study captured participants’ experience regarding the use of

a mobile app to acquire information at heritage places. The results suggest participants enjoyed the experience and liked using a mobile app for acquiring historical information about cultural heritage places. They showed a great interest in using such apps in the context while at the same time enjoying being at the place, i.e. not having to choose between the place and the technology. This would give a sense of the place, while at the same time receiving information about the story of the place with less-cost. In short, this study suggests two important points:

- Biometric data obtained from a device such as EMOTIV Insight have a good potential to be considered in user experience studies.
- Visitors of cultural heritage sites like and some of them prefer using mobile apps that provide stories of cultural heritage sites to have a low-cost experience.

## 7 LIMITATIONS AND IMPLICATIONS

A few implications and limitations were raised during this study, which include:

- Time constraint of participants: although recruiting participants in the context and without previous planning has its own benefits, such as capturing the experience of real users, which is good for the validity of the research, However, it has disadvantages in terms of time constraints for participants as they were not prepared to spend a considerable portion of their leisure time participating in a study.
- Participants were not easy to recruit for the same previous reason, as they were not willing to waste their time of leisure participating in the study.
- A technical issue had arisen during the study, which was in setting up the EMOTIV device. It seemed the sensors of the device needed to be directly on the skin of the skull to work properly, which was slightly challenging for participants of thick hair.
- In addition, some hygiene issues were raised as the device needed to be worn on heads; due to this, some participants were slightly cautious about wearing it.
- Noise was an issue as the site was busy on the day of the study, which made it slightly challenging sometimes to focus.
- Finally, the study is limited to a small-scale

sample; consequently, studies with a larger number of participants are needed to confirm validity of the accuracy of the EMOTIV device.

## 8 CONCLUSIONS

A user experience study has been presented in this paper. The EMOTIV insight device was utilised in this study to measure the users' experience during the use of a mobile app for cultural heritage sites at outdoor settings. A combination of three methods were used in this study: capturing automated biometric data using EMOTIV, questionnaire and observations. The results of all methods were mostly consistent. The results suggest that the data obtained from EMOTIV are relatively reliable; thus, such devices could be a good support for researchers to measure users' experience in field studies.

The results show that participants were interested, engaged and focused to some extent with the experience when using a mobile app to acquire information in an outdoor setting of a heritage place. They mentioned it would provide a low-cost experience. Also, the results suggest participants were slightly stressed, possibly because of the noisy environment combined with using a new device. Additionally, the results show that participants were more generous when rating their experience than the app. This also needs further research to be confirmed.

Further research is needed to with more participants to provide a better insight regarding the use of the EEG devices such as the EMOTIV Insight device.

## REFERENCES

- Aguiar, S., Yanez, W., & Benítez, D. (2016). Low complexity approach for controlling a robotic arm using the Emotiv EPOC headset. 2016 IEEE International Autumn Meeting on Power, Electronics and Computing (ROPEC),
- Alkhafaji, A., Fallahkhair, S., & Cocea, M. (2019). Design challenges for mobile and wearable systems to support learning on-the-move at outdoor cultural heritage sites. IFIP Conference on Human-Computer Interaction,
- Alkhafaji, A., Fallahkhair, S., & Haig, E. (2020). A theoretical framework for designing smart and ubiquitous learning environments for outdoor cultural heritage. *Journal of cultural heritage*, 46, 244-258.
- Amadiou, F., Salmerón, L., Cegarra, J., Paubel, P.-V., Lemarié, J., & Chevalier, A. (2015). Learning from concept mapping and hypertext: An eye tracking study.



- Journal of Educational Technology & Society*, 18(4), 100-112.
- Attfield, S., Kazai, G., Lalmas, M., & Piwowarski, B. (2011). Towards a science of user engagement (position paper). WSDM workshop on user modelling for Web applications.
- Bai, A., & Fuglerud, K. S. (2018). Method for Semi-Automated Evaluation of User Experience Using Brain Activity. *Studies in health technology and informatics*, 256, 811-820.
- Balart-Sánchez, S. A., Vélez-Pérez, H., Rivera-Tello, S., Velázquez, F. R. G., González-Garrido, A. A., & Romo-Vázquez, R. (2019). A step forward in the quest for a mobile EEG-designed epoch for psychophysiological studies. *Biomedical Engineering/ Biomedizinische Technik*, 64(6), 655-667.
- Chowdhury, P., Shakim, S. K., Karim, M. R., & Rhaman, M. K. (2014). Cognitive efficiency in robot control by Emotiv EPOC. 2014 International Conference on Informatics, Electronics & Vision (ICIEV).
- Dibeklioğlu, H., Surer, E., Salah, A. A., & Dutoit, T. (2021). Behavior and usability analysis for multimodal user interfaces. In: Springer.
- Duvinage, M., Castermans, T., Petieau, M., Hoellinger, T., Cheron, G., & Dutoit, T. (2013). Performance of the Emotiv EPOC headset for P300-based applications. *Biomedical engineering online*, 12(1), 1-15.
- EMOTIV INSIGHT. (2022). <https://www.emotiv.com/insight/>
- Galindo, G., & García-Canseco, E. (2015). Emotions Identification to Measure User Experience Using Brain Biometric Signals.
- Hassenzahl, M., & Tractinsky, N. (2006). User experience - a research agenda. *Behaviour & information technology*, 25(2), 91-97.
- Henrie, C. R., Halverson, L. R., & Graham, C. R. (2015). Measuring student engagement in technology-mediated learning: A review. *Computers & Education*, 90, 36-53.
- Heunis, C. (2016). Export and Analysis of Emotiv Insight EEG data via EEGLAB. In: Sept.
- Holman, M., & Adebesein, F. (2019). Taking the Subjectivity out of UX Evaluation with Emotiv EPOC+. In *Proceedings of the South African Institute of Computer Scientists and Information Technologists 2019* (pp. 1-10).
- Kotowski, K., Stapor, K., Leski, J., & Kotas, M. (2018). Validation of Emotiv EPOC+ for extracting ERP correlates of emotional face processing. *Biocybernetics and Biomedical Engineering*, 38(4), 773-781.
- Law, E. L.-C., Roto, V., Hassenzahl, M., Vermeeren, A. P., & Kort, J. (2009). Understanding, scoping and defining user experience: a survey approach. Proceedings of the SIGCHI conference on human factors in computing systems.
- McNamara, N., & Kirakowski, J. (2006). Functionality, usability, and user experience: three areas of concern. *interactions*, 13(6), 26-28.
- Paul, C. L., & Komlodi, A. (2014). Measuring user experience through future use and emotion. In *CHI'14 Extended Abstracts on Human Factors in Computing Systems* (pp. 2503-2508).
- Pel, J., Manders, J., & Van der Steen, J. (2010). Assessment of visual orienting behaviour in young children using remote eye tracking: methodology and reliability. *Journal of Neuroscience Methods*, 189(2), 252-256.
- Poole, A., & Ball, L. J. (2006). Eye tracking in HCI and usability research. In *Encyclopedia of human computer interaction* (pp. 211-219). IGI Global.
- Šumak, B., Špindler, M., & Pušnik, M. (2017). Design and development of contactless interaction with computers based on the Emotiv EPOC+ device. 2017 40th International Convention on Information and Communication Technology, Electronics and Microelectronics (MIPRO).
- Vermeeren, A. P., Law, E. L.-C., Roto, V., Obrist, M., Hoonhout, J., & Väänänen-Vainio-Mattila, K. (2010). User experience evaluation methods: current state and development needs. Proceedings of the 6th Nordic conference on human-computer interaction: Extending boundaries.
- Vokorokos, L., Mados, B., Ádám, N., & Baláz, A. (2012). Data acquisition in non-invasive brain-computer interface using emotiv ePOC neuroheadset. *Acta Electrotechnica et Informatica*, 12(1), 5.
- Zhang, J. Z., Jadavji, Z., Zewdie, E., & Kirton, A. (2019). Evaluating if children can use simple brain computer interfaces. *Frontiers in human neuroscience*, 13, 24.